

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.286.	ABIETIC ACID	Sylvic acid	[514-10-3]	302.46	C <sub>20</sub> H <sub>30</sub> O <sub>2</sub>	
01.030.	L-ABRINE	N-α-Methyl-L-tryptophan	[526-31-8]	218.26	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,5
01.031.	(+)-ABSCISIC ACID		[21293-29-8]	264.33	C <sub>15</sub> H <sub>20</sub> O <sub>4</sub>	Merck Index 11,6
01.032.	(+/-)-ABSCISIC ACID	ABA; Dormin	[14375-45-2]	264.33	C <sub>15</sub> H <sub>20</sub> O <sub>4</sub>	Merck Index 11,6
01.002.	ABSINTHIN	Absinthiin, Absynthin	[1362-42-1]	496,64	C <sub>30</sub> H <sub>40</sub> O <sub>6</sub>	Merck Index 12,8
01.033.	ACACETIN	5,7-Dihydroxy-4'-methoxyflavone; Linarigenin	[480-44-4]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,9
01.287.	ACACETIN	Apigenin-4'-methylester	[480-44-4]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
01.034.	ACACETIN-7-NEOHESPERIDOSIDE	Fortunellin	[20633-93-6]	610.60	C <sub>28</sub> H <sub>32</sub> O <sub>14</sub>	
01.035.	ACACETIN-7-RUTINOSIDE	Linarin	[480-36-4]	592.57	C <sub>28</sub> H <sub>32</sub> O <sub>14</sub>	Merck Index 11,5376
01.036.	2-ACETAMIDO-2-DEOXY-1,3,4,6-TETRA-O-ACETYL-α-D-GLUCOPYRANOSE	α-D-Glucosamine pentaacetate		389.37	C <sub>16</sub> H <sub>23</sub> NO <sub>10</sub>	
01.037.	2-ACETAMIDO-2-DEOXY-1,3,4,6-TETRA-O-ACETYL-β-D-GLUCOPYRANOSE>	β-D-Glucosamine pentaacetate	[7772-79-4]	389.37	C <sub>16</sub> H <sub>23</sub> NO <sub>10</sub>	
01.038.	2-ACETAMIDO-2-DEOXY-3,4,6-TRI-O-ACETYL-α-D-GLUCOPYRANOSYLCHLORIDE	Acetochloro-α-D-glucosamine	[3068-34-6]	365.77	C <sub>14</sub> H <sub>20</sub> ClNO <sub>8</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.039.	2-ACETAMIDO-2-DEOXY-D-GALACTONOLACTONE			219.20	C <sub>8</sub> H <sub>13</sub> NO <sub>6</sub>	
01.040.	2-ACETAMIDO-2-DEOXY-D-GLUCONOLACTONE			219.20	C <sub>8</sub> H <sub>13</sub> NO <sub>6</sub>	
01.041.	<i>a</i> -ACETAMIDO- <i>gamma</i> -(3-INDOLE)-BUTYRIC ACID	(+/-)-N-acetyl homotryptophan		259.29	C <sub>14</sub> H <sub>15</sub> N <sub>2</sub> O <sub>3</sub>	
01.042.	N-ACETAMIDORHODANINE Monohydrate		[73855-54-6]	208.26	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> S <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,8184
01.043.	ACETOBROMO- <i>a</i> -D-GALACTOSE	2,3,4,6-Tetra-O-acetyl- <i>a</i> -D-galactopyraosyl bromide	[3068-32-4]	411.21	C <sub>14</sub> H <sub>19</sub> BrO <sub>9</sub>	
01.044.	ACETOBROMO- <i>a</i> -D-GLUCOSE	2,3,4,6-Tetra-O-acetyl- <i>a</i> -D-glucopyranosyl bromide	[572-09-8]	411.22	C <sub>14</sub> H <sub>19</sub> BrO <sub>9</sub>	
01.235.	ACETOSYRINGON		[2478-38-8]	196.21	C <sub>10</sub> H <sub>12</sub> O <sub>4</sub>	
01.236.	ACETOVANILLON		[498-02-2]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	
01.237.	ACETOVERATONE		[1131-62-0]	180.21	C <sub>10</sub> H <sub>12</sub> O <sub>3</sub>	
01.045.	D,L-1'-ACETOXYCHAVICOL ACETATE		[52946-22-2]	234.25	C <sub>13</sub> H <sub>14</sub> O <sub>4</sub>	Ohnishi, M., Tanaka, T., Makita, H., et al. Jpn. J. Cancer Res., 87:349-356(1996).
01.001.	ACETOXYVALERENIC ACID			292.38	C <sub>17</sub> H <sub>24</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.046.	ACETYL COENZYME A TRILITHIUM SALT Trihydrate	Acetyl CoAlI3	[72-89-9]	881.43	C23H35Li3N7O17P3S.3H2O	
01.242.	ACETYL EUGENOL		[93-28-7]	206.24	C12H14O3	
01.047.	(+/-)-N-ACETYL HOMOTRYPTOPHAN	a-Acetamido-gamma-(3-indole)-butyric acid		259.29	C14H15N2O3	
01.048.	N-ACETYL HOMOTRYPTOPHAN ETHYL ESTER	a-Acetamido-gamma-(3-indole)-butyric acid ethyl ester		287,29	C16H19N2O3	
01.049.	1-O-ACETYL-2,3,5-TRI-O-BENZOYL-b-D-RIBOFURANOSE	1-Acetyl-2,3,5-tribenzoyl-b-D-ribofuranoside	[6974-32-9]	504.49	C28H24O9	
01.241.	8-ACETYL-6,7-DIMETHOXYCOUMARIN			248.24	C13H12O5	
01.245.	8-ACETYL-6-HYDROXY-7-METHOXYCOUMARIN			234.21	C12H10O5	
01.244.	8-ACETYL-7-HYDROXYCOUMARIN		[6748-68-1]	204.18	C11H8O4	
01.246.	8-ACETYL-7-METHOXYCOUMARIN		[89019-07-8]	218.21	C12H10O4	
01.101.	ACETYLLACTEOL			542.00	C32H46O7	
01.050.	ACETYLCHOLINE IODIDE		[2260-50-6]	273.12	C7H16INO2	
01.051.	3-ACETYLCOUMARIN		[3949-36-8]	188.19	C11H8O3	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.052.	N-ACETYL-D-GLUCOSAMINE	2-Acetamido-2-deoxy-D-glucose; D-GlcNAc	[10036-64-3]	221.21	C <sub>8</sub> H <sub>15</sub> NO <sub>6</sub>	Merck Index 11,4352
01.053.	Na-ACETYL-DL-ARGININE Dihydrate			252.28	C <sub>8</sub> H <sub>16</sub> N <sub>4</sub> O <sub>3</sub> ·2H <sub>2</sub> O	
01.054.	N-ACETYL-DL-HOMOCYSTEINE THIOLACTONE	2-Acetamido-4-mercaptobutyric acid gamma-thiolactone	[17896-21-8]	156.21	C <sub>6</sub> H <sub>9</sub> NO <sub>2</sub> S	Merck Index 11,2322
01.055.	N-ACETYL-DL-LEUCINE		[99-15-0]	173.22	C <sub>8</sub> H <sub>15</sub> NO <sub>3</sub>	
01.056.	N-ACETYL-DL-METHIONINE		[1115-47-5]	191.25	C <sub>7</sub> H <sub>13</sub> NO <sub>3</sub> S	
01.057.	N-ACETYL-DL-o-FLUOROPHENYLALANINE		[66574-84-3]	225.22	C <sub>11</sub> H <sub>12</sub> FNO <sub>3</sub>	
01.058.	N-ACETYL-DL-PENICILLAMINE	N-Acetyl-3-mercaptovaline	[59-53-0]	191.25	C <sub>7</sub> H <sub>13</sub> NO <sub>3</sub> S	Merck Index 11,93
01.059.	N-ACETYL-DL-p-FLUOROPHENYLALANINE		[17481-06-0]	225.22	C <sub>11</sub> H <sub>12</sub> FNO <sub>3</sub>	
01.060.	N-ACETYL-DL-VALINE		[3067-19-4]	159.19	C <sub>7</sub> H <sub>13</sub> NO <sub>3</sub>	
01.061.	N-ACETYL-D-MANNOSAMINE (mixture of a- and b- forms)		[4773-29-9]	221.21	C <sub>8</sub> H <sub>15</sub> NO <sub>6</sub>	
01.062.	N-ACETYL-gamma-CARBETHOXYHOMOTRYPTOPHAN ETHYL ESTER			362.00	C <sub>19</sub> H <sub>24</sub> N <sub>2</sub> O <sub>5</sub>	
01.063.	N-ACETYL-L-CYSTEINE		[616-91-1]	163.20	C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> S	Merck Index 11,82

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.064.	N-ACETYL-L-CYSTEINE		[616-91-1]	163.19	C <sub>5</sub> H <sub>9</sub> O <sub>3</sub> S	Bongers, V., et.al. Eur.J.Cancer, A (6):921-923(1995).
01.065.	Na-ACETYL-L-GLUTAMINE		[2490-97-3]	188.19	C <sub>7</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,21
01.066.	N-ACETYL-L-TYROSINAMIDE		[1948-71-6]	222.24	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub>	
01.067.	N-ACETYL-L-TYROSINE ETHYL ESTER Monohydrate	ATEE	[840-97-1]	269.30	C <sub>13</sub> H <sub>17</sub> N <sub>2</sub> O <sub>4</sub> .H <sub>2</sub> O	
01.068.	N-ACETYLNEURAMINIC ACID	5-Acetamido-3,5-dideoxy-D-glycero-D-galacto-2-nonulosonic acid	[131-48-6]	309.28	C <sub>11</sub> H <sub>19</sub> N <sub>2</sub> O <sub>9</sub>	Merck Index 11,8431
01.069.	9-ACETYLPHENANTHRENE		[2039-77-2]	220.27	C <sub>16</sub> H <sub>12</sub> O	
01.070.	ACETYLSALICYLIC ACID	Aspirin	[50-78-2]	180.16	C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>	Kelloff, G.J., Boone, C.W., Crowell, J.A., et.al. Cancer Epidemiol.
01.071.	N-ACETYL-SEROTONIN	N-Acetyl-5-hydroxytryptamine	[1210-83-9]	218.32	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub>	J.Biol.Chem., 234,858(1959)
01.072.	2',7-bis ACETYLTAXOL			937,95	C <sub>51</sub> H <sub>55</sub> N <sub>2</sub> O <sub>16</sub>	
01.073.	2'-ACETYLTAXOL			895,95	C <sub>49</sub> H <sub>53</sub> N <sub>2</sub> O <sub>15</sub>	
01.074.	ACETYLTHIOCHOLINE BROMIDE	(2-Mercaptoethyl)trimethylammonium bromide acetate	[25025-59-6]	242.18	C <sub>7</sub> H <sub>16</sub> BrNOS	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.075.	ACETYLTHIOCHOLINE IODIDE	(2-Mercaptoethyl)trimethylammonium iodide acetate	[1866-15-5]	289.18	C7H16INOS	Biochem. Pharmacol., 7,88(1961) & Nature., 192,1216(1961).
01.076.	ACONITINE		[302-27-2]	645.77	C34H47NO11	Merck Index 11,113
01.077.	ACOVENOSIDE A		[663-95-6]	553.73	C30H49O9	
01.102.	ACTEIN			673.00	C37H53O11	
01.230.	ACTINOMYCIN D	Diactinomycin	[50-76-0]	1255.4	C63H86N12O16	Hennings H. Boutwell RK. Life Sci.: 6:173-181 (1967)
01.078.	ACTINOMYCIN D	Dactinomycin	[50-76-0]	1255.4	C62H86N12O16	Hennings, H., Boutwell, R.K. Life Sci., 6:173-181(1967).
01.079.	ACTINOMYCIN D 97%	Dactinomycin	[50-76-0]	1255.47	C62H86N12O16	Merck Index 11,2804
01.080.	ACTINOMYCIN V		[18865-48-0]	1268.00	C62H84N12O17	J Berdy et. al., CRC handbook Antibiot.Comp.Vol IV(2) p 35. CRC Press Boca Raton, Fl(1980).
01.249.	ADAMANTANE		[281-23-2]	136.24	C10H16	
01.081.	ADENINE	6-Aminopurine	[73-24-5]	135.14	C5H5N5	Merck Index 11,141
01.082.	ADENINE Hydrochloride Hemihydrate	6-Aminopurine HCl	[6055-72-7]	171.59	C5H5N5.HCl	Merck Index 11,141

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.083.	ADENINE SULPHATE Dihydrate	6-Aminopurine sulfate	[321-30-2]	404.36		Merck Index 11,141
01.084.	ADENOSIDE-2',(3')-PHOSPHORIC ACID	Yeast adenylic acid	[84-21-9]	347.23	C10H14N5O7P	
01.085.	ADENOSINE	Adeninucleoside; Adenine-9-D-ribofuranoside	[58-61-7]	267.24	C10H13N5O4	Merck Index 11,143
01.086.	ADENOSINE-2'-MONOPHOSPHORIC ACID	2'-Adenylic Acid	[81012-86-4]	347.23	C10H14N5O7P.xH2O	
01.087.	ADENOSINE-3':5'-CYCLIC PHOSPHATE	cyclic AMP	[60-92-4]	329.22	C10H12N5O6P	Merck Index 11,2714
01.088.	ADENOSINE-3'-MONOPHOSPHORIC ACID	3'-AMP; 3'-Adenylic acid	[84-21-9]		C10H14N5O7P.xH2O	Merck Index 11,147
01.089.	ADENOSINE-5'-DIPHOSPHATE-DISODIUM SALT	(ADP disodium salt)	[20398-34-9]	471.16	C10H13N5Na2O10P2.xH2O	Merck Index 11,144
01.090.	ADENOSINE-5'-MONOPHOSPHATE DISODIUM SALT	Sterile aqueous solution; 20mg/ml; (AMP)	[13474-03-8]	391.19	C10H12N5O7P.Na2	Merck Index 11,148
01.091.	ADENOSINE-5'-MONOPHOSPHORIC ACID	AMP; 5'-Adenylic acid; Muscle adenylic acid	[18422-05-4]	347.23	C10H14N5O7P.xH2O	Merck Index 11,148
01.092.	ADENOSINE-5'-TRIPHOSPHATE DISODIUM SALT	ATP content 20-25mg/amp: pH 7.0-8.5	[51963-61-2]	551.15	C10H14N5O13P3.Na2	Merck Index 11,145
01.093.	ADENYLYL-(3'---5')-ADENOSINE	(ApA) 94 %	[2391-46-0]	596.45	C20H25N10O10P	
01.094.	ADENYLYL-(3'---5')-CYTIDINE	(ApC) 94 %	[27553-02-0]	572.43	C19H25N8O11P	
01.095.	ADENYLYL-(3'---5')-GUANOSINE	(ApG) 94 %	[102029-53-8]	612.45	C20H25N10O11P	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.096.	ADONITOL Anhydrous	Adonit; Ribitol	[488-81-3]	152.15	C <sub>5</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,157
01.004.	ADRENALIN	Epinephrine	[51-43-4]	183.2	C <sub>9</sub> H <sub>13</sub> NO <sub>3</sub>	
01.097.	ADRENOCHROME Free base		[54-06-8]	179.18	C <sub>9</sub> H <sub>9</sub> NO <sub>3</sub>	Merck Index 11,162
01.098.	ADRENOSTERONE	4-Androsten-3,11,17-Trione; Reichstein's 'G'	[382-45-6]	300.40	C <sub>19</sub> H <sub>24</sub> O <sub>3</sub>	Merck Index 11,165
01.005.	AESCIN	β-Escin, β-Aescin	[11072-93-8]	1101.25	C <sub>54</sub> H <sub>84</sub> O <sub>23</sub>	Merck Index 11,3644
01.100.	AESCULETIN	Esculetin, Cicheringenin	[305-01-1]	178.14	C <sub>9</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 12,3738
01.118.	AESCULETIN-6-β-D-GLUCOPYRANOSIDE	Esculin; Aesculin; Esculosid, Bicolorin, Polydrom, Escosyl	[531-75-9]	358.28	C <sub>15</sub> H <sub>16</sub> O <sub>9</sub> .H <sub>2</sub> O	Merck Index 11,3646
01.103.	AFLATOXIN B1		[1162-65-8]	312.27	C <sub>17</sub> H <sub>12</sub> O <sub>6</sub>	A.L.Goldblatt, "Aflatoxin-Scientific Background, Control and Implications", Academic Press, New York, N.Y. (1969).
01.104.	AFLATOXIN B1-8,9-epoxide		[42583-46-0]	328.28	C <sub>17</sub> H <sub>12</sub> O <sub>7</sub>	Essigmann, J.M., et al. Proc. Natl. Acad. Sci. USA 74:1870-1874 (1977).
01.105.	AFROMOSIN	7-Hydroxy-4',6-dimethoxyisoflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	J.Chem.Soc., 1960,1491.
01.106.	AJMALICINE	Raubasin; d-Yohimbin	[483-04-5]	352.54	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,8129



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.250.	AJMALICINE HYDROCHLORID		[4373-34-6]	388.9	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub> xHCl	
01.107.	AJMALINE	Rauwolfine; Tachmalin	[4360-12-7]	326.42	C <sub>20</sub> H <sub>26</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,184
01.251.	DL-ALANINE		[302-72-7]	89.1	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	
01.252.	L-ALANINE		[56-41-7]	89.1	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	
01.253.	BETA-ALANINE		[107-95-9]	89.1	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>	
01.108.	L-ALANINE-7-AMIDO-4-METHYLCOUMARIN TRIFLUOROACETATE SALT	L-Alanine-4-methylcoumarinyl-7-amide trifluoroacetate salt	[96594-10-4]	360.30	C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> .C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub>	
01.109.	L-ALANINE-b-NAPHTHYLAMIDE		[720-82-1]	214.27	C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O	
01.110.	DL-ALANINE-b-NAPHTHYLAMIDE Hydrochloride		[74144-49-3]	250.73	C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O.HCl	
01.111.	ALBIZZIIN	L-(-)-2-Amino-3-ureidopropionic Acid	[1483-07-4]	147.13	C <sub>4</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub>	Merck Index 11,202
01.113.	ALDOSTERONE	Electrocortin; 4-Pregnen-18-al-11b,21-diol-3,20- dione	[52-39-1]	360.45	C <sub>21</sub> H <sub>28</sub> O <sub>5</sub>	Merck Index 11,218
01.254.	ALGINIC ACID		[9005-32-7]		(C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> ) <sub>n</sub>	
01.255.	ALIRAZIN		[72-48-0]	240.21	C <sub>14</sub> H <sub>8</sub> O <sub>4</sub>	
01.114.	ALKANNIN		[23444-65-7]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	Merck Index 11,243

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.115.	ALLANTOIN		[97-59-6]	158.12	C <sub>4</sub> H <sub>6</sub> N <sub>4</sub> O <sub>3</sub>	Merck Index 11,426
01.006.	ALLICIN	Diallyl-disulfid-oxid	[539-86-6]	162.28	C <sub>6</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub>	Merck Index 12,258
01.003.	ALLIIN L(+)	3-(2-Propenylsulfinyl)alanine	[556-27-4]	177.22	C <sub>6</sub> H <sub>11</sub> N <sub>1</sub> O <sub>3</sub> S	Merck Index 12,260
01.229.	ALLIIN L(-)	(S)-3-(2-Propenylsulfinyl)-L-alanine	[556 - 27 - 4]	177.22	C <sub>6</sub> H <sub>11</sub> N O <sub>3</sub> S	Budavari, S. The Merck Index 12th
01.116.	a-ALLOCRYPTOPINE	b-Homochelidonine	[485-91-6]	369.42	C <sub>21</sub> H <sub>23</sub> N <sub>1</sub> O <sub>5</sub>	Merck Index 11,255
01.256.	ALLOCYMENE		[3016-19-1]	136.24	C <sub>10</sub> H <sub>16</sub>	
01.117.	ALLOPREGNAN-3b,17a,20b-TRIOL	5a-Preganan-3b,17a,20b-triol	[520-86-5]	336.53	C <sub>21</sub> H <sub>36</sub> O <sub>3</sub>	
01.118.	ALLOPREGNAN-3b,20a-DIOL DIACETATE	5a-Pregnan-3b,20a-diol diacetate	[566-56-3]	404.60	C <sub>25</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 12,269
01.119.	ALLOPREGNANDIOL Standard for chromatography	5a-Pregnane-3b,20b-diol	[516-53-0]	320.53	C <sub>21</sub> H <sub>36</sub> O <sub>2</sub>	Merck Index 11,258
01.120.	ALLOPREGNANDIONE	5a-Pregnan-3,20-dione; 5a-Dihydroprogesterone	[566-65-4]	316.50	C <sub>21</sub> H <sub>32</sub> O <sub>2</sub>	
01.121.	ALLOPREGNANOLONE	Allopregnan-3b-ol-20-one; 5a-Pregnan-3b-ol-20-one	[516-55-2]	318.51	C <sub>21</sub> H <sub>34</sub> O <sub>2</sub>	
01.122.	ALLOPURINOL	4-Hydroxypyrazolo[3,4-d]pyrimidine	[315-30-0]	136.11	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O	Kelley, W.N., Beardmore, T.D. Science, 169:388-390 (1970).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.257.	BETA-D-ALLOSE		[7283-09-2]	180.17	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	
01.123.	ALLOTETRAHYDRO S	5a-Pregnan,3a,17a,21-triol-20-one		350.51	C <sub>21</sub> H <sub>34</sub> O <sub>4</sub>	
01.124.	ALLOTETRAHYDROCORTICOSTERONE	Allotetrahydro Kendall B; 5a-Pregnan-3a,11b,21-triol-20-one	[600-63-5]	350.51	C <sub>21</sub> H <sub>34</sub> O <sub>4</sub>	
01.125.	ALLOTETRAHYDROCORTISOL	Allotetrahydro F; 5a-Pregnan-3a,11b,17a,21-tetrol-20-one	[302-91-0]	366.51	C <sub>21</sub> H <sub>34</sub> O <sub>5</sub>	
01.126.	ALLOTETRAHYDRODEOXYCORTICOSTERONE	5a-Pregnan-3b,21-diol-20-one; Allopregnane-3b,21-diol-20-one	[567-01-1]	334.51	C <sub>21</sub> H <sub>34</sub> O <sub>3</sub>	
01.127.	DL-ALLOTHREONINE	DL-allo-Threonine; DL-2-amino-3-hydroxybutyric acid	[144-98-9]	119.12	C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub>	
01.128.	ALLOXAN Monohydrate	Mesoxalylurea; 2,4,5,6-Tetraoxypyrimidine; 5,6-Dioxyuracil	[2244-11-3]	160.09	C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> O <sub>4</sub> .H <sub>2</sub> O	Merck Index 11,281
01.129.	ALLYL DISULFIDE	Diallyl disulfide	[2179-57-9]	146.28	C <sub>6</sub> H <sub>10</sub> S <sub>2</sub>	Suschetet, M.J. Toxicol. Environ. Health, 44:423-434 (1995).
01.007.	ALOE EMODIN	1,8-Dihydroxy-3-(hydroxymethyl)-anthraquinone, Rhabarberon	[481-72-1]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,303
01.010.	ALOE EMODIN TRIACETAT		[481-72-1]	396,25	C <sub>21</sub> H <sub>16</sub> O <sub>8</sub>	Merck Index 12,313

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.019.	ALOIN	Barbaloin	[5133-19-7]	270.25	C <sub>21</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,304
01.011.	ALOIN A					
01.238.	ALPHA-ACETYLBOSWELLIC ACID			498.75	C <sub>32</sub> H <sub>50</sub> O <sub>4</sub>	
01.130.	ALPHACHROME					
01.258.	D-ALTROSE		[1990-29-0]	180.17	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	
01.131.	ALYSSIN		[646-23-1]	191.32	C <sub>7</sub> H <sub>13</sub> NOS <sub>2</sub>	
01.132.	ALYSSIN SULFONE			207.31	C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub> S <sub>2</sub>	
01.133.	a-AMANITIN		[23109-05-9]	919.00	C <sub>39</sub> H <sub>54</sub> N <sub>10</sub> O <sub>14</sub> S	Merck Index 11,378
01.112.	AMAROGENIN		[21018-84-8]	586.55	C <sub>29</sub> H <sub>30</sub> O <sub>13</sub>	Merck Index 12,393
01.008.	AMENTOFLAVONE	3', 8"-Biapigenin	[1617-53-4]	538.48	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	Natwiss., 1965(52)161.
01.134.	AMENTOFLAVONE-7,4',4''TRIMETHYLEETHER	Sciadopitysin	[521-34-6]	580.50	C <sub>33</sub> H <sub>24</sub> O <sub>10</sub>	
01.226.	AMETHOPTERIN (+/-)	Methotrexate, Methylaminopterin	[60388-53-6]	454.4	C <sub>20</sub> H <sub>22</sub> N <sub>8</sub> O <sub>5</sub>	
01.135.	L-(-)-2-AMINO-3-UREIDOPROPIONIC ACID	Albizzin	[1483-07-4]	147.13	C <sub>4</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub>	Merck Index 11,202
01.136.	2-AMINO-4,6-PTERIDINE DIOL	Xanthopterin Monohydrate	[119-44-8]	197.16	C <sub>6</sub> H <sub>5</sub> N <sub>5</sub> O <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,973

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.137.	L-2-AMINOADIPIC ACID		[1118-90-7]	161.16	C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub>	Merck Index 11,427
01.138.	N-(4-AMINOBENZOYL)-L-GLUTAMIC ACID		[4271-30-1]	266.26	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub>	Merck Index 11,437
01.139.	o-AMINOBENZOYLGLYCYL-p-NITRO-L-PHENYLALANYL-L-PROLINE		[67482-93-3]	483.49	C <sub>23</sub> H <sub>25</sub> N <sub>5</sub> O <sub>7</sub>	
01.140.	4-AMINOBUTYRIC ACID	GABA; gamma-Aminobutyric acid, Piperidic acid	[56-12-2]	103.12	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>	Merck Index 11,441
01.141.	2-AMINOCHRYSENE		[789-47-9]	243.32	C <sub>18</sub> H <sub>13</sub> N	
01.142.	6-AMINOCHRYSENE	6-Chrysenamine	[2642-98-0]	243.32	C <sub>18</sub> H <sub>13</sub> N	Merck Index 11,2258
01.259.	3-AMINOCOUMARIN		[1635-31-0]	161.17	C <sub>9</sub> H <sub>7</sub> NO <sub>2</sub>	
01.143.	α-AMINO-gamma-(3-INDOLE)-BUTYRIC ACID	DL-Homotryptophan		218.26	C <sub>12</sub> H <sub>14</sub> O <sub>2</sub> H <sub>2</sub>	J.Am.Chem.Soc., 1962(1948).
01.144.	5-AMINOLEVULINIC ACID Hydrochloride		[5451-09-2]	167.59	C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> .HCl	Merck Index 11,458
01.145.	2-AMINOPERIMIDINE Hydrochloride			219.67	C <sub>11</sub> H <sub>9</sub> N <sub>3</sub> .HCl	
01.146.	p-AMINOPHENYL β-D-GALACTOPYRANOSIDE		[5094-33-7]	271.27	C <sub>12</sub> H <sub>17</sub> NO <sub>6</sub>	
01.147.	4-AMINOPHENYLPHOSPHATE MONOSODIUM SALT		[52331-30-3]	211.09	C <sub>6</sub> H <sub>7</sub> NO <sub>4</sub> PNa	Frew. J.E., et.al. Electroanal. Chem., 266:309-316(1989).
01.148.	4-AMINOPHENYAZONE	4-Aminoantipyrine	[83-07-8]	203.25	C <sub>11</sub> H <sub>11</sub> N <sub>3</sub> O	Merck Index 11,625

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.231.	AMINOPHYLLINE ANHYDROUS		[317-34-0]	420.43	C <sub>16</sub> H <sub>24</sub> N <sub>10</sub> O <sub>4</sub>	Noguchi Y, Ito M, Katsumi et al Gastroenterol Jpn. 21:129-34 (1986)
01.149.	DL-a-AMINOPIMELIC ACID	DL-2-Amino-1,7-heptanedioic Acid	[627-76-9]	175.18	C <sub>7</sub> H <sub>13</sub> NO <sub>4</sub>	
01.150.	2-AMINOPYRIDINE	a-Pyridylamine	[504-29-0]	94.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub>	Merck Index 11,486
01.151.	3-AMINOPYRIDINE	b-Pyridylamine	[462-08-8]	94.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub>	Merck Index 11,487
01.152.	4-AMINOPYRIDINE	gamma-Pyridylamine	[504-24-5]	94.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub>	
01.153.	2-AMINOSULPHOPROPIONIC ACID	L-Cysteic acid	[23537-25-9]	169,16	C <sub>3</sub> H <sub>7</sub> NO <sub>5</sub> S	Merck Index 11,2786
01.154.	AMMOIDIN	Xanthotoxin; 8-Methoxypsoralen	[298-81-7]	216.20	C <sub>12</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,5911
01.155.	AMPELOPSIN	Dihydromyricetin	[27200-12--0]	320.26	C <sub>15</sub> H <sub>12</sub> O <sub>8</sub>	Merck Index 11,611
01.260.	AMYGDALIN		[29883-15-6]	457.44	C <sub>20</sub> H <sub>27</sub> NO <sub>11</sub>	
01.156.	AMYGDALOSE	b-D-Gentiobiose; 6-O-b-D-Glucopyranosyl-D-glucose	[554-91-6]	342.31	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	Merck Index 11,4288
01.261.	AMYLOPECTINE		[9037-22-3]		(C <sub>8</sub> H <sub>11</sub> O <sub>7</sub> Na) <sub>n</sub>	
01.157.	a-AMYRIN	Urs-12-en-3-β-ol	[638-95-9]	426.74	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,653

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.158.	b-AMYRIN	Olean-12-en-3b-ol	[559-70-6]	426.73	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,654
01.159.	DL-ANABASINE	Neonicotine	[13078-04-1]	162.24	C <sub>10</sub> H <sub>14</sub> N <sub>2</sub>	Merck Index 11,655
01.262.	ANDROGRAPANIN		[82209-74-3]	318.46	C <sub>20</sub> H <sub>30</sub> O <sub>3</sub>	
01.160.	ANDROGRAPHOLIDE		[5508-58-]	350.44	C <sub>20</sub> H <sub>30</sub> O <sub>5</sub>	Merck Index 11,666
01.161.	5a-ANDROST-16-EN-3a-OL		[1153-51-1]		C <sub>19</sub> H <sub>30</sub> O	
01.162.	ANDROSTADIENOLONE ACETATE	1,4-Androstadien-17b-ol-3-one 17-acetate; 1-Dehydrotestosterone	[2363-59-9]	328.46	C <sub>21</sub> H <sub>28</sub> O <sub>3</sub>	
01.163.	5a-ANDROSTAN-17-ONE		[963-74-6]		C <sub>19</sub> H <sub>30</sub> O	
01.164.	5a-ANDROSTAN-3a,17b-DIOL	Dihydroandrosterone	[1852-53-5]	292.47	C <sub>19</sub> H <sub>32</sub> O <sub>2</sub>	
01.165.	ANDROSTANDIOL	5a-Androstan-3b,17b-diol	[571-20-0]	292.47	C <sub>19</sub> H <sub>32</sub> O <sub>2</sub>	
01.166.	ANDROSTANE	5a-Androstane; Etioallocholane	[438-22-22]		C <sub>19</sub> H <sub>32</sub>	
01.167.	ANDROSTANEDIONE	5a-Androstane-3,17-dione	[846-46-8]		C <sub>19</sub> H <sub>28</sub> O <sub>2</sub>	
01.168.	5a-ANDROSTANOLONE	Allodihydrotestosterone; 5a-Androstan-17b-ol-3-one	[521-18-6]	290.46	C <sub>19</sub> H <sub>30</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.169.	ANDROSTANOLONE	5a-Androstan-17b-ol-3-one; 5a-Dihydrotestosterone	[521-18-6]	290.46	C <sub>19</sub> H <sub>30</sub> O <sub>2</sub>	
01.170.	4-ANDROSTEN-11b-OL-3,17-DIONE		[382-44-5]	302.42	C <sub>19</sub> H <sub>26</sub> O <sub>3</sub>	
01.171.	4-ANDROSTEN-17a-METHYL-17b-OL-3-ONE	17a-Methyltestosterone; Mesterson	[58-18-4]	302.47	C <sub>20</sub> H <sub>30</sub> O <sub>2</sub>	
01.172.	4-ANDROSTEN-17b-OL-3-ONE	Testosterone	[58-22-0]	288.44	C <sub>19</sub> H <sub>28</sub> O <sub>2</sub>	Merck Index 11,9109
01.173.	ANDROSTENEDIOL	5-Androsten-3b,17b-diol	[521-17-5]	290.46	C <sub>19</sub> H <sub>30</sub> O <sub>2</sub>	Merck Index 11,670
01.174.	ANDROSTENEDIOL DIACETATE	5-Androsten-3b,17b-diol-3,17,diacetate	[2099-26-5]	374.53	C <sub>23</sub> H <sub>34</sub> O <sub>4</sub>	
01.175.	ANDROSTENEDIOL-3-ACETATE	5-Androstene-3b,7b-diol 3-acetate	[1639-43-6]	332.49	C <sub>21</sub> H <sub>32</sub> O <sub>3</sub>	
01.176.	ANDROSTENEDIOL-3-ACETATE-17-BENZOATE	5-Androsten-3b,17b-diol 3-acetate 17-benzoate	[5953-63-9]	436.61	C <sub>28</sub> H <sub>36</sub> O <sub>4</sub>	
01.177.	ANDROSTENEDIONE	4-Androsten-3,17-dione; Androtex	[63-05-8]	286.42	C <sub>19</sub> H <sub>26</sub> O <sub>2</sub>	
01.178.	ANDROSTENEDIONE	4-Androsten-3,7,11-dione	[63-05-8]	286.42	C <sub>19</sub> H <sub>26</sub> O <sub>2</sub>	Merck Index 11,671
01.179.	ANDROSTERONE	5a-Androstan-3a-ol-17-one	[53-41-8]	290.46	C <sub>19</sub> H <sub>30</sub> O <sub>2</sub>	Merck Index 11,673
01.181.	trans-ANETHOLE	p-Propenylanisole	[4180-23-8]	148.20	C <sub>10</sub> H <sub>12</sub> O	Shah, A.H. Eur.J.Cancer Res., 4:307-318 (1995)
01.180.	ANGELIC ACID		[656-63-9]	100.12	C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Merck Index 11,678



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.182.	ANGELICINE	Isobergapten	[523-50-2]	186.17	C <sub>11</sub> H <sub>6</sub> O <sub>3</sub>	
01.183.	2,7-ANHYDRO-β-D-ALTRO-HEPTULOPYRANOSE Monohydrate	D-Sedoheptulosan	[460-90-9]	210.18	C <sub>7</sub> H <sub>12</sub> O <sub>6</sub> .H <sub>2</sub> O	
01.184.	1,6-ANHYDRO-β-D-GLUCOSE	Levoglucosan	[498-07-7]	162.15	C <sub>6</sub> H <sub>10</sub> O <sub>5</sub>	
01.185.	1,6-ANHYDRO-β-D-GLUCOSE TRIACETATE	Levoglucosan triacetate	[13242-55-2]	288.26	C <sub>12</sub> H <sub>16</sub> O <sub>8</sub>	
01.263.	1,4-ANHYDROERTHRITOL		[81313-42-0]	104.1	C <sub>4</sub> H <sub>8</sub> O <sub>3</sub>	
01.186.	1-ANILINONAPHTHALENE-8-SULPHONIC ACID Magnesium salt	ANS Magnesium salt	[18108-68-4]	729.10	C <sub>32</sub> H <sub>24</sub> MgN <sub>2</sub> O <sub>6</sub> S <sub>2</sub> .6H <sub>2</sub> O	Merck Index 11,690
01.187.	2-omega-ANILINOVINYLBENZOXYZOLYLMETHYL IODIDE			378.22	C <sub>16</sub> H <sub>15</sub> IN <sub>2</sub> O	
01.188.	4-omega-ANILINOVINYLUINOLYLETHYL IODIDE			402.29	C <sub>19</sub> H <sub>19</sub> IN <sub>2</sub>	
01.264.	4-ANISALDEHYD	4-Methoxybenzaldehyde	[123-11-5]	136.15	C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>	
01.018.	ANISOLE	Methoxybenzene	[100-66-3]	108.14	C <sub>7</sub> H <sub>8</sub> O	
01.189.	ANTHERAXANTHIN					
01.265.	ANTHOCYANIDINS KIT					

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.190.	ANTHRAFLAVIC ACID	2,6-Dihydroxyanthraquinone	[84-60-6]	240.22	C <sub>14</sub> H <sub>8</sub> O <sub>4</sub>	
01.266.	ANTHRANILIC ACID METHYLESTER	Methyl-2-aminobenzoate	[134-20-3]	151.17	C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>	
01.267.	ANTHRAQUINONE		[84-65-1]	208.21	C <sub>14</sub> H <sub>8</sub> O <sub>2</sub>	
01.269.	1,4-ANTHRAQUINONE		[625-12-1]	208.21	C <sub>14</sub> H <sub>8</sub> O <sub>2</sub>	
01.268.	ANTHRAQUINONE KIT					
01.191.	ANTIMYCIN A	(Mix >90 % A3:A4)	[1397-94-0]	548.60 / 520.5	C <sub>28</sub> H <sub>40</sub> N <sub>2</sub> O <sub>9</sub> / C <sub>26</sub> H <sub>36</sub> N <sub>2</sub> O <sub>9</sub>	Merck Index 11,746 u. 11,747
01.270.	APIGENIDIN CHLORIDE		[1151-98-0]	290.69	C <sub>15</sub> H <sub>11</sub> O <sub>4</sub> Cl	
01.009.	APIGENIN	4',5,7-Trihydroxyflavone	[520-36-5]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,763
01.192.	APIGENIN TRIMETHYL ETHER	4',5,7-Trimethoxyflavone		312.32	C <sub>18</sub> H <sub>16</sub> O <sub>5</sub>	
01.193.	APIGENIN-6-C-GLUCOSIDE	Isovitexin; Saponaretin	[29702-25-8]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
01.194.	APIGENIN-7-APIOGLUCOSIDE	Apiin; Apioside	[26544-34-3]	564.51	C <sub>26</sub> H <sub>28</sub> O <sub>14</sub>	Merck Index 11,765
01.012.	APIGENIN-7-GLUCOSIDE	Cosmetin; Cosmiin; Apigetrin	[578-74-5]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	Merck Index 11,764
01.195.	APIGENIN-7-NEOHESPERIDOSIDE	Rhoifolin; Apigenin-7-Rhamnoglucoside	[17306-46-6]	578.54	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
01.196.	APIGENIN-7-RUTINOSIDE	isorhoifolin	[522-57-8]	578.54	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.197.	APIGENIN-8-C-GLUCOSIDE	Vitexin; Orientoside	[3681-93-4]	432.36	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
01.198.	APIGENIN-8-C-GLUCOSIDE-4-RHAMNOSIDE	Vitexin-4'-Rhamnoside; Vitexin-2"-O-rhamnoside	[64820-99-1]	587.50	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
01.199.	APIGENINIDIN		[1151-98-0]	290.71	C <sub>15</sub> H <sub>11</sub> C <sub>10</sub> O <sub>4</sub>	
01.017.	APIIN	Apioside; Apigenin-7-aposylglucoside	[26544-34-3]	564.51	C <sub>26</sub> H <sub>28</sub> O <sub>14</sub>	Merck Index 11,765
01.271.	APIOLE	Parsley apiole	[523-80-8]	222.24	C <sub>12</sub> H <sub>14</sub> O <sub>4</sub>	
01.016.	APO-BUTYLSCOPOLAMINIUMBROMID					
01.200.	ARABAN					
01.201.	D(-)-ARABINOSE		[28697-53-2]	150.13	C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,788
01.202.	DL-ARABINOSE		[20235-19-2]	150.13	C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>	
01.203.	D(+)-ARABITOL	D-Arabinitol	[488-82-4]	152.15	C <sub>5</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,789
01.204.	L(-)-ARABITOL	Arabinitol	[76443-75-6]	152.15	C <sub>5</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,789
01.272.	ARACHIDIC ACID	Eicosanoic acid	[506-30-9]	312.54	C <sub>20</sub> H <sub>40</sub> O <sub>2</sub>	
01.273.	ARACHIDIC ACID METHYLESTER	Methylarachidate	[1120-28-1]	326.57	C <sub>21</sub> H <sub>42</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.205.	ARACHIDONIC ACID	5,8,11,14-Eicosatetreinoic acid (5 cis, 8 cis, 11 cis, 14 cis)	[506-32-1]	304.52	C <sub>20</sub> H <sub>32</sub> O <sub>2</sub>	Merck Index 11,792
01.206.	ARACHIDYL ALCOHOL	1-Eicosanol	[629-96-9]	298.56	C <sub>20</sub> H <sub>42</sub> O	
01.013.	ARBUTIN	Hydroquinone-β-D-glucopyranoside; Uvasol	[497-76-7]	272.26	C <sub>12</sub> H <sub>16</sub> O <sub>7</sub>	Merck Index 11,799
01.274.	ARECOLINE HYDROBROMID	Methylarecaidine Hydrobromide	[300-08-3]	236.11	C <sub>8</sub> H <sub>13</sub> NO <sub>2</sub> xHBr	
01.207.	DL-ARGININE Hydrochloride		[32042-43-6]		C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> .HCl	Merck Index 11,805
01.208.	L-ARGININE-b-NAPHTHYLAMIDE Hydrochloride		[18905-73-2]	335.84	C <sub>16</sub> H <sub>21</sub> N <sub>5</sub> O.HCl	
01.209.	L-ARGININE-L-GLUTAMATE		[4320-30-3]	321.33	C <sub>1</sub> H <sub>23</sub> N <sub>5</sub> O <sub>6</sub>	Merck Index 11,806
01.210.	ARICINE	Heterophyllin; Cinchovatin	[482-91-7]	382.47	C <sub>22</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,809
01.232.	ARISTOLOCHIC ACID A		[313-67-7]	341.27	C <sub>17</sub> H <sub>11</sub> NO <sub>7</sub>	Levi M, Guchelaar HJ, Zhu YP. Pharm. World Sci. 20:43-4 (1998)
01.233.	ARISTOLOCHIC ACID C		[313-67-7]	327.25	C <sub>16</sub> H <sub>19</sub> NO <sub>7</sub>	Levi M, Guchelaar HJ, Zhu YP. Pharm. World Sci. 20:43-4 (1998)
01.275.	ARISTOLOCHIC ACID SODIUM SALT		[10190-99-5]	242.29	C <sub>17</sub> H <sub>10</sub> NNaO <sub>7</sub>	
01.276.	(+)-AROMADENDRENE		[489-39-4]	204.36	C <sub>15</sub> H <sub>24</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.211.	AROMADENDRIN	Dihydrokaempferol; 3,5,7,4'-Tetrahydroxyflavanone		288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1957,1738
01.277.	ARTEMISININ		[63968-64-9]	282.35	C <sub>15</sub> H <sub>22</sub> O <sub>5</sub>	
01.212.	ARTEMISININ (QUINGHAOSU)		[63968-64-9]	282.35	C <sub>15</sub> H <sub>22</sub> O <sub>5</sub>	Wikstrom, H.V. J. Pharm. Pharmacol., 49-1254-1258(1997).
01.213.	ASARININ		[133-04-0]	354.37	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	Merck Index 11,848 Ber., 1961,851
01.278.	ALPHA ASARONE		[2883-98-9]	208.26	C <sub>12</sub> H <sub>16</sub> O <sub>3</sub>	
01.279.	BETA ASARONE		[5273-86-9]	208.26	C <sub>12</sub> H <sub>16</sub> O <sub>3</sub>	
01.214.	ASCORBIC ACID ACETONIDE	5,5-Isopropylidene-L-ascorbic Acid	[15042-01-0]	216.20	C <sub>9</sub> H <sub>12</sub> O <sub>6</sub>	
01.228.	ASCORBINACID	3-oxo-L-gulofuranolactone(enol form);L-3- Ketotheohexuronic acid lactone; Vitamin C	[50 - 81 - 7]	176.12	C <sub>6</sub> H <sub>8</sub> O <sub>6</sub>	Budavari, S. The Merck Index 12th
01.215.	ASCORBYL PALMITATE	6-Palmitoylascorbic acid	[137-66-6]	414.53	C <sub>22</sub> H <sub>38</sub> O <sub>7</sub>	Austria, R., Semenzato, A., Bettero, A.J. Pharm. Biomed. Anal., 15:795- 801 (1997).
01.227.	ASIATICACID	Triterpene-Saponine		488.7	C <sub>30</sub> H <sub>48</sub> O <sub>5</sub>	
01.216.	ASIATICOSIDE	Centelase; Madecassol	[16830-15-2]	959.16	C <sub>48</sub> H <sub>78</sub> O <sub>19</sub>	Merck Index 11,857

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.280.	D-ASPARAGINE		[2058-58-4]	132.11	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	
01.281.	DL-ASPARAGINE		[3130-87-8]	132.11	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	
01.014.	L-ASPARAGIN	Aspartic acid, Althein, Agedoite	[70-47-3]	132,12	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 12,872
01.217.	ASPIDOSINE Hydrobromide			615.48	C <sub>19</sub> H <sub>26</sub> N <sub>2</sub> O.HBr	
01.282.	ASTAXANTHIN	Ovoester	[472-61-7]	596.86	C <sub>40</sub> H <sub>52</sub> O <sub>4</sub>	
01.218.	ASTERIN	Kuromanin chloride; Cyanidin-3-glucoside chloride; Chrysanthemine		484.86	C <sub>21</sub> H <sub>21</sub> C <sub>10</sub> I <sub>11</sub>	Merck Index 11,2694
01.219.	ASTRAGALIN	Kaempferol-3-0-glucoside		448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	Merck Index 11,5156
01.283.	ATRACYLOSIDE SODIUM SALT			770.77	C <sub>30</sub> H <sub>44</sub> Na <sub>2</sub> O <sub>16</sub> S <sub>2</sub>	
01.220.	ATRANORIN	Usnarin; Parmelin	[479-98-9]	374.36	C <sub>19</sub> H <sub>18</sub> O <sub>8</sub>	Merck Index 11,885
01.221.	ATRANORIN	Usnarin; Parmelin	[479-20-9]	374.36	C <sub>19</sub> H <sub>18</sub> O <sub>8</sub>	Merck Index 11,885
01.222.	ATROPINE	ex Atropa Belladonna	[51-55-8]	289.38	C <sub>17</sub> H <sub>23</sub> N <sub>3</sub> O	
01.020.	ATROPINE SULPHATE	ex Atropa Belladonna	[5908-99-6]	694.86		
01.223.	ATROSCINE Hydrobromide	DL-(Scopolamine hydrobromide)	[114-49-8]	384.27	C <sub>17</sub> H <sub>21</sub> N <sub>3</sub> O <sub>4</sub> .HBr	Merck Index 11,8361

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.015.	AUCUBIN	Rhinanthin; Aucuboside	[479-98-1]	346.34	C <sub>15</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,894
01.224.	ALLIIN (L+/-)	(+/-)-S-allyl-cystein-sulfoxide	[556-27-4]	177.22	C <sub>6</sub> H <sub>11</sub> O <sub>3</sub> NS	
01.230.	AURAPTENE	7-Geranyloxy coumarin		298.39	C <sub>19</sub> H <sub>22</sub> O <sub>3</sub>	Ber.,1970(103)3619.
01.225.	AUREUSIDIN	4,6,3',4'-Tetrahydroxyaurone		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
01.021.	AVICULARIN	Quercetin-3-arabinoside	[572-30-5]	434.37	C <sub>20</sub> H <sub>18</sub> O <sub>11</sub>	
01.022.	8-AZA-6-HYDROXY-2-MERCAPTOPYRIMIDINE	2-Mercapto-6-hydroxyazapurine		169.17	C <sub>4</sub> H <sub>3</sub> N <sub>5</sub> O <sub>2</sub> S	
01.023.	6-AZACYTOSINE	5-Amino-3-hydroxy-1,2,4, triazine	[931-85-1]	112.10	C <sub>3</sub> H <sub>4</sub> N <sub>4</sub> O	
01.024.	AZADIRACTIN		[11141-17-6]	720.74	C <sub>35</sub> H <sub>44</sub> O <sub>16</sub>	Merck Index 11,910
01.025.	8-AZAGUANINE	2-Amino-8-aza-6-hydroxypurine	[134-58-7]	152.12	C <sub>4</sub> H <sub>4</sub> N <sub>6</sub> O	
01.026.	AZALEATIN	5-Methoxy-3,3',4',7-tetrahydroxyflavone	[529-51-1]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
01.027.	5-AZAURACIL	5-Aza-2,4-dihydroxypyrimidine	[71-33-0]	112.07	C <sub>3</sub> H <sub>2</sub> N <sub>3</sub> O <sub>2</sub>	
01.028.	6-AZAURACIL	6-Aza-2,4-dihydroxypyrimidine	[461-89-2]	112.07	C <sub>3</sub> H <sub>2</sub> N <sub>3</sub> O <sub>2</sub>	
01.029.	6-AZAURIDINE	6-Azauracil riboside; 2(b-D-Ribofuranosyl)1,2,4-triazine-3,5-diol	[54-25-1]	245.19	C <sub>8</sub> H <sub>11</sub> N <sub>3</sub> O <sub>6</sub>	Merck Index 11,920

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
01.284.	8-AZAXANTHIN		[1468-26-4]	153.09	C <sub>4</sub> H <sub>3</sub> N <sub>5</sub> O <sub>2</sub>	
01.234.	AZITHROMYCIN		[83905-01-5]	748.98	C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>12</sub>	Retsema J, Girard A, Schelkly W et al. Antimicrob Agents Chemother. 31:1939-47 (1987)
01.285.	AZULENE		[275-51-4]	128.17	C <sub>10</sub> H <sub>8</sub>	
02.030.	BACCATIN I, 1-HYDROXY					
02.031.	BACCATIN III					
02.114.	BACCATIN VI			714,29	C <sub>37</sub> H <sub>46</sub> O <sub>14</sub>	
02.116.	BAFILOMYCIN A1		[88899-55-2]	622.8	C <sub>35</sub> H <sub>58</sub> O <sub>9</sub>	Altan et al. Journal of Experimental Medicine 187:1585 (1998)
02.032.	BAICALEIN	5,6,7-Trihydroxyflavone	[491-67-8]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,954
02.033.	BAICALEIN TRIMETHYL ETHER	5,6,7-Trimethoxyflavone	[21967-41-9]	446.37	C <sub>18</sub> H <sub>16</sub> O <sub>5</sub>	
02.129.	BAICALEIN-5,6,7-TRIMETHYLETHER		[973-67-1]	312.33	C <sub>18</sub> H <sub>16</sub> O <sub>5</sub>	
02.034.	BAICALEIN-7-METHYL ETHER	5,6-Dihydroxy-7-methoxyflavone	[29550-13-8]	284.27	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
02.035.	BAICALIN	5,6-Dihydroxy-7-glucuronosylflavone	[21967-41-9]	446.37	C <sub>21</sub> H <sub>18</sub> O <sub>11</sub>	J.Chem.Soc., 592,1936



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.130.	BALSAM PERU		[8007-00-9]			
02.036.	BARBALOIN	Aloin	[5133-19-7]	418.41	C <sub>21</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,304
02.037.	BAROSMIN	Diosmin; 3',5,7-Trihydroxy-4'-methoxyflavone 7-rutinoside, Diosmetin-7-rutinoside	[520-27-4]	608.56	C <sub>28</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3290
02.038.	BATHOCUPROINE	2-Dimethyl-4,7-diphenyl-1,10-phenanthroline	[4733-39-5]	360.47	C <sub>26</sub> H <sub>20</sub> N <sub>2</sub>	
02.039.	BATHOPHENANTHROLINE	4,7-Diphenyl-1,10-phenanthroline	[1662-01-7]	332.42	C <sub>24</sub> H <sub>16</sub> N <sub>2</sub>	
02.131.	(+)-BATYLALCOHOL		[544-62-7]	344.58	C <sub>21</sub> H <sub>44</sub> O <sub>3</sub>	
02.007.	BAVACHININ A	4'-Hydroxy-7-methoxy-6-(3-methyl-2-butenyl)-flavanone	[19879-30-2]	338.41	C <sub>21</sub> H <sub>22</sub> O <sub>4</sub>	Tet.Lett., 1968,2401.
02.132.	BEHENIC ACID	Docosanoic acid	[112-85-6]	340.59	C <sub>22</sub> H <sub>44</sub> O <sub>2</sub>	
02.133.	BENZALDEHYDE		[100-52-7]	106.13	C <sub>7</sub> H <sub>6</sub> O	
02.008.	BENZETHONIUMCHLORID	Phemeride, Solamin, Quatrachlor	[121-54-0]	448.09	C <sub>27</sub> H <sub>42</sub> ClNO <sub>2</sub>	
02.040.	11H-BENZO[a]FLUORENE		[238-84-6]	216.28	C <sub>17</sub> H <sub>12</sub>	
02.041.	BENZO[a]PYRENE		[50-32-8]	252.32	C <sub>20</sub> H <sub>12</sub>	
02.042.	5,6-BENZOFLAVONE	b-Naphthoflavone	[6051-87-2]	272.31	C <sub>19</sub> H <sub>12</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.043.	7,8-BENZOFLAVONE	a-Naphthoflavone	[604-59-1]	272.31	C <sub>19</sub> H <sub>12</sub> O <sub>2</sub>	
02.134.	BENZOIC ACID		[65-85-0]	122.13	C <sub>7</sub> H <sub>6</sub> O <sub>2</sub>	
02.135.	BENZOIC ACID ETHYLESTER		[93-89-0]	150.18	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub>	
02.136.	BENZOIC ACID EUGENYLESTER			268.32	C <sub>17</sub> H <sub>16</sub> O <sub>3</sub>	
02.137.	BENZOIC ACID METHYLESTER		[93-58-3]	136.15	C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>	
02.044.	BENZOYL CHOLINE CHLORIDE		[2964-09-2]	243.74	C <sub>12</sub> H <sub>18</sub> ClNO <sub>2</sub>	
02.045.	BENZOYL CHOLINE IODIDE		[17518-43-3]	335.17	C <sub>12</sub> H <sub>18</sub> INO <sub>2</sub>	
02.046.	6-BENZOYL-2-NAPHTHYLPHOSPHATE DISODIUM SALT		[74144-43-7]	372.23	C <sub>17</sub> H <sub>11</sub> O <sub>5</sub> PNa <sub>2</sub>	
02.047.	Na-BENZOYL-DL-ARGININE-b-NAPHTYLAMIDE Hydrochloride	BANA	[913-04-2]	313.79	C <sub>13</sub> H <sub>19</sub> N <sub>5</sub> O <sub>2</sub> .HCl	
02.048.	N-BENZOYL-DL-THREONINE		[27696-01-1]	223.23	C <sub>11</sub> H <sub>13</sub> NO <sub>4</sub>	
02.049.	Na-BENZOYL-L-ARGININAMIDE Hydrochloride	BAA; Nardis reagent	[965-03-7]	313.79	C <sub>13</sub> H <sub>19</sub> N <sub>5</sub> O <sub>2</sub> .HCl	J.Amer.Chem.Soc. 87,2728(1965).
02.050.	Na-BENZOYL-L-ARGININE		[154-92-7]	278.31	C <sub>13</sub> H <sub>18</sub> N <sub>4</sub> O <sub>3</sub>	
02.051.	Na-BENZOYL-L-ARGININE ETHYL ESTER	BAEE	[2645-08-1]	342.81	C <sub>15</sub> H <sub>22</sub> N <sub>4</sub> O <sub>3</sub> .HCl	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.052.	Na-BENZOYL-L-ARGININE METHYL ESTER Hydrochloride	BAME	[1784-04-9]	328.81	C <sub>14</sub> H <sub>20</sub> N <sub>4</sub> O <sub>3</sub> .HCl	
02.053.	N-BENZOYL-L-LEUCINE-b-NAPHTHYLAMIDE		[94441-89-1]	360.47	C <sub>23</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	
02.054.	Na-BENZOYL-L-TYROSINAMIDE		[58690-81-6]	284.32	C <sub>16</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub>	
02.055.	N-BENZOYL-L-TYROSINE ETHYL ESTER	BTEE	[3483-82-7]	313.36	C <sub>18</sub> H <sub>19</sub> N <sub>2</sub> O <sub>4</sub>	
02.139.	OMEGA-BENZOYLOXYRESACETOPHENONE			272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
02.138.	OMEGA-BENZOYLPHLOROACETOPHENONE			288.27	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	
02.056.	BENZYL ISOTHIOCYANATE		[622-78-6]	149.22	C <sub>8</sub> H <sub>7</sub> NS	Sugie, S., Okamoto, K., Okumura, A., Tanaka, T., Mori, H. Carcinogenesis, 8:1555-1560 (1994).
02.057.	BENZYL SELENOCYANATE		[4671-93-6]	196.11	C <sub>8</sub> H <sub>7</sub> NSe	Fiala, E.S., Sohn, O.S., li, H., El-Boayoumy, K., Sodum, R.S. Carcinogenesis, 9:1809-1815 (1997).
02.058.	BENZYL THIOCYANATE		[3012-37-1]	149.21	C <sub>8</sub> H <sub>7</sub> NS	Sugie, S., Okamoto, K., Okumura, A., Tanaka, T., Mori, H. Carcinogenesis, 8:1555-1560 (1994).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.059.	6-BENZYL-2-THIOURACIL	6-Benzyl-4-hydroxy-2-mercaptopyrimidine	[6336-50-1]	218.28	C <sub>11</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> S	
02.140.	BENZYLACETATE		[140-11-4]	149.17	C <sub>9</sub> H <sub>9</sub> O <sub>2</sub>	
02.141.	BENZYLALCOHOL		[100-51-6]	108.14	C <sub>7</sub> H <sub>8</sub> O	
02.060.	6-BENZYLAMINOPURINE	N(6)-Benzyladenine	[1214-39-7]	230.00	C <sub>12</sub> H <sub>11</sub> N <sub>5</sub>	
02.061.	3-O-BENZYL-β-D-GLUCOSE			270.29	C <sub>13</sub> H <sub>18</sub> O <sub>6</sub>	
02.111.	BENZYLNICOTINAT		[94-44-0]	213.24	C <sub>13</sub> H <sub>11</sub> NO <sub>2</sub>	
02.062.	3'-BENZYLOXY-4',5,6,7-TETRAMETHOXYFLAVONE		[21764-08-9]	448.49	C <sub>26</sub> H <sub>24</sub> O <sub>7</sub>	
02.063.	3'-BENZYLOXY-5,7-DIHYDROXY-3,4'-DIMETHOXYFLAVONE		[62507-01-1]	420.43	C <sub>24</sub> H <sub>20</sub> O <sub>7</sub>	
02.064.	5-BENZYLOXY-DL-TRYPTOPHAN		[6383-70-6]	310.35	C <sub>18</sub> H <sub>18</sub> N <sub>2</sub> O <sub>3</sub>	
02.065.	S-(N-BENZYLTHIOCARBAMOYL)-L-CYSTEINE		[35446-36-7]	270.37	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S <sub>2</sub>	
02.066.	BERBAMINE		[478-61-5]	608.71	C <sub>37</sub> H <sub>40</sub> N <sub>2</sub> O <sub>6</sub>	Merck Index 11,1168
02.001.	BERBERINE CHLORIDE DIHYDRAT		[2086-83-1]	408.40	C <sub>20</sub> H <sub>18</sub> NO <sub>4</sub> Cl <sub>2</sub> ·2H <sub>2</sub> O	Budavari, S. The Merck Index 12th 1192 1996

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.002.	BERBERINE SULPHATE	Umbellatin	[633-66-9]	434.00	C <sub>20</sub> H <sub>19</sub> NO <sub>8</sub> S	Merck Index 12,1192
02.067.	BERGAMOTTIN		[7380-40-7]	338.42	C <sub>21</sub> H <sub>22</sub> O <sub>4</sub>	Ber.,1937(70)2272.
02.068.	BERGAPTEN	5-Methoxypsoralen	[484-20-8]	216.20	C <sub>12</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,1173
02.117.	BERGENIN		[477-90-7]	346.3	C <sub>14</sub> H <sub>16</sub> O <sub>9</sub> xH <sub>2</sub> O	Lim HK, Kim HS, Chung MW, Kim YC. J. Ethnopharmacol. 70:69-72 (2000)
02.069.	BERLAMBINE	Oxyberberin	[549-21-3]	351.37	C <sub>20</sub> H <sub>17</sub> O <sub>5</sub> N	
02.070.	BERTEROIN		[4430-42-6]	175.43	C <sub>7</sub> H <sub>13</sub> NS <sub>2</sub>	
02.118.	BESTATIN HYDROCHLORIDE		[65391-42-6]	308.37	C <sub>16</sub> H <sub>24</sub> N <sub>2</sub> O <sub>4</sub> xHCl	Sekine K, Fujii H., Abe F. Leukemia. 13:729-34 (1999)
01.239.	BETA-ACETYLBOSWELLIC ACID			498.75	C <sub>32</sub> H <sub>50</sub> O <sub>4</sub>	
02.071.	BETA-CAROTENE		[7235-40-7]	536.87	C <sub>40</sub> H <sub>56</sub>	Rousseau, E.J., Davison, A.J. Free Radic. Biol. Med., 13:407-433 (1992).
04.287.	BETA-DAMASCONE		[23726-91-2]	192.3	C <sub>13</sub> H <sub>20</sub> O	
02.113.	BETAIN ANHYDROUS		[107 - 43 - 7]	117.15	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>	Budavari, S. The Merck Index 12th

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.112.	BOSWELLIC ACID	(3,4)-3-Hydroxyurs-12-en-23-oic acid	[631-69-6]	456.73	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	
02.115.	BETAINCITRAT	N-trimethylglycine citrate	[17671-50-0]	309.27	C <sub>11</sub> H <sub>19</sub> NO <sub>9</sub>	Budavari, S. The Merck Index 12th 1225 1996
02.119.	BETAMETHASONE		[378-44-9]	392.46	C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub>	Hofmann TG, Hohner SP, Bacher S et al. FEBS Lett. 441:441-6 (1998)
02.120.	BETAMETHASONE 21-PHOSPHATE SODIUM SALT		[151-73-5]	516.40	C <sub>22</sub> H <sub>28</sub> FN <sub>2</sub> O <sub>8</sub> P	Kitano A, Matsumoto T, Tabata A et al. Nippon Shokakibyo Gakkai Zasshi. 90:24-32 (1993)
02.142.	BETONICINE		[477-90-7]	159.19	C <sub>7</sub> H <sub>13</sub> NO <sub>3</sub>	
02.072.	BETULIN	Trochol; Lup-20[29]-ene3b,28-diol	[473-98-3]	442.74	C <sub>30</sub> H <sub>50</sub> O <sub>2</sub>	Merck Index 11,1212
02.073.	BETULIN DIACETATE		[1721-69-3]	526.82	C <sub>34</sub> H <sub>54</sub> O <sub>4</sub>	Merck Index 11,1212
02.005.	BETULINIC ACID	Mairin; 3-b-Hydroxy lupa-20(30)-ene 28-oic acid	[472-15-1]	456.73	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	
02.074.	BETULINIC ACID METHYL ESTER		[2259-06-5]	470.75	C <sub>31</sub> H <sub>50</sub> O <sub>3</sub>	
02.075.	BIANTHRONE		[434-85-5]	386.46	C <sub>28</sub> H <sub>18</sub> O <sub>2</sub>	
02.076.	3',8"-BIAPIGENIN	Amentoflavone	[1617-53-4]	538.48	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	Natwiss., 1965(52)161.
02.077.	4',6"-O-BIAPIGENIN	Hinokiflavone	[19202-36-9]	538.48	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	Tet.lett., 1967,397.

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.078.	BILIRUBIN		[635-65-4]	584.68	C <sub>27</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub>	Merck Index 11,1235
02.109.	BILOBALIDE		[33570-04-6]	326.3	C <sub>15</sub> H <sub>18</sub> O <sub>8</sub>	
02.079.	BIOCHANIN A	5,7-Dihydroxy-4'-methoxyisoflavone	[491-80-5]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,4277
02.080.	BIOCHANIN A-7-METHYL ETHER	4',7-Dimethoxy-5-hydroxyisoflavone	[34086-51-6]	298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
02.081.	BIOCHANIN A-7-O-GLUCOSIDE	Sissotrin	[5928-26-7]	446.42	C <sub>22</sub> H <sub>22</sub> O <sub>10</sub>	Phytochem., 1965,89. Tet.Lett., 1965,3191
02.121.	BIOPTERIN		[22150-76-1]	237.22	C <sub>9</sub> H <sub>11</sub> N <sub>5</sub> O <sub>3</sub>	Weinberg JB, Misukonis MA, Shami PJ et al. Blood 86:1184-95 (1995)
02.122.	BIOTIN	D-Biotin, Vitamin H	[58-85-5]	244.31	C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S	Sigel H. Experienta. 37:789-98
02.082.	BIS(3,5-DIBROMOSALICYL)FUMARATE		[71337-53-6]	671.87	C <sub>18</sub> H <sub>8</sub> O <sub>8</sub> Br <sub>4</sub>	Zaugg, R.H., Walder, J.A., Walder, R.Y., Steele, J.M. and Klotz, I.M., J. Biol. Chem., 255:2816-21 (1980).
02.083.	BIS(3,5-DIBROMOSALICYL)SUCCINATE		[71337-52-5]	673.89	C <sub>18</sub> H <sub>10</sub> O <sub>8</sub> Br <sub>4</sub>	Zaugg, R.H., Walder, J.A., Walder, R.Y., Steele, J.M. and Klotz, I.M., J. Biol. Chem., 255:2816-21 (1980).
02.084.	BIS(SALICYL)FUMARATE			356.29	C <sub>18</sub> H <sub>12</sub> O <sub>8</sub>	Zaugg, R.H., Walder, J.A., Walder, R.Y., Steele, J.M. and Klotz, I.M., J. Biol. Chem., 255:2816-21 (1980).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.003.	BISABOLOL a	Camillol, Dragosantol, Hydagen B	[515-69-5]	222.37	C <sub>15</sub> H <sub>26</sub> O	Merck Index 12,1281
02.085.	BISAZIR	Bis(aziridinyl)methylamino phosphine sulfide	[13687-09-7]	177.21	C <sub>5</sub> H <sub>12</sub> N <sub>3</sub> SP	
02.086.	Bis-N-METHYLACRIDINIUM NITRATE	Lucigenin	[2315-97-1]	510.52	C <sub>28</sub> H <sub>22</sub> N <sub>4</sub> O <sub>6</sub>	
02.087.	BIXIN		[6983-79-5]	394.52	C <sub>25</sub> H <sub>30</sub> O <sub>4</sub>	Merck Index 11,1320
02.123.	BLEOMYCIN A4A5 HYDROCHLORIDE					
02.124.	BLEOMYCIN A5 HYDROCHLORIDE			1440.56	C <sub>57</sub> H <sub>89</sub> N <sub>19</sub> O <sub>21</sub> S <sub>2</sub> xnHCl	Tai KW, Chou MY, Hu CC, Yan, JJ, Chang YC. Oral Oncol. 36:242-7 (2000)
02.125.	BLEOMYCIN SULFATE		[9041-93-4]	1.5-2.0 units/n	C <sub>55</sub> H <sub>84</sub> N <sub>17</sub> O <sub>21</sub> S <sub>3</sub> xH <sub>2</sub> SO <sub>4</sub>	Lown JW, Sim S-K. Biochem. Biophys. Res. Commun. 77:1150 (1977)
02.088.	N-t-BOC-L-METHIONINE		[2488-15-5]	249.33	C <sub>10</sub> H <sub>19</sub> NO <sub>4</sub> S	
02.089.	N-t-BOC-L-PHENYLALANINE		[15761-38-3]	309.33	C <sub>18</sub> H <sub>15</sub> NO <sub>4</sub>	
02.090.	N-t-BOC-N(omega)-NITRO-L-ARGININE		[2188-18-3]	319.32	C <sub>11</sub> H <sub>21</sub> N <sub>5</sub> O <sub>6</sub>	
02.091.	Na-tert-BOC-NE-FORMYLL-L-LYSINE		[1202616-34-2]	274.32	C <sub>12</sub> H <sub>22</sub> N <sub>2</sub> O <sub>5</sub>	
02.092.	BOLDINE DIMETHYLETHER	1,2,9,10-Tetramethoxyaporphine; (+)-Glucine	[475-81-0]	355.42	C <sub>21</sub> H <sub>25</sub> NO <sub>4</sub>	Merck Index 11,4332



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.004.	BOLDINE	1,10-Dimethoxy-2,9-dihydroxyaporphine	[476-70-0]	327.39	C <sub>19</sub> H <sub>21</sub> NO <sub>4</sub>	Merck Index 11,1328
02.143.	(+)-BORNEOL		[464-43-7]	154.25	C <sub>10</sub> H <sub>18</sub> O	
02.144.	(-)-BORNEOL		[464-45-9]	154.25	C <sub>10</sub> H <sub>18</sub> O	
02.110.	BORNYLACETAT (-)	borneol acetat	[76-49-3]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	
02.145.	ALPHA-BOSWELLIC ACID		[471-66-9]	456.71	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	
02.146.	BETA-BOSWELLIC ACID		[631-69-6]	456.71	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	
02.093.	BRADYKININ TRIACETATE Trihydrate	(L-Arg-L-Pro-L-Pro-L-Gly-L-Phe-L-Ser-L-Pro-L-Phe-L-Arg)	[5979-11-3]	1294.46	C <sub>56</sub> H <sub>85</sub> N <sub>15</sub> O <sub>17</sub> .3H <sub>2</sub> O	Merck Index 11,1356
02.094.	BRASSIDIC ACID	13-Transdocosenoic Acid	[506-33-2]	338.56	C <sub>22</sub> H <sub>42</sub> O <sub>2</sub>	
02.095.	BRASSININ		[105748-59-2]	236.36	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> S <sub>2</sub>	Mehta, R.G., Liu., J., Constantinou, A., Thomas, C., Hawthorne, You.M., Gerhauser, D., Pezzuto, J.M., Moon, R.C., and Moriarty, R.M. Carcinogenesis, 16:399-404 (1995).
02.096.	5-BROMO-2'-DEOXYCYTIDINE crystalline		[1022-79-3]	306.12	C <sub>9</sub> H <sub>12</sub> BrN <sub>3</sub> O <sub>4</sub>	
02.097.	5-BROMO-2'-DEOXYURIDINE		[59-14-3]	307.11	C <sub>9</sub> H <sub>11</sub> BrN <sub>2</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.098.	6-BROMO-2-NAPHTHYL SULPHATE POTASSIUM SALT		[71799-94-5]	341.24	C <sub>10</sub> H <sub>6</sub> BrO <sub>4</sub> SK	
02.099.	6-BROMO-2-NAPHTHYL-a-D- GALACTOPYRANOSIDE		[25997-59-5]	385.22	C <sub>16</sub> H <sub>17</sub> BrO <sub>6</sub>	H. Sandermann., Eur.J.Biochem. 80,507(1977)
02.100.	6-BROMO-2-NAPHTHYL-b-D- GALACTOPYRANOSIDE	6-Bromo-2-naphthyl-b-D-galactoside	[15572-30-2]	385.22	C <sub>16</sub> H <sub>17</sub> BrO <sub>6</sub>	J.Biol.Chem., 195,239(1952).
02.101.	6-BROMO-2-NAPHTHYL-b-D- GLUCOPYRANOSIDE		[15548-61-5]	385.22	C <sub>16</sub> H <sub>17</sub> BrO <sub>6</sub>	
02.102.	6-BROMO-2-NAPHTHYL-b-D-GLUCORONIDE	6-Bromo-2-naphthyl-b-D-glucopyranosiduronic acid	[22720-35-0]	399.21	C <sub>16</sub> H <sub>15</sub> BrO <sub>7</sub>	
02.103.	6-BROMO-2-NAPHTHYL-b-D- XYLOPYRANOSIDE			355.19	C <sub>15</sub> H <sub>15</sub> BrO <sub>5</sub>	
02.104.	6-BROMO-2-NAPHTYL-a-D- GLUCOPYRANOSIDE	6-Bromo-2-naphtyl-a-D-glucoside	[25696-57-5]	385.22	C <sub>16</sub> H <sub>17</sub> BrO <sub>6</sub>	
02.105.	6-BROMO-2-NAPHTYL-a-D- MANNOPYRANOSIDE			385.21	C <sub>16</sub> H <sub>17</sub> BrO <sub>6</sub>	
02.106.	8-BROMOADENINE	6-Amino-8-bromopurine	[6974-78-3]	214.02	C <sub>5</sub> H <sub>4</sub> BrN <sub>5</sub>	
02.107.	8-BROMOADENOSINE		[2946-39-6]	346.15	C <sub>10</sub> H <sub>12</sub> BrN <sub>5</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.108.	1-(4-BROMOBENZOYL)-2-(1-NAPHTHOYL)HYDRAZINE			396.23	C <sub>18</sub> H <sub>13</sub> BrN <sub>2</sub> O <sub>2</sub>	
02.009.	1-(3-BROMOBENZOYL)-2-(2-NAPHTHOYL)HYDRAZINE			369.23	C <sub>18</sub> H <sub>13</sub> BrN <sub>2</sub> O <sub>2</sub>	
02.010.	8-BROMOGUANOSINE	2-Amino-8-bromo-6-hydroxy-purine riboside	[4016-63-1]	362.15	C <sub>10</sub> H <sub>12</sub> BrN <sub>5</sub> O <sub>5</sub>	
02.011.	5-BROMOINDOXYL ACETATE	o-Acetyl-5-bromoindoxyl; 3-Acetoxy-5-bromoindole	[17357-14-1]	354.09	C <sub>10</sub> H <sub>8</sub> BrNO <sub>2</sub>	S.Kirkby et al. Acta.Histochem.Cytochem., 1130 (1978)
02.012.	8-BROMOINOSINE		[55627-73-1]		C <sub>10</sub> H <sub>11</sub> BrN <sub>4</sub> O <sub>5</sub>	
02.148.	4-BROMOMETHYL-7-METHOXYCOUMARIN		[35231-44-8]	269.08	C <sub>11</sub> H <sub>9</sub> O <sub>3</sub> Br	
02.013.	5-BROMOURACIL	5-Bromo-2,4,-dihydroxypyrimidine	[51-20-7]	178.98	C <sub>3</sub> H <sub>3</sub> BrN <sub>2</sub> O <sub>2</sub>	Merck Index 11,1430
02.014.	BRUCINE		[357-57-3]	394.48	C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,1443
02.126.	BRYOSTATIN 1		[83314-01-6]	905.03	C <sub>47</sub> H <sub>68</sub> O <sub>17</sub>	Caponigro F, French RC, kaye SB. Anticancer Drugs. 8:26-33 (1997)
02.127.	BRYOSTATIN 2		[87745-28-6]	863.00	C <sub>45</sub> H <sub>66</sub> O <sub>16</sub>	
02.015.	(+)-BULBOCAPNINE		[298-45-3]	325.35	C <sub>19</sub> H <sub>19</sub> N <sub>4</sub> O	Merck Index 11,1471

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.016.	BULBOCAPNINE Hydrochloride		[632-47-3]	362.84	C <sub>19</sub> H <sub>19</sub> N <sub>04</sub> .HCl	Merck Index 11,1471
02.128.	BULLEYACONITINE A		[107668-79-1]	643.76	C <sub>35</sub> H <sub>49</sub> N <sub>010</sub>	Tang XC, Liu XJ, LU WH. Acta Pharm Sinica 21:886-891 (1986)
02.017.	BUSULFAN	1,4-Butanediol dimethanesulfonate	[55-98-1]	246.30	C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> S <sub>2</sub>	Fulmer Shealy, Y., In "Cancer Chemoth. Agents" Foye, W.O., Ed., ACS Prof.Ref., pp. 149-153 (1995).
02.149.	2,3-BUTANEDIOL		[513-85-9]	90.12	C <sub>4</sub> H <sub>10</sub> O <sub>2</sub>	
02.018.	BUTEIN	2',4',3,4-Tetrahydroxychalcone	[21849-70-7]	272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
02.019.	2-TERT-BUTYL-4-HYDROXYANISOLE		[82-32-4]	180.25	C <sub>11</sub> H <sub>16</sub> O <sub>2</sub>	Ito, N., Hirose, M., Urate, Y., et al., Gann, 75:471-474 (1984).
02.020.	3-TERT-BUTYL-4-HYDROXYANISOLE		[121-00-6]	180.25	C <sub>11</sub> H <sub>16</sub> O <sub>2</sub>	Ito, N. and Hirose, M., Adv. Cancer Res., 53:247-302 (1989).
02.021.	3-TERT-BUTYL-5-METHOXY-1,2-QUINONE		[2940-63-8]	194.25	C <sub>11</sub> H <sub>14</sub> O <sub>3</sub>	Lam, L.K.T., Garg, P., Swanson, S.M., and Pezzuto, J.M. J. Pharm. Sci., 77:393-5 (1988).
02.022.	4-TERT-BUTYL-5-METHOXY-1,2-QUINONE		[36122-03-9]	194.25	C <sub>11</sub> H <sub>14</sub> O <sub>3</sub>	Lam, L.K.T., Garg, P., Swanson, S.M., and Pezzuto, J.M. J. Pharm. Sci., 77:393-5 (1988).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.023.	3-TERT-BUTYL-5-METHOXY-CATECHOL		[80284-15-7]	196.25	C <sub>11</sub> H <sub>16</sub> O <sub>3</sub>	Lam, L.K.T., Garg, P., Swanson, S.M., and Pezzuto, J.M. J. Pharm. Sci., 77:393-5 (1988).
02.024.	4-TERT-BUTYL-5-METHOXY-CATECHOL		[91352-66-8]	196.25	C <sub>11</sub> H <sub>16</sub> O <sub>3</sub>	Lam, L.K.T., Garg, P., Swanson, S.M., and Pezzuto, J.M. J. Pharm. Sci., 77:393-5 (1988).
02.025.	BUTYLATED HYDROXYTOLUENE	BHT	[128-37-0]	220.35	C <sub>15</sub> H <sub>24</sub> O	Williams, G.M., Tanaka, T., Maruyama, H., Maeura, Y., Weisburger, J.H., Zang, E. Cancer Res., 51:6224-6230 (1991).
02.006.	BUTYLSCOPOLAMINIUM-Br		[149-64-4]	440.38	C <sub>21</sub> H <sub>30</sub> BrNO <sub>4</sub>	Merck Index 12,1624
02.026.	2-N-BUTYLTHIOPHENE		[1455-20-5]	140.25	C <sub>8</sub> H <sub>12</sub> S	Lam, L.K., and Zhang, J., Carcinogenesis, 12:2311-2315 (1995).
02.150.	BUTYRIC ACID		[107-92-6]	88.1	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	
02.151.	BUTYRIC ACID ETHYLESTER		[105-54-4]	116.17	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	
02.152.	BUTYRIC ACID ISOAMYLESTER		[106-27-4]	158.24	C <sub>9</sub> H <sub>18</sub> O <sub>2</sub>	
02.153.	BUTYRIC ACID METHYLESTER		[623-42-7]	102.14	C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
02.027.	BUTYRYLCHOLINE CHLORIDE		[2963-78-2]	209.72	C <sub>9</sub> H <sub>20</sub> ClNO <sub>2</sub>	
02.028.	BUTYRYLCHOLINE IODIDE		[2494-56-6]	301.17	C <sub>9</sub> H <sub>20</sub> INO <sub>2</sub>	R.D.O'Brien et al., Biochim.Biophys.Acta., 26,129-134 (1978).
02.029.	BUTYRYLCHOLINE PERCHLORATE		[20292-68-6]	273.72	C <sub>9</sub> H <sub>20</sub> ClO <sub>6</sub>	
03.227.	CAERULOMYCIN A			229.23	C <sub>12</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub>	Divekar PV et al. Can. J. Chem. 45:1215 (1967)
03.030.	CAFESTOL		[469-83-0]	316.44	C <sub>20</sub> H <sub>28</sub> O <sub>3</sub>	Bengis, R.O., and Anderson, R.J. J. Biol. Chem., 47:99-113 (1932).
03.031.	CAFESTOL ACETATE		[81760-48-7]	358.48	C <sub>22</sub> H <sub>30</sub> O <sub>4</sub>	Lam, L.K.T., Sparnins, V.L. and Wattenberg, L.W.J. Med. Chem. 30:1399-1403 (1987).
03.032.	CAFESTOL PALMITATE		[81760-46-5]	554.43	C <sub>36</sub> H <sub>58</sub> O <sub>4</sub>	Lam, L.K.T., Sparnins, V.L. and Wattenberg, L.W., Cancer Res., 42:1193-1198 (1982).
03.033.	CAFFEEACETATE PHENETYL-ESTER					

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.034.	CAFFEIC ACID		[331-39-5]	180.16	C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>	Rao, C.V., Desai, D., Kaul, Bl. Amin, S., and Reddy, B.S. Chem. Biol. Interactions, 84:277-290 (1992).
03.213.	CAFTARIC ACID	2-O-Caffeoyl-tartrate		312	C <sub>13</sub> H <sub>12</sub> O <sub>9</sub>	
03.035.	CALCEIN	Fluorescein 2,7-bis-methyliminodiacetic sodium salt; Flurexone	[1461-15-0]	622.55	C <sub>30</sub> H <sub>26</sub> N <sub>2</sub> O <sub>13</sub>	
03.228.	CALCIMYCIN		[52665-69-7]	523.62	C <sub>29</sub> H <sub>37</sub> N <sub>3</sub> O <sub>6</sub>	Li WC, Kuszak JR, Wang GM et al. Exp. EXE Res. 61:91-8 (1995)
03.036.	CALCITRIOL	1 alpha, 25-Dihydroxyvitamin D3	[32222-06-3]	416.64	C <sub>27</sub> H <sub>44</sub> O <sub>3</sub>	Garland, D., Garland, F.C. Int. J. Epidemiol., 9:227-231 (1980).
03.037.	CALCIUM 1-NAPHTHYLPHOSPHATE	1-Napfthylphosphate calcium salt	[70675-10-4]	262.22	C <sub>10</sub> H <sub>7</sub> CaO <sub>4</sub> P	
03.038.	CALCIUM 2-NAPHTHYLPHOSPHATE	2-Napfthylphosphate calcium salt		262.22	C <sub>10</sub> H <sub>7</sub> CaO <sub>4</sub> P	
03.039.	CALCIUM DL-PANTOTHENATE	DL-Pantothenic acid calcium salt	[63409-48-3]	476.54	C <sub>18</sub> H <sub>32</sub> CaN <sub>2</sub> O <sub>10</sub>	Merck Index 11,6964
03.040.	CALCIUM FOLINATE, PENTAHYDRATE	5-Formyl-5,6,7,8-tetrahydrofolic acid, calcium salt; Leucovorin	[1492-18-8]	601.59	C <sub>20</sub> H <sub>21</sub> CaN <sub>7</sub> O <sub>7</sub> .5H <sub>2</sub> O	Stoller, R.G., Hande, K.R., Jacobs, S.A., Rosenberg, S.A., Chabner, B.A. New Eng. J. Med., 297:630-634 (1977).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.041.	CALIFORNIDINE PERCHLORATE			437.83		
03.042.	CALLISTEPHIN CHLORIDE	Pelargonidin-3-glucoside Chloride	[18466-51-8]	468.86	C <sub>21</sub> H <sub>21</sub> C <sub>10</sub> O <sub>10</sub>	
03.043.	CALYCANTHINE		[595-05-1]	346.49	C <sub>22</sub> H <sub>26</sub> N <sub>4</sub>	
03.253.	CAMPHERE		[79-92-5]	136.24	C <sub>10</sub> H <sub>16</sub>	
03.001.	(+) CAMPHOR		[464-49-3]	152.23	C <sub>10</sub> H <sub>16</sub> O	
03.254.	(-)-CAMPHOR		[464-48-2]	152.24	C <sub>10</sub> H <sub>16</sub> O	
03.017.	CAMPHOR D/L					
03.229.	CAMPOTHECIN		[7689-03-4]	348.35	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	Hertzberg RP, Caranfa MJ, Hecht SM. Biochemistry, 28:4629-4638 (1989)
03.231.	CAMPOTHECIN, 10-HYDROXY		[19685-09-7]	364.35	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>5</sub>	
03.230.	CAMPOTHECIN, 7-ETHYL-10-HYDROXY			392.40	C <sub>22</sub> H <sub>20</sub> N <sub>2</sub> O <sub>5</sub>	Kaneda N, Nagata H, Furuta T, Yokokura T. Cancer Research 50:1715-20 (1990)
03.232.	CAMPOTHECIN, 9-NITRO-20(S)			397.38	C <sub>20</sub> H <sub>19</sub> N <sub>3</sub> O <sub>6</sub>	Chatterjee D, Schmitz I, Krueger A et al. Cancer Res. 61:7148-54 (2001)



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.044.	CAMPTOTHECIN		[7689-03-4]	348.37	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,1742
03.045.	CAMPTOTHECIN		[7689-03-4]	348.35	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	Hertzberg, R.P., Caranfa, M.J., Hecht, S.M. Biochemistry, 28:4629- 4638 (1989).
03.046.	CAMPTOTHECIN, 10-HYDROXY		[64439-81-2]	364.4	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>5</sub>	
03.255.	L-CANAVANINE SULFATE		[2219-31-0]	274.24	C <sub>5</sub> H <sub>12</sub> N <sub>4</sub> O <sub>3</sub> xH <sub>2</sub> SO <sub>4</sub>	
03.047.	CANNABISCETIN	Myricetin; 3,3',4',5,5'7-Hexahydroxyflavone	[529-44-2]	318.25	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	Merck Index 11,6244
03.048.	CANNABISCITRIN			480.39	C <sub>21</sub> H <sub>20</sub> O <sub>13</sub>	
03.233.	CANRENONE		[976-71-6]	340.46	C <sub>22</sub> H <sub>28</sub> O <sub>3</sub>	Cittadini D. Schmitz I. Krueger A et al. Cancer Res 61:7148-54 (2001)
03.002.	CANTHARIDIN		[56-25-7]	196.21	C <sub>10</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,1755
03.256.	CANTHARIDIN		[56-25-7]	196.21	C <sub>10</sub> H <sub>12</sub> O <sub>4</sub>	
03.049.	CANTHAXANTHIN		[514-78-3]	564.84	C <sub>40</sub> H <sub>52</sub> O <sub>2</sub>	Tanaka, T., Makita, H., Ohnishi, M., Mori, H., Satoh, K., Hara, A. Cancer Res., 55:4059-4064 (1995).
03.050.	trans-CANTHAXANTHIN	b,b-Carotene-4,4'dione; 4',4-Dioxo-b-carotene	[514-78-3]	564.87	C <sub>40</sub> H <sub>52</sub> O <sub>2</sub>	Merck Index 11,1756

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.257.	CAPENSINIDIN CHLORIDE		[19077-85-1]	380.78	C <sub>18</sub> H <sub>17</sub> O <sub>7</sub> Cl	
03.051.	CAPILLARISIN		[56365-38-9]	316.27	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
03.258.	CAPRIC ACID		[334-48-5]	172.27	C <sub>10</sub> H <sub>20</sub> O <sub>2</sub>	
03.259.	CAPRIC ACID ETHYLESTER		[110-38-3]	200.32	C <sub>12</sub> H <sub>24</sub> O <sub>2</sub>	
03.260.	CAPRIC ACID METHYLESTER		[110-42-9]	186.3	C <sub>11</sub> H <sub>22</sub> O <sub>2</sub>	
03.261.	CAPROIC ACID		[142-62-1]	116.17	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	
03.262.	CAPROIC ACID ETHYLESTER		[123-66-0]	144.22	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	
03.263.	CAPROIC ACID METHYLESTER		[106-70-7]	130.19	C <sub>7</sub> H <sub>14</sub> O <sub>2</sub>	
03.264.	CAPROIC ALDEHYDE		[66-25-1]	100.17	C <sub>6</sub> H <sub>12</sub> O	
03.265.	CAPRYLIC ACID		[124-07-2]	144.22	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	
03.266.	CAPRYLIC ACID ETHYLESTER		[106-32-1]	172.27	C <sub>10</sub> H <sub>20</sub> O <sub>2</sub>	
03.267.	CAPRYLIC ACID METHYLESTER		[111-11-5]	158.24	C <sub>9</sub> H <sub>18</sub> O <sub>2</sub>	
03.052.	CAPSAICIN (Natural)		[404-86-4]	305.43	C <sub>18</sub> H <sub>27</sub> NO <sub>3</sub>	Merck Index 11,1767

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.053.	CAPSAICIN (Synthetic)	Pelargonic acid vanillylamide; N-Vanillylpelargonamide	[2444-46-4]	293.41	C <sub>17</sub> H <sub>27</sub> NO <sub>3</sub>	Merck Index 11,1767
03.054.	CAPSANTHIN		[465-42-9]	584.90	C <sub>40</sub> H <sub>56</sub> O <sub>3</sub>	Merck Index 11,1768
03.019.	CAPTOPRIL		[62571-86-2]	217,29	C <sub>9</sub> H <sub>15</sub> NO <sub>3</sub> S	Merck Index 12,1817
03.234.	CAPTOPRIL		[62571-86-2]	217.29	C <sub>9</sub> H <sub>15</sub> NO <sub>3</sub> S	Kostis J. Am.Heart J. 116:1591 (1988)
03.055.	CARBACHOL	Carbamylcholine chloride; Choline chloride carbamate	[51-83-2]	182.65	C <sub>6</sub> H <sub>15</sub> CIN <sub>2</sub> O <sub>2</sub>	Merck Index 11,1780
03.056.	CARBAMYL PHOSPHATE DILITHIUM SALT	CAP-Li <sub>2</sub>	[1866-68-8]	152.88	CH <sub>2</sub> Li <sub>2</sub> NO <sub>5</sub> P	
03.057.	CARBENOXOLONE		[5697-56-3]	570.76	C <sub>34</sub> H <sub>50</sub> O <sub>7</sub>	Rao, C.V., Rivenson, A., Kelloff, G.J., Reddy, B.S. Anticancer Res., 15:1199-1204 (1995).
03.058.	CARBOPLATIN	cis-Diammine [1,1-cyclobutane-dicarboxylato] platinum	[41575-94-4]	371.27	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> Pt	Merck Index 11,1828
03.059.	CARBOPLATIN	cis-Diammine[1,1cyclobutane dicarboxylato] platinum	[41575-94-4]	371.3	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> Pt	Smith, I.E., et al. Cancer Treat. Rep., 69:43 (1985).
03.060.	8-CARBOXY-3-METHYLFLAVONE	3-Methylflavone-8-carboxylic acid	[3468-01-7]	280.29	C <sub>17</sub> H <sub>12</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.061.	3-CARBOXY-7-HYDROXYCOUMARIN	Umbelliferone-3-Carboxylic acid		206.16	C10H6O5	
03.062.	N-CARBOXYMETHYLRHODANINE	Rhodanine-N-acetic acid	[5718-83-2]	191.23	C5H5NO3S2	
03.063.	o-CARBOXYPHENYL PHOSPHATE	2-Phosphonooxybenzoic acid	[6064-83-1]	218.10	C7H7O6P	
03.219.	CARENE (+)-3-	3,7,7- Trimethylbicyclo [4.1.0] hept-3-ene; Isodiprene; D3-Carene;	[498 - 15 - 7]	136.2	C10H16	
03.268.	(+)-2-CARENE		[4497-92-1]	136.24	C10H16	
03.269.	CARMINIC ACID		[1260-17-9]	492.39	C22H20O13	
03.065.	(+/-)-CARNITINE CHLORIDE	Bicarnesine; b-Hydroxy-gamma- trimethylaminobutyric acid	[461-05-2]	197.67	C7H16ClNO3	
03.221.	CARNOSIC ACID		[07-09-50]	332.4	C20 H28 O4	
03.066.	L-CARNOSINE	N-b-Alanyl-L-histidine	[305-84-0]	226.24	C9H14N4O3	Merck Index 11,1857
03.067.	4,4-CAROTENE	Lycopene	[502-65-8]	536.91	C40H56	Merck Index 11,5492
03.068.	b-CAROTENE		[7235-40-7]	536.89	C40H56	Merck Index 11,1860
03.070.	CARTHAMIDIN	4',5,7,8-Tetrahydroxyflavanone		288.26	C15H12O6	
03.071.	CARTHAMUS RED					Merck Index 11,1876

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.072.	CARTHAMUS YELLOW					Merck Index 11,1876
03.015.	CARVACROL	Isothymol	[499-75-2]	150.22	C10H14O	Merck Index 12,1923
03.270.	CARVACRYL ACETATE		[6380-28-5]	192.26	C12H16O2	
03.222.	CARVEDIOL	1-(9H-Carbazol-4-yloxy)-3-[[2-(2-methoxyphenoxy	[72956 - 09 -3]	406.48	C24H26N2O4	Budavari, S. The Merck Index, 12t
03.073.	CARVEOL		[99-48-9]	152.23	C10H16O	Crowell, P.L., Keenan, W.S., Haag, J.D., Ahmad, S., Vedejs, E., Gould, M.N. Carcinogenesis, 13:1261-1264 (1992).
03.003.	(+)-CARVON	Carvol	[99-49-0]	150.22	C10H14O	Merck Index 12,1925
03.004.	(-)-CARVON	Carvol	[99-49-0]	150.22	C10H14O	Merck Index 12,1925
03.074.	(-)-trans-CARYOPHYLLEN	b-Caryophyllene	[87-44-5]	204.36	C15H24	Merck Index 11,1884
03.223.	CARYOPHYLLENE TRANS	alpha-Humulene, 2,6,6,9-Tetramethyl-1,4,8-cyclou	[6753 - 98 - 6]	204.4	C15H24	Budavari, S. The Merck Index, 12t
03.075.	CARYOPHYLLIN	Oleanolic Acid; Oleanol	[508-02-1]	456.73	C30H48O3	Merck Index 11,6787
03.076.	CASCARILLA OIL					Merck Index 11,1890
03.077.	CASCARIN	Frangulin; Emodin-L-Rhamnoside	[60529-33-1]	416.40	C21H20O9	Merck Index 11,4177

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.078.	CASTANOSPERMINE	1,6,7,8-Tetrahydroxyoctahydroindolizine	[79831-76-8]	189.22	C <sub>8</sub> H <sub>15</sub> NO <sub>4</sub>	Merck Index 11,1902
03.214.	CASTICIN	5,3'-Dihydroxy-3,6,7,4'-tetrametoxyflavone		374,3	C <sub>19</sub> H <sub>18</sub> O <sub>8</sub>	
03.016.	CATALPOL		[2415-24-9]	362.34	C <sub>15</sub> H <sub>22</sub> O <sub>10</sub>	
03.079.	CATALPOSIDE	Catalpin	[6736-85-2]	482.45	C <sub>22</sub> H <sub>26</sub> O <sub>12</sub>	Merck Index 11,1907
03.080.	(+/-)-CATECHIN		[7295-85-4]	290.38	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,1908
03.081.	(+/-)-CATECHIN	3,3',4',5,7-Pentahydroxyflavan	[7295-85-4]	290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,1908
03.082.	(-)-CATECHIN Hydrate	3,5,7,3',4'-Pentahydroxyflavane	[154-23-4]	308.30	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,1908
03.083.	(+)-CATECHIN Hydrate	3,3',4',5,7-Pentahydroxyflavane	[154-23-4]	308.30	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,1908
03.084.	(+)-CATECHIN Hydrate	3,3',4',5,7-Pentahydroxyflavane	[154-23-4]	308.30	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,1908
03.085.	(L)-CATECHIN Hydrate	3,3',4',5,7-Pentahydroxyflavane	[154-23-4]	308.30	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,1908
03.271.	CATECHOL		[120-80-9]	110.12	C <sub>6</sub> H <sub>6</sub> O <sub>2</sub>	
03.086.	CATENARIN	1,4,6,8-Tetrahydroxy-3-methylantraquinone	[476-46-0]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
03.235.	CATHARANTHINE BASE		[2468-21-5]	336.43	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	Uniyal GC, Bala S, Mathur Ak et al. Phytochem Anal. 12:206-210 (2001)

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.236.	CATHARANTHINE SULFATE			434.51	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> xH <sub>2</sub> SO <sub>4</sub>	Zhao J, Hu Q, Guo YQ, Zhu WH. Appl Microbiol Biotechnol. 55:693-8 (2001)
03.237.	CATHARANTHINE TARTRATE			486.52	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> xC <sub>4</sub> H <sub>6</sub> O <sub>6</sub>	
03.087.	CAULOPHYLLOGENIN		[52936-64-8]	489.00	C <sub>30</sub> H <sub>48</sub> O <sub>5</sub>	
03.088.	CAULOSAPOGENIN	Hederagenin	[465-99-6]	472.73	C <sub>30</sub> H <sub>48</sub> O <sub>4</sub>	Merck Index 11,4540
03.272.	ALPHA-CEDRENE		[469-61-4]	204.36	C <sub>15</sub> H <sub>24</sub>	
03.273.	BETA-CEDRENE		[546-28-1]	204.36	C <sub>15</sub> H <sub>24</sub>	
03.274.	CEDROL		[77-53-2]	222.38	C <sub>15</sub> H <sub>26</sub> O	
03.089.	D-(+)-CELLOBIOSE	4-O-b-D-Glucopyranosyl-D-glucose	[528-50-7]	342.30	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	Merck Index 11,1957
03.090.	D-CELLOBIOSE OCTAACETATE		[3616-19-1]	678.60	C <sub>28</sub> H <sub>38</sub> O <sub>19</sub>	Merck Index 11,1957
03.091.	CELLUCHROME					
03.092.	CENTAURIN	Cnicin; Dynisin	[24394-09-0]	378.41	C <sub>20</sub> H <sub>26</sub> O <sub>7</sub>	Merck Index 11,2419
03.093.	CENTELASE	Asiaticoside; Madecasol	[16830-15-2]	959.16	C <sub>48</sub> H <sub>78</sub> O <sub>19</sub>	Merck Index 11,857
03.094.	CEPHALOMANNINE					

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.238.	CEPHARANTHINE, 98%		[481-49-2]	606.71	C <sub>37</sub> H <sub>38</sub> N <sub>2</sub> O <sub>6</sub>	Kondo Y, Takano F, Hojo H. Biochem. Pharmacol. 46:1887-1892 (1993)
03.095.	CEROPTEN		[56015-03-3]	298.35	C <sub>18</sub> H <sub>18</sub> O <sub>4</sub>	
03.239.	CERULENIN		[17397-89-6]	223.27	C <sub>12</sub> H <sub>17</sub> NO <sub>3</sub>	Pizer ES, Jakisch C, Wood FD et al. Cancer Res. 56:2745-7 (1996)
03.096.	α-CHACONINE		[20562-03-2]	852.00	C <sub>45</sub> H <sub>73</sub> NO <sub>14</sub>	
03.097.	CHALCONE	Benzylidene Acetophenone	[94-41-7]	208.26	C <sub>15</sub> H <sub>12</sub> O	Merck Index 11,2028
03.098.	CHALCONE	trans-Benzylideneacetophenone	[614-47-1]	208.26	C <sub>15</sub> H <sub>12</sub> O	Wattenberg, L.W., Coccia, J.B., Galbraith, A.R., Cancer Lett., 82:165-169 (1994).
03.275.	CHAMAZULEN		[529-05-5]	184.28	C <sub>14</sub> H <sub>16</sub>	
03.099.	CHEIROLIN		[505-34-0]	179.26	C <sub>5</sub> H <sub>9</sub> NO <sub>2</sub> S <sub>2</sub>	Merck Index 12,2092
03.276.	CHELEDONIC ACID		[99-32-1]	184.11	C <sub>7</sub> H <sub>4</sub> O <sub>6</sub>	
03.021.	CHELERYTHRINE	Toddalin	[36316-15-9]	348.36	C <sub>21</sub> H <sub>18</sub> NO <sub>4</sub>	Merck Index 12,2093
03.100.	CHELERYTHRINE CHLORIDE	Toddalin	[3895-92-9]	348.36	[C <sub>21</sub> H <sub>18</sub> NO <sub>4</sub> ]+HCl	Merck Index 11,2041



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.012.	CHELIDONIN HYDROCHLORIDE		[20267-87-2]	389.36	C <sub>20</sub> H <sub>19</sub> NO <sub>5</sub> Cl	
03.005.	(+)-CHELIDONINE	Stylophorin	[476-32-4]	353.36	C <sub>20</sub> H <sub>19</sub> NO <sub>5</sub>	Merck Index 11,2043
03.102.	CHENODEOXYCHOLIC ACID		[474-25-9]	392.58	C <sub>24</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,2044
03.103.	CHENODEOXYCHOLIC ACID	5b-Cholanic acid-3a,7a-diol	[474-25-9]	392.58	C <sub>24</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,2044
16.020.	CHININ	( R )-(6-Methoxyquinol-4yl)[2S,4R,5R)-5-vinylquinuclidin-2-yl] methanol	[130-95 -0]	324.4	C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	Wagner et al. Drogenanalyse Springer Verlag 1983
16.021.	CHININ (wasserfrei)	( R )-(6-Methoxyquinol-4yl)[2S,4R,5R)-5-vinylquinuclidin-2-yl] methanol	[130 - 95 - 0]	324.4	C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	Wagner et al. Drogenanalyse Sprin
16.019.	CHININCHLORIDE		[6119-70-6]	749.9	C <sub>40</sub> H <sub>48</sub> N <sub>4</sub> O <sub>4</sub>	
16.022.	CHININSULFAT	(8alpha,9R) - 6'-Methoxycinchonan-9-ol sulfate	[6119-70-6]	2x(342.42) + 5	(C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ) <sub>2</sub> x H <sub>2</sub> SO <sub>4</sub> x	Budavari, S. The Merck Index, 12th
03.104.	CHITIN	Poly-N-acetylglucosamine	[1298-61-4]			Merck Index 11,2052
03.277.	CHITOBIOSE		[35061-50-8]	424.4	C <sub>16</sub> H <sub>28</sub> O <sub>11</sub> N <sub>2</sub>	
03.105.	α-CHLORALOSE	Anhydro-D-glucochloral; α-D-Glucochloralose	[15879-93-3]	309.54	C <sub>8</sub> H <sub>11</sub> Cl <sub>3</sub> O <sub>6</sub>	Merck Index 11,2062
03.106.	6-CHLORO-6-DEOXY-α-D-GLUCOPYRANOSE		[28528-86-1]	198.61	C <sub>6</sub> H <sub>11</sub> ClO <sub>5</sub>	
03.107.	6-CHLORO-6-Deoxy-α-D-MANNOSE					

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.108.	N-CHLOROACETYL-L-TRYPTOPHAN		[64709-57-5]	280.71	C <sub>13</sub> H <sub>13</sub> CIN <sub>2</sub> O <sub>3</sub>	
03.109.	N-CHLOROACETYL-L-TYROSINE		[1145-56-8]	257.68	C <sub>11</sub> H <sub>12</sub> CINO <sub>4</sub>	
03.006.	CHLOROGENIC ACID	3-(3,4-Dihydroxycinnamoyl)-D(-)-quinic acid; Helianthic acid	[327-97-9]	354.32	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	Merck Index 11,2142 Biochem.J.,239.641(1986).
03.110.	CHLOROGENIC ACID		[327-97-9]	354.31	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	Tanaka, T., Kojima, T., Kawamori, T., et. Al. Carcinogenesis, 14:1321- 1325 (1993).
03.111.	3-CHLORO-L-TYROSINE		[35608-63-0]	215.64	C <sub>9</sub> H <sub>10</sub> CINO <sub>3</sub>	
03.280.	CHLOROPHYLL		[1406-65-1]			
03.278.	CHLOROPHYLL A		[479-61-8]	893.49	C <sub>55</sub> H <sub>72</sub> MgN <sub>4</sub> O <sub>5</sub>	
03.279.	CHLOROPHYLL B		[519-62-0]	907.57	C <sub>55</sub> H <sub>70</sub> MgN <sub>4</sub> O <sub>6</sub>	
03.112.	CHLOROPHYLLIN	Sodium-Copper Salt	[15611-43-5]			Tachino, H., Guo, D., Dashwood, W.M., Yamane, S., Larsen, R., Dashwood, R.H. Mutat. Res., 308:191-203 (1994).
03.113.	6-CHLOROPURINE		[87-42-3]	154.56	C <sub>5</sub> H <sub>3</sub> CIN <sub>4</sub>	Merck Index 11,2161
03.114.	6-CHLOROPURINE RIBOSIDE	6-Chloropurine-9-b-D-ribofuranoside	[2004-06-0]	286.68	C <sub>10</sub> H <sub>11</sub> CIN <sub>4</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.115.	(4)6-CHLOROTHYMOL	4-Chloro-2-isopropyl-6-methylphenol	[89-68-9]	184.67	C <sub>10</sub> H <sub>13</sub> ClO	Merck Index 11,2171
03.116.	CHOLAIC ACID	Deoxycholic acid; 5b-Cholan-24-oic acid-3a,12a-diol	[83-44-3]	392.58	C <sub>24</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,2881
03.117.	CHOLECALCIFEROL	Vitamin D <sub>3</sub>	[67-97-0]	384.64	C <sub>27</sub> H <sub>44</sub> O	Garland, D., Garland, F.C. Int. J. Epidemiol., 9:227-231 (1980).
03.118.	CHOLESTAN-3-ONE	5a-Cholestan-3-one	[566-88-1]	386.66	C <sub>27</sub> H <sub>46</sub> O	
03.281.	(5ALPHA)-CHOLESTANE		[481-21-0]	372.68	C <sub>27</sub> H <sub>48</sub>	
03.282.	(5ALPHA)-CHOLESTAN-3-BETA-OL		[80-97-7]	388.67	C <sub>27</sub> H <sub>48</sub> O	
03.119.	CHOLESTANOL	5a-Cholestan-3b-ol; Dihydrocholesterol	[80-97-7]	388.68	C <sub>27</sub> H <sub>48</sub> O	Merck Index 11,2203
03.120.	CHOLESTENONE	4-Cholesten-3-one	[601-57-0]	384.65	C <sub>27</sub> H <sub>44</sub> O	
03.283.	CHOLESTEROL		[57-88-5]	386.67	C <sub>27</sub> H <sub>46</sub> O	
03.121.	CHOLESTERYL ACETATE	5-Cholesten-3b-ol 3-acetate	[604-35-3]	428.71	C <sub>29</sub> H <sub>48</sub> O <sub>2</sub>	Merck Index 11,2204
03.122.	CHOLESTERYL BENZOATE	Cholesten-3b-ol benzoate	[604-32-0]	490.79	C <sub>34</sub> H <sub>50</sub> O <sub>3</sub>	Merck Index 11,2204
03.123.	CHOLESTERYL CAPROATE	5-Cholesten-3b-ol caproate; Cholesteryl n-hexanoate	[1062-96-0]	484.82	C <sub>33</sub> H <sub>56</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.124.	CHOLESTERYL CAPRYLATE	5-Cholesten-3b-ol caprylate	[1182-42-9]	512.88	C35H60O2	
03.125.	CHOLESTERYL CHLORIDE	3-Chlorocholestene; b-Chloro-5-cholestene	[910-31-6]	405.11	C27H45Cl	
03.126.	CHOLESTERYL FORMATE	5-Cholesten-3b-ol 3-formate	[4351-55-7]	414.69	C28H46O2	
03.127.	CHOLESTERYL HYDROGEN SUCCINATE	5-Cholesten-3b-ol succinate; cholesteryl hemisuccinate	[1520-21-0]	486.75	C31H50O4	
03.128.	CHOLESTERYL iso-BUTYRATE	5-Cholesten-3b-ol 3-isobutyrate	[1180-43-4]	456.77	C31H52O2	
03.129.	CHOLESTERYL LAURATE	5-Cholesten-3b-ol laurate; 5-Cholestene-3b-ol 3-dodecanoate	[1908-11-8]	568.99	C39H68O2	
03.130.	CHOLESTERYL MYRISTATE	5-Cholesten-3b-ol 3-tetradecanoate	[1989-52-2]	597.04	C41H72O2	
03.131.	CHOLESTERYL n-BUTYRATE	5-Cholesten-3b-ol 3-butyrate	[521-13-1]	456.77	C31H52O2	
03.132.	CHOLESTERYL n-DECYLATE	5-Cholesten-3b-ol 3-decanoate	[1183-04-6]	540.93	C37H64O2	
03.284.	CHOLESTERYL OLEATE		[303-43-5]	651.12	C45H78O2	
03.133.	CHOLESTERYL OLEYL CARBONATE liquid crystal	5-Cholestene-3-yl 9-octadecenyl carbonate	[17110-51-9]	681.16	C46H80O3	
03.285.	CHOLESTERYL PALMITATE		[601-34-3]	625.08	C43H76O2	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.134.	CHOLESTERYL PELARGONATE	5-Cholesten-3b-ol pelargonate	[1182-66-7]	526.91	C <sub>36</sub> H <sub>62</sub> O <sub>2</sub>	
03.135.	CHOLESTERYL STEARATE	5-Cholesten-3b-ol 3-octadecanoate	[35602-69-8]	973.14	C <sub>45</sub> H <sub>80</sub> O <sub>2</sub>	
03.136.	CHOLIC ACID	Cholic Acid; 3a,7a,12a-Trihydroxy-5b-cholan-24-oic acid	[81-25-4]	408.58	C <sub>24</sub> H <sub>40</sub> O <sub>5</sub>	Merck Index 11,2206
03.138.	CHOLIC ACID METHYL ESTER	Methylcholate	[1448-36-8]	422.62	C <sub>25</sub> H <sub>42</sub> O <sub>5</sub>	
03.240.	CHONDROITIN SULFATE			404.93	C <sub>23</sub> H <sub>29</sub> ClO <sub>4</sub>	Kageyama Y. Kitahara, S., Tsukamoto, T., et al. Endocr J. 42:505-8 (1995)
03.139.	4-CHROMANONE		[1341-36-2]	148.17	C <sub>9</sub> H <sub>8</sub> O <sub>2</sub>	
03.140.	CHRYSANTHELLIN A		[73039-13-1]	1191.37	C <sub>58</sub> H <sub>94</sub> O <sub>25</sub>	
03.141.	CHRYSANTHELLIN B		[74411-65-7]	1207.37	C <sub>58</sub> H <sub>94</sub> O <sub>26</sub>	
03.286.	(1R)-CHRYSANTHEMOLACTONE		[14087-70-8]	168.24	C <sub>10</sub> H <sub>16</sub> O <sub>2</sub>	
03.287.	(1S)-CHRYSANTHEMOLACTONE		[14087-71-9]	168.24	C <sub>10</sub> H <sub>16</sub> O <sub>2</sub>	
03.288.	CHRYSANTHEMYL ALCOHOL		[5617-92-5]	154.25	C <sub>10</sub> H <sub>18</sub> O	
03.142.	CHRYSAROBIN		[491-59-8]	240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	Merck Index 11,2557

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.143.	CHRYSATROPIC ACID	Scopoletin; Esculetin-6-Methylether; 7-Hydroxy-6-methoxycoumarin	[92-61-5]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8363
03.144.	CHRYSIN	5,7-Dihydroxyflavone	[480-40-0]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,2261
03.146.	CHRYSIN DIMETHYL ETHER	5,7-Dimethoxyflavone	[21392-57-4]	282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
03.147.	CHRYSOERIOL	3'-Methoxy-5,7,4'-trihydroxyflavone	[491-71-4]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
03.018.	CHRYSOPHANOL	1,8-Dihydroxy-3-methylantraquinone; 3-Methylchrysazine	[481-74-3]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,2263
03.241.	CHYMOSTATIN	N-[-Na-Carbonyl-Cpd-X-Phe-al]-Phe	[9076-44-2]			Billings PC, Newberne PM, Kennedy AR. Carcinogenesis. 11:1083-6 (1990)
03.020.	CICHORINIC ACID	Dicaffeoyl tartaric acid, Cichoric Acid		474.39	C <sub>22</sub> H <sub>18</sub> O <sub>12</sub>	
03.150.	CIMETIDINE		[51481-61-9]	252.35	C <sub>10</sub> H <sub>16</sub> N <sub>6</sub> S	Merck Index 11,2279
03.224.	CIMICIFUGOSID					Budavari, S. The Merck Index, 12t
03.151.	CINCHONIDINE	α-Quinidine (ex Cinchoria bark)	[485-71-2]	294.41	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O	Merck Index 11,2288
03.218.	CINCHONIN (+)	(S)-(Quinol-4-yl)[(2R, 4S, 5R)-5-vinylquinuclidin-2-yl]methanol	[118 - 10 - 5]	294.4	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O	Wagner et al. Drogenanalyse Springer Verlag 1983

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.152.	CINCHOVATIN	Aricine; Heterophyllin	[482-91-7]	382.47	C <sub>22</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,809
05.010.	CINEOL 1,8	Eucapytol	[470-82-6]	154.26	C <sub>10</sub> H <sub>18</sub> O	Merck Index 11,3851
03.289.	1,4-CINEOLE		[470-67-7]	154.25	C <sub>10</sub> H <sub>18</sub> O	
03.290.	TRANS-CINNAMALDEHYDE		[104-55-2]	132.16	C <sub>9</sub> H <sub>8</sub> O	
03.291.	CINNAMIC ACID BENZYLESTER		[103-41-3]	238.29	C <sub>16</sub> H <sub>14</sub> O <sub>2</sub>	
03.292.	CINNAMIC ACID ETHYLESTER		[103-36-6]	176.22	C <sub>11</sub> H <sub>12</sub> O <sub>2</sub>	
03.293.	CINNAMIC ACID METHYLESTER		[103-26-4]	162.19	C <sub>10</sub> H <sub>10</sub> O <sub>2</sub>	
03.153.	trans-13-CINNAMOYLOXYLUPANINE			394.52	C <sub>24</sub> H <sub>30</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,5477
03.294.	CINNAMYL ACETAT		[103-54-8]	176.22	C <sub>11</sub> H <sub>12</sub> O <sub>2</sub>	
03.295.	TRANS-CINNAMYL ALCOHOL		[104-54-1]	134.18	C <sub>9</sub> H <sub>10</sub> O	
03.155.	4-CINNAMYLPHENOL	Obtusastylene	[24126-82-7]	210.28	C <sub>15</sub> H <sub>14</sub> O	
01.247.	CIS-ACONITIC ACID		[585-84-2]	174.12	C <sub>6</sub> H <sub>6</sub> O <sub>6</sub>	
03.215.	CITRONELLAL	3,7-Dimethyl-6-octenal	[106-23-0]	154.25	C <sub>10</sub> H <sub>18</sub> O	
03.296.	(-)-CITRONELLOL		[7540-51-4]	156.27	C <sub>10</sub> H <sub>20</sub> O	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.297.	(+)-CITRONELLOL		[1117-61-9]	156.27	C <sub>10</sub> H <sub>20</sub> O	
03.298.	(+/-)-CITRONELLOL		[106-22-9]	156.27	C <sub>10</sub> H <sub>20</sub> O	
03.299.	DL-CITRONELLYL ACETATE		[150-84-5]	198.31	C <sub>12</sub> H <sub>22</sub> O <sub>2</sub>	
03.300.	CITROPTEN		[487-06-9]	206.2	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	
03.156.	L-CITRULLINE	L-2-Amino-5-ureido valeric acid	[372-75-8]	175.19	C <sub>6</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub>	Merck Index 11,2333
03.157.	Na-CBZ-L-CITRULLINE-p-NITROANILIDE			429.44	C <sub>20</sub> H <sub>23</sub> N <sub>5</sub> O <sub>6</sub>	
03.158.	L-CITRULLINE-p-NITROANILIDE Hydrobromide			376.22	C <sub>12</sub> H <sub>17</sub> N <sub>5</sub> O <sub>4</sub> .HBr	
03.159.	CLADRIN	3',4'-Dimethoxy-7-Hydroxyisoflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	Tet., 1969,3887
03.242.	CLARITHROMYCIN		[81103-11-9]	747.95	C <sub>38</sub> H <sub>69</sub> N <sub>3</sub> O <sub>13</sub>	Hardy, D.J., Guay, D.R., Jones, R.N Diagn Microbiol Infect Dis. 15:38-53 (1992)
03.243.	CLYNDAMYCIN HYDROCHLORIDE		[21462-39-5]	461.44	C <sub>18</sub> H <sub>34</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>8</sub>	Reusser, F. Antimicrobial Agents Chemother. 7:32 (1975)
03.160.	CNICIN	Cynisin; Centaurin	[24394-09-0]	378.41	C <sub>20</sub> H <sub>26</sub> O <sub>7</sub>	Merck Index 11,2419
03.161.	COCCULIN	Picrotoxin	[124-87-8]	602.61	C <sub>30</sub> H <sub>34</sub> O <sub>13</sub>	Merck Index 11,7388



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.225.	CODEINPHOSPHAT HEMIHYDRAT	Methylmorphinphosphate	[41444 - 62 - 6]	406.4	C <sub>18</sub> H <sub>24</sub> N <sub>07</sub> P <sub>x</sub> 0.5H <sub>2</sub> O	Budavari, S. The Merck Index, 12t
03.162.	COENZYME A TRILITHIUM SALT Dihydrate		[18439-24-2]	821.37	C <sub>21</sub> H <sub>33</sub> Li <sub>3</sub> N <sub>7</sub> O <sub>16</sub> P <sub>3</sub> S <sub>2</sub> H <sub>2</sub> O	
03.217.	COFFEIN ANHYDROUS	3,7-Dihydro-1,3,7-trimethyl-1H-purine-2,6-dione; 1,3,7-trimethylxanthine; 1,3,7-trimethyl-2,6- dioxopurine	[58-08-2]	194.20	C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub>	Wagner et al. Drogenanalyse Sprin
03.244.	COLCHICINE, 97%		[64-86-8]	399.44	C <sub>22</sub> H <sub>25</sub> N <sub>06</sub>	Takano, Y., Okudaira, M., Harmon, B.V. Pathol Res Pract. 189:197- 2003 (1993)
03.245.	CONCANAVALIN A		[11028-71-0]			Nagase, F., Abo, T., Hiramatsu, K., et al. Microbiol Immunol. 42:567-74 (1998)
03.163.	CONDELPHINE	ex Delphinium confusum	[7633-69-4]	449.60	C <sub>25</sub> H <sub>39</sub> N <sub>06</sub>	
03.164.	CONESSINE	Neriine; Roquessine; Wrightine	[546-06-5]	336.32	C <sub>24</sub> H <sub>4</sub> ON <sub>2</sub>	Merck Index 11,2492
03.165.	CONESSINE	Neriine; Roquessine, Wrightine	[546-06-5]	336.32	C <sub>24</sub> HeON <sub>2</sub>	Merck Index 11,2492
03.166.	CONIFERALDEHYDE	4-Hydroxy-3-Methoxycinnamaldehyde	[458-36-6]	178.19	C <sub>10</sub> H <sub>10</sub> O <sub>3</sub>	
03.167.	CONIFERYL ALCOHOL	4-Hydroxy-3-methoxycinnamyl alcohol	[458-35-5]	180.21	C <sub>10</sub> H <sub>12</sub> O <sub>3</sub>	Merck Index 11,2499
03.168.	DL-CONIINE	2-Propylpiperidine	[458-88-8]	127.23	C <sub>8</sub> H <sub>17</sub> N	Merck Index 11,2500

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.169.	DL-CONIINE HBr		[637-49-0]	208.15	C8H17N.HBr	Merck Index 11,2501
03.171.	DL-CONIINE Hydrochloride		[555-92-0]	163.70	C8H17N.HCl	Merck Index 11,2502
03.172.	CONVALLATOXIN	Corglykon; Strophanthidin a-L-rhamnopyranoside	[508-75-8]	550.65	C29H42O10	Merck Index 11,2508
03.173.	CONVALLATOXIN	Corglykon	[508-75-8]	550.65	C29H42O10	Merck Index 11,2508
03.174.	CONYRIN	2-N-Propylpyridine	[622-39-9]	121.19	C8H11N	
03.175.	COPROSTAN-3-ONE	5-b-Cholestan-3-one	[156000-08-5]	386.68	C27H46O	
03.022.	COPTISINE		[3486-66-6]	311.00	C19H14NO4	Merck Index 12,2591
03.008.	COPTISINE CHLORIDE		[3486-66-6]	355.78	C19H14ClNO4	Merck Index 11,2522
03.176.	CORALYN CHLORIDE		[38989-38-7]	399.89	C22H22ClNO4	
03.177.	CORNIN	Verbenalin	[548-37-8]	388.38	C17H24O10	Merck Index 11,9861
03.009.	CORTEXOLON					
03.212.	CORTICOSTERONE	Kendall's 'B'; 4-Pregnen-11b,21-diol-3,20-dione; Reichstein's 'H'	[50-22-6]	346.47	C21H30O4	Merck Index 11,2532
03.010.	CORTISONE 21 -OLEATE	Cortone; Kendall's "E"; 4-Pregen-17a,21-diol- 3,11,20-trione	[53-06-5]	360.45	C21H28O5	Merck Index 11,2533

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.178.	CORYCAVINE		[521-85-7]	367.41	C <sub>21</sub> H <sub>21</sub> NO <sub>5</sub>	Merck Index 11,2540
03.179.	(+)-CORYDALINE		[518-69-4]	369.44	C <sub>22</sub> H <sub>27</sub> NO <sub>4</sub>	Merck Index 11,2543
03.180.	(+)-CORYDINE		[476-69-7]	341.39	C <sub>20</sub> H <sub>23</sub> NO <sub>4</sub>	Merck Index 11,2545
03.301.	CORYNANTHINE		[483-10-3]	354.45	C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub>	
03.302.	CORYNANTHINE HYDROCHLORIDE		[123333-62-0]	390.91	C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub> xHCl	
03.181.	(+)-CORYPALMINE		[6018-40-2]	341.39	C <sub>20</sub> H <sub>23</sub> NO <sub>4</sub>	Merck Index 11,2548
03.182.	CORYSAMINE CHLORIDE		[30243-28-8]	369.81	C <sub>20</sub> H <sub>16</sub> CINO <sub>4</sub>	
03.183.	(+)-CORYTUBERINE		[517-56-6]	327.37	C <sub>19</sub> H <sub>21</sub> NO <sub>4</sub>	Merck Index 11,2549
03.184.	COSMETIN	Apigenin-7-glucoside; Apigetrin; Cosmiin	[578-74-5]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	Merck Index 11,764
03.185.	COSMIIN	Cosmetin; Apigenin-7-glucoside; Apigetrin	[578-74-5]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	Merck Index 11,764
03.303.	2-COUMARIC ACID		[614-60-8]	164.16	C <sub>9</sub> H <sub>8</sub> O <sub>3</sub>	
03.304.	3-COUMARIC ACID		[14755-02-3]	164.16	C <sub>9</sub> H <sub>8</sub> O <sub>3</sub>	
03.305.	4-COUMARIC ACID		[7400-08-0]	164.16	C <sub>9</sub> H <sub>8</sub> O <sub>3</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.246.	COUMARIN	2H-1-Benzopyan-2-one	[91-64-5]	146.14	C <sub>9</sub> H <sub>6</sub> O <sub>2</sub>	Weber US, Steffen B, Siegers CP.Res Commun Mol Pathol Pharmacol. 99.193-206 (1998)
03.186.	COUMESTROL	7,12-Dihydroxycoumestan	[479-13-0]	268.23	C <sub>15</sub> H <sub>8</sub> O <sub>5</sub>	Merck Index 11,2565
03.187.	COUMESTROL		[479-13-0]	268.2	C <sub>15</sub> H <sub>8</sub> O <sub>5</sub>	Poutanen, M., et.al. Proc. Soc. Exp. Biol. Med., 208:51-59 (1995).
03.188.	CREATINE monohydrate	N-Guanyl-N-methylglycine; N-amidinosarcosine.	[6020-87-7]	149.15	C <sub>4</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> .H <sub>2</sub> O	
03.189.	CREATINE PHOSPHATE DISODIUM SALT Hexahydrate	Phosphocreatine	[6190-45-0]	363.17	C <sub>4</sub> H <sub>8</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>5</sub> P.6H <sub>2</sub> O	
03.190.	CREATINE PHOSPHATE DISODIUM SALT Tetrahydrate	Phosphocreatine	[6190-45-0]	327.14	C <sub>4</sub> H <sub>8</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>5</sub> P.4H <sub>2</sub> O	Merck Index 11,7315
03.191.	CREATININE	2-Imino-N-methylhydantoin	[60-27-5]	113.12	C <sub>4</sub> H <sub>7</sub> N <sub>3</sub> O	Merck Index 11,2571
03.192.	CREATININE PHOSPHATE SODIUM SALT Pentahydrate		[19604-05-8]	353.86	C <sub>4</sub> H <sub>6</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>5</sub> P.5H <sub>2</sub> O	
03.193.	CREATININE ZINC CHLORIDE		[62708-52-5]	362.52	C <sub>8</sub> H <sub>14</sub> Cl <sub>2</sub> N <sub>6</sub> O <sub>2</sub> Zn	Merck Index 11,2571
03.194.	trans-CROCETIN	8,8'-Diapocarotenedioic acid	[27876-94-4]	328.39	C <sub>20</sub> H <sub>24</sub> O <sub>4</sub>	Merck Index 11,2592
03.195.	CROCIN	Gardenin	[42553-65-1]	977.00	C <sub>44</sub> H <sub>64</sub> O <sub>24</sub>	Merck Index 11,2593

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.196.	CRYPTOSTROBIN	5,7-Dihydroxy-8-methylflavanone	[55743-21-0]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Chem.Pharm.Bull., 1957(5)195.
03.247.	CRYPTOTANSHINONE			296.36	C <sub>19</sub> H <sub>20</sub> O <sub>3</sub>	Pan, X., Niu, G., Liu, H. J. Chromatography A. 922:371-375 (2001)
03.197.	β-CRYPTOXANTHIN		[472-70-8]	552.91	C <sub>40</sub> H <sub>56</sub> O <sub>3</sub>	Merck Index 11,2612
03.220.	CRYPTOXANTHIN	(3R)-beta-beta-Caroten-3-ol	[472 - 70 - 8]	552.88	C <sub>40</sub> H <sub>56</sub> O	Budavari, S. The Merck Index, 12t
03.198.	CUBEIN		[18423-69-3]	356.39	C <sub>20</sub> H <sub>20</sub> O <sub>6</sub>	
03.216.	CUCURBITACIN B		[6199-67-3]	558.69	C <sub>32</sub> H <sub>46</sub> O <sub>8</sub>	
03.199.	CUCURBITACIN E	α-Elaterin	[18444-66-11]	556.71	C <sub>32</sub> H <sub>44</sub> O <sub>8</sub>	Merck Index 11,2617
03.200.	CUCURBITACIN I	Elatericin B	[2222-07-0]	514.68	C <sub>30</sub> H <sub>42</sub> O <sub>7</sub>	Merck Index 11,2617
03.011.	CUMARIN		[91-64-5]	146.15	C <sub>9</sub> H <sub>6</sub> O <sub>2</sub>	Merck Index 11,2563
03.308.	CUMINALDEHYDE		[122-03-2]	148.21	C <sub>10</sub> H <sub>12</sub> O	
03.309.	CUMINYALCOHOL		[536-60-7]	150.22	C <sub>10</sub> H <sub>14</sub> O	
03.310.	(+)-CUPARENE		[56324-31-3]	202.35	C <sub>15</sub> H <sub>22</sub>	
03.311.	CUPRESSUFLAVONE		[3952-18-9]	538.46	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.007.	CURCUMIN	Diferuloyl methane	[458-37-7]	368.40	C <sub>21</sub> H <sub>20</sub> O <sub>6</sub>	Merck Index 11,2681
03.203.	CURCUMIN Crystalline, Natural	Diferuloyl-methane	[458-37-7]	368.40	C <sub>21</sub> H <sub>20</sub> O <sub>6</sub>	Merck Index 11,2681
03.307.	CURCURBITACIN D		[3877-86-9]	516.68	C <sub>30</sub> H <sub>44</sub> O <sub>7</sub>	
03.204.	CYANIDIN CHLORIDE	3,3',4',5,7-Pentahydroxyflavylin chloride	[528-58-5]	322.71	C <sub>15</sub> H <sub>11</sub> C <sub>10</sub> O <sub>6</sub>	Merck Index 11,2694
03.205.	CYANIDIN-3,5-DIGLUCOSIDE	Cyanin Chloride	[2611-67-8]	647.00	C <sub>27</sub> H <sub>31</sub> C <sub>10</sub> O <sub>16</sub>	
03.206.	CYANIDIN-3-GALACTOSIDE CHLORIDE	Idaein chloride	[27661-36-5]	484.86	C <sub>21</sub> H <sub>21</sub> C <sub>10</sub> O <sub>11</sub>	Merck Index 11,2694
03.207.	CYANIDIN-3-RUTINOSIDE	Keracyanin chloride	[18719-76-1]	631.00	C <sub>27</sub> H <sub>31</sub> O <sub>15</sub> C <sub>1</sub>	Merck Index 11,2694
03.208.	CYANIDIN-RHAMNOGLUCOSIDE	Cyanidin-3-rutinoside; Keracyanin chloride	[18719-76-1]	631.00	C <sub>27</sub> H <sub>31</sub> O <sub>15</sub> C <sub>1</sub>	Merck Index 11,2694
03.209.	CYANIN CHLORIDE	Cyanidin-3,5-diglucoside	[261-67-8]	647.00	C <sub>27</sub> H <sub>31</sub> C <sub>10</sub> O <sub>16</sub>	
03.210.	CYCLANOLINE IODIDE			469.33	C <sub>20</sub> H <sub>24</sub> NO <sub>4</sub> I	
03.221.	CYCLOARTENOL	4,4,14- Trimethyl-9,19-Cyclo-5-Colest-24-ene		463.75	C <sub>30</sub> H <sub>49</sub>	Goad Terpenoids in Plants Academic Press 1967
03.312.	CYCLOARTENOL ACETATE			468.77	C <sub>32</sub> H <sub>52</sub> O <sub>2</sub>	
03.211.	CYCLOCYTIDINE HYDROCHLORIDE	2,2'-Anhydro-1-β-D-arabinofuranosylcytosine hydrochloride	[10212-25-6]	261.66	C <sub>9</sub> H <sub>11</sub> N <sub>3</sub> O <sub>4</sub>	Hoshi, A., Kanzawa, F., Kuretani, K. Gann., 63:353-360 (1972).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.313.	ALPHA-CYCLODEXTRIN		[10016-20-3]	972.86	C <sub>36</sub> H <sub>60</sub> O <sub>30</sub>	
03.314.	CYCLOHEXANOL		[108-93-0]	100.17	C <sub>6</sub> H <sub>12</sub> O	
03.315.	CYCLOHEXANONE		[108-94-1]	98.15	C <sub>6</sub> H <sub>10</sub> O	
03.202.	2-CYCLOHEXYL-5-PHENYLOXAZOLE Scintillation grade			227.31	C <sub>15</sub> H <sub>17</sub> NO	
03.201.	CYCLOPHOSPHAMIDE MONOHYDRATE		[6055-19-2]	279.10	C <sub>7</sub> H <sub>15</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> P.H <sub>2</sub> O	Struck, R.F., In "Cancer Chemotherapeutic Agents" Foye, W.O., Ed., ACS Professional Reference, pp. 114-117 (1995).
03.248.	CYCLOSPORIN A			1202	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>12</sub>	Wiederrech, G., Lam, E., Hung, S., et al. Ann N Y Acad Sci. 696:9-19 (1993)
03.249.	CYCLOSPORIN C		[59787-61-0]	1218.61	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>13</sub>	
03.250.	CYCLOSPORIN D		[63775-96-2]	1216.64	C <sub>63</sub> H <sub>113</sub> N <sub>11</sub> O <sub>12</sub>	
03.251.	CYCLOSPORIN H		[83602-39-5]	1202.61	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>12</sub>	
03.014.	CYMARIN	K-Strophanthin-a	[508-77-0]	548.69	C <sub>30</sub> H <sub>44</sub> O <sub>9</sub>	Merck Index 11,2768
03.316.	4-CYMENE		[465-84-9]	134.22	C <sub>10</sub> H <sub>14</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.013.	CYNARIN	1,3-Dicaffeoyl-quinic acid	[1182-34-9]	516.47	C <sub>25</sub> H <sub>24</sub> O <sub>12</sub>	Merck Index 11,2773
03.170.	CYNISIN	Cnicin; Centaurin	[24394-09-0]	378.41	C <sub>20</sub> H <sub>26</sub> O <sub>7</sub>	Merck Index 11,2419
03.154.	CYNODONTIN	1,4,5,8-Tetrahydroxy-2-methylantraquinone		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
03.149.	CYRTOPTERINETIN	6,8-Dimethyl-4',5,7-Trihydroxyflavanone	[24211-30-1]	300.32	C <sub>17</sub> H <sub>16</sub> O <sub>5</sub>	
03.145.	L-CYSTATHIONINE		[56-88-2]	222.27	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S	Merck Index 11,2784
03.148.	D-CYSTATHIONINE			222.27	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S	Merck Index 11,2784
03.137.	CYSTEAMINE HYDROCHLORIDE	2-Aminoethanethiol hydrochloride	[156-57-0]	113.61	C <sub>2</sub> H <sub>7</sub> NS.HCl	Ip, D., Ganther, H.E. Carcinogenesis, 7:1167-1170 (1992).
03.101.	L-CYSTEIC ACID	2-Aminosulphopropionic acid	[23537-25-9]	169.16	C <sub>3</sub> H <sub>7</sub> NO <sub>5</sub> S	Merck Index 11,2786
03.069.	L(+)-CYSTEIN	2-Amino-3-mercaptopropionic acid	[52-90-4]	121.16	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S	Merck Index 11,2787
03.064.	L(+)-CYSTEINE Hydrochloride monohydrate		[52-89-1]	175.64	C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S.HCl.H <sub>2</sub> O	Merck Index 11,2787
03.023.	L-CYSTINE-DI-b-NAPHTHYLAMIDE		[1259-69-4]	490.66	C <sub>26</sub> H <sub>26</sub> N <sub>4</sub> O <sub>2</sub> S <sub>2</sub>	
03.024.	CYTIDINE-2'(3')-MONOPHOSPHORIC ACID	Cytidylic acid	[63-37-6]	323.20	C <sub>9</sub> H <sub>14</sub> N <sub>3</sub> O <sub>8</sub> P	
03.025.	CYTIDINE-5'-DIPHOSPHATE TRISODIUM SALT		[34393-59-4]	469.13	C <sub>9</sub> H <sub>12</sub> N <sub>3</sub> Na <sub>3</sub> O <sub>11</sub> P <sub>2</sub>	



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.026.	CYTIDINE-5'-MONOPHOSPHATE DISODIUM SALT	5'-CMP-Na <sub>2</sub> ; 5'-Cytidylic acid disodium salt.	[6757-06-8]	367.17	C <sub>9</sub> H <sub>12</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>8</sub> P	
03.027.	CYTIDINE-5'-TRIPHOSPHATE DISODIUM SALT	5'-DTP-Na <sub>2</sub>	[81012-87-5]	647.24	C <sub>19</sub> H <sub>14</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>14</sub> P <sub>3</sub>	
03.028.	CYTISINE	Laburnine; Ulexine; Sophorine	[485-35-8]	190.25	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O	Merck Index 11,2795
03.317.	CYTOCHALASIN A		[14110-64-6]	477.61	C <sub>29</sub> H <sub>35</sub> N <sub>5</sub> O	
03.318.	CYTOCHALASIN C		[22144-76-9]	495.63	C <sub>29</sub> H <sub>37</sub> N <sub>5</sub> O	
03.319.	CYTOCHALASIN D		[22144-77-0]	507.64	C <sub>30</sub> H <sub>37</sub> N <sub>5</sub> O	
03.320.	CYTOCHALASIN H		[53760-19-3]	493.65	C <sub>30</sub> H <sub>39</sub> N <sub>5</sub> O	
03.321.	CYTOCHALASIN J		[53760-20-6]	451.62	C <sub>28</sub> H <sub>37</sub> N <sub>5</sub> O	
03.029.	CYTOSINE ARABINOSIDE Hydrochloride	Cytarabine hydrochloride	[69-74-9]	279.69	C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> .HCl	
04.010.	DAIDZEIN	4',7-Dihydroxyisoflavone	[486-66-8]	254.24	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,2805
04.031.	DAIDZEIN DIMETHYL ETHER	4',7-Dimethoxyisoflavone Dimethyl ether	[1157-39-7]	282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.013.	DAIDZIN	Glucosyl-7-Daidzein; 7-o-Glucosyl-4'-hydroxyisoflavone		416.40	C <sub>21</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 11,2805
04.032.	DALBERGIN	6-Hydroxy-7-methoxy-4-phenylcoumarin	[482-82-7]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Chem.Comm., 1968,1390.

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.033.	DAPHNETIN	7,8-Dihydroxycoumarin	[486-35-1]	178.15	C <sub>9</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,2816
04.034.	DAPHNETIN-7-METHYL ETHER	8-Hydroxy-7-methoxycoumarin		192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
04.035.	DATISCETIN	2',3,5,7-Tetrahydroxyflavone	[480-15-9]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,2822
04.036.	DATISCOSIDE	Datiscin	[16310-92-2]	594.54	C <sub>27</sub> H <sub>30</sub> O <sub>15</sub>	
04.037.	DAUNOMYCINE HCl	Daunorubicine	[23541-50-6]	563.99	C <sub>27</sub> H <sub>29</sub> NO <sub>10</sub> HCl	J.Dubois et al., Anal.Let.20(10;1611 (1987).
04.038.	DAUNORUBICIN HYDROCHLORIDE	Daunomycin	[23541-50-6]	564.0	C <sub>27</sub> H <sub>29</sub> NO <sub>10</sub>	Sengupta, S.K., In "Cancer Chemotherapeutic Agents" Foye, W.O., Ed., ACS Professional Reference, pp. 210-215 (1995).
04.039.	10-DEACETYL TAXOL					
04.009.	10-DEACETYLBACCATIN					
04.040.	10-DEACETYLBACCATIN-III					
04.288.	DEACETYLLANATOSIDE C		[17598-65-1]	943.1	C <sub>47</sub> H <sub>47</sub> O <sub>19</sub>	
04.041.	7-EPI-10-DEACETYLTAXOL					

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.042.	10-DEACETYLTAXOL-B (10-DEACETYLCEPHALOMANNINE)					
04.043.	10-DEACETYLTAXOL-D					
04.290.	GAMMA-DECALACTONE		[706-14-9]	170.25	C10H18O2	
04.289.	DELTA-DECALACTONE		[705-86-2]	170.25	C10H18O2	
04.072.	DEHYDROANDROGRAPHOLIDE			332.43	C20H28O4	
04.044.	DEHYDROASCORBIC ADIC		[490-83-5]	174.11	C6H6O6	Merck Index 11,2856
04.045.	DEHYDROCHOLIC ACID	3,7,12-Trioxo-5b-cholene-24-oic acid	[81-23-2]	402.54	C24H34O5	Merck Index 11,2858
04.046.	DEHYDROEPIANDROSTERONE	Dehydroisoandrosterone, 3b-Hydroxy-5-androsten-17-one, Prasterone, DHEA	[53-43-0]	288.43	C19H28O2	
04.048.	DEHYDROEPIANDROSTERONE 3-ACETATE	DHAA; DHIAA	[853-23-6]	330.47	C21H30O3	
04.277.	5,6-DEHYDROKAVAIN			228.24	C14H12O3	Teng CM, Hsu SY, Lin CH et al. Chin J Physiol 33:41-8 (1990)
04.049.	6'-DEHYDROMARMIN					
04.050.	16-DEHYDROPEGNENOLONE ACETATE	5,16-Pregnadien-3b-ol-20-one acetate	[979-02-2]	356.52	C23H32O3	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.001.	DELPHINIDIN CHLORIDE		[528-52-0]	338.70	C <sub>15</sub> H <sub>11</sub> ClO <sub>7</sub>	Merck Index 12,2931
04.002.	DEMISSIDINE	Solanin D	[474-08-8]	399.68	C <sub>27</sub> H <sub>45</sub> NO	
04.052.	11-DEOXY-17-HYDROXYCORTICOSTERONE	4-Pregnen-17a-,21-diol-3,20-dione; Reichstein's 'S' alcohol	[152-58-9]	346.48	C <sub>21</sub> H <sub>30</sub> O <sub>4</sub>	Merck Index 11,2912
04.053.	11-DEOXY-17-HYDROXYCORTICOSTERONE-ACETATE	4-Pregnene-17a,21-diol-3,20-dione 21-acetate	[640-87-9]	388.52	C <sub>23</sub> H <sub>32</sub> O <sub>5</sub>	
04.054.	DEOXYADENOSINE	(isolated from DNA)		251.25	C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>3</sub>	
04.055.	DEOXYADENOSINE-5'-MONOPHOSPHORIC ACID	d-AMP	[653-63-4]	331.23	C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> O <sub>6</sub> P	
04.056.	L-DEOXYALLIIN	S-Allyl-L-cysteine	[21593-77-1]	161.22	C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> S	Sumiyoshi, H., Wargovich, J.J. Cancer Res., 50:5084-5087 (1990).
04.274.	DEOXYANDROGRAPHOLIDE			334.45	C <sub>20</sub> H <sub>30</sub> O <sub>4</sub>	Shen YC, Chen CF, Chiou WF. Planta Med. 66:314-7 (2000)
04.057.	DEOXYCHOLIC ACID	5b-Cholan-24-oic acid-3a,12a-diol; Cholaic acid	[83-44-3]	392.58	C <sub>14</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,2881
04.059.	21-DEOXYCORTISONE	4-Pregnen-17a-ol-3,11,20-trione	[1882-82-2]	344.46	C <sub>21</sub> H <sub>28</sub> O <sub>4</sub>	
04.060.	2'-DEOXYCYTIDINE-5'-MONOPHOSPHORIC ACID	d-CMP	[1032-65-1]	307.20	C <sub>9</sub> H <sub>14</sub> N <sub>3</sub> O <sub>7</sub> P	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.061.	6-DEOXY-D-GALACTOSE	D-Fucose	[3615-37-0]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,4192
04.062.	2-DEOXY-D-GLUCOSE	2-Deoxy-D-arabinohexose	[154-17-6]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,2886
04.063.	6-DEOXY-D-GLUCOSE	D-Isorhamnose; D-Quinovose; Epifucose	[7658-08-4]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	
04.064.	2-DEOXY-D-RIBOSE	D-Erythro-2-deoxypentose	[533-67-5]	134.13	C <sub>5</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,2890
04.293.	2-DEOXY-D-RIBOSE		[533-67-5]	134.14	C <sub>5</sub> H <sub>10</sub> O <sub>4</sub>	
04.065.	2'-DEOXYINOSINE Crystalline		[890-38-0]	252.24	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>4</sub>	
04.066.	5-DEOXYKAEMPFEROL	3,7,4'-Trihydroxyflavone	[2034-65-3]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Biochem.J., 87(2),439(1963).
04.067.	6-DEOXY-L-GALACTOSE	L-Fucose	[2438-80-4]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,4193
04.291.	4-DEOXYPHLORIDZIN			420.41	C <sub>21</sub> H <sub>24</sub> O <sub>9</sub>	
04.068.	4-DEOXYPHLORIZIN	4,6'-Dihydroxy-2'-O-(β-D-glucopyranosyl) dihydrochalcone		420.43	C <sub>21</sub> H <sub>24</sub> O <sub>9</sub>	Biochim.Biophys.Acta., 134,290 (1972).
04.069.	4-DEOXPYRIDOXINE Hydrochloride		[148-51-6]	189.65	C <sub>8</sub> H <sub>11</sub> N <sub>2</sub> O <sub>2</sub> .HCl	
04.292.	DEOXYRHAPONTIN		[30197-14-9]	404.42	C <sub>21</sub> H <sub>24</sub> O <sub>8</sub>	
04.003.	DEQUALINIUMACETATE			576	C <sub>30</sub> H <sub>40</sub> N <sub>4</sub> [C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> ] <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.004.	DEQUALINIUMCHLORIDE		[522-51-0]	527.58	C30H40N4Cl2	Merck Index 12,2959
04.006.	DEQUALINIUMSALICYLAT			734	C44H50N4O6	
04.260.	DESMETHOXYANGONINE	4-Methoxy-6-[2-(4-methoxyphenyl)ethenyl] pyran-2-one		258.27	C15H14O4	
04.260.	DESMETHOXY-YANHONINE	Kava-pyron		258.27	C15H14O	
04.005.	DEQUALINIUMIODID			713,8	C30H40N4J2	
04.070.	DEUTEROPORPHYRIN 1X DIMETHYL ESTER	Dimethyl 3,7,12,17-tetramethyl-21H,23H-porphine-2,18-dipropionate	[10589-94-3]	538.65	C32H34N4O4	
04.278.	DEXAMETHASONE ACETATE		[1177-87-3]	452.52	C24H31FO6xH2O	Chaudhuri A. Lancet Neurol. 3:54-62 (2004)
04.272.	DEXAMETHASONE IMP. 1	(11beta,16alpha)-9-fluoro-11,17,21-trihydroxy-16-	[50 - 02 - 2]	472.47	C22 H28 O8 P F	Budavari, S. The Merck Index, 12th 2986 1996
04.276.	DEXAMETHASON IMP. 2			472.47	C22 H28 O8 P F	Budavari, S. The Merck Index, 12th 498 1996
04.051.	DEXAMETHASONE		[50-02-2]	392.50	C22H29FO5	Wattenburg, L.W. J. Cell. Biochem. Suppl., 22:162-168 (1995).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.279.	DEXAMETHASONE SODIUM PHOSPHATE		[2392-39-4]	516.4	C <sub>22</sub> H <sub>28</sub> F <sub>0</sub> 8PNa <sub>2</sub>	Hayreh SS, Zimmerman B. Ophthalmology. 110:1204-15 (2003)
04.073.	DHURRIN	p-Hydroxymandelonitrile-b-D-glucoside	[499-20-7]	311.30	C <sub>14</sub> H <sub>17</sub> NO <sub>7</sub>	Merck Index 11,2937
04.074.	2,5-DI-(2-NAPHTHYL)-1,3,4-OXADIAZOLE	b-NND		322.28	C <sub>22</sub> H <sub>14</sub> N <sub>2</sub> O	
04.075.	2,5-DI-(3-FLUOROPHENYL)-1,3,4-OXADIAZOLE			258.23	C <sub>14</sub> H <sub>8</sub> F <sub>2</sub> N <sub>2</sub> O	
04.076.	2,5-DI-(4-CHLOROPHENYL)-1,3,4-OXADIAZOLE			291.14	C <sub>14</sub> H <sub>8</sub> Cl <sub>2</sub> N <sub>2</sub> O	
04.007.	DIACETYL-RHEIN	Diacerhein	[13739-02-1]	368,3	C <sub>19</sub> H <sub>12</sub> O <sub>8</sub>	Merck Index 12,3003
04.077.	DIALLYL DISULFIDE	Allyl sulfide	[592-88-1]	114.21	C <sub>6</sub> H <sub>10</sub> S	Srivastava, S.K., et.al.Cancer Lett., 118:61-67 (1997).
04.078.	DIALLYL TRISULFIDE		[2050-87-5]	178.34	C <sub>6</sub> H <sub>10</sub> S <sub>3</sub>	Spamins, V.L., Barany, G., and Wattenberg, L.W. Carcinogenesis, 9:131-134 (1988).
04.079.	N,N-DIALLYLTARTARDIAMIDE	DATD	[58477-85-3]	228.25	C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	
04.080.	DL-2,4-DIAMINO BUTYRIC ACID DIHCl		[65427-54-5]	191.06	C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> .2HCl	
04.269.	DIAMINONAPHTALINE 1,8	1,8-Naphthylendiamin	[2243 - 62 -1]	158.2	C <sub>10</sub> H <sub>10</sub> N <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.081.	2,6-DIAMINOPIMELIC ACID		[583-93-7]	190.20	C7H14N2O4	
04.082.	(+)-2,3-DIBENZOYL-D-TARTARIC ACID Monohydrate		[17026-42-5]	376.32	C18H14O8.H2O	
04.083.	N,N'-DIBENZOYL-L-CYSTINE			448.53	C20H20N2O6S2	
04.084.	(-)-2,3-DIBENZOYL-L-TARTARIC ACID Monohydrate		[2743-38-6]	376.32	C18H14O8.H2O	
04.085.	2,3-DIBROMO-4,5-DIHYDROXYBENZYL ALCOHOL	Lanesol	[4950-06-5]	297.94	C7H6Br2O3	
04.086.	2,2'-DIBROMOBIANTHRONE			544.27	C28H16Br2O2	
04.087.	2,6-DIBROMOHYDROQUINONE	1,3-Dibromo-2,5-dihydroxybenzene	[3333-25-3]	267.92	C6H4Br2O2	
04.088.	2,6-DIBROMO-p-BENZOQUINONE		[19643-45-9]	265.90	C6H2Br2O2	
04.089.	1,3-DICAFFEOYL-QUINIC ACID	Cynarin	[1182-34-9]	516.47	C25H24O12	Merck Index 11,2773
04.090.	2,3-DICHLORO-5,6-DICYANO-1,4- BENZOQUINONE	DDQ	[84-58-2]	227.01	C8Cl2N2O2	Merck Index 11,3049
04.091.	2,6-DICHLOROQUINONE-4-CHLOROIMIDE	Gibbs reagent	[101-38-2]	210.45	C6H2Cl3NO	Merck Index 11,4315



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.092.	DICLOFENAC, SODIUM SALT		[15307-79-6]	318.13	C <sub>14</sub> H <sub>10</sub> Cl <sub>2</sub> NNaO <sub>2</sub>	Hixson, L.J., Alberts, D.S., Krutzsch, M., et.al. Cancer Epidemiol. Biomarkers Prev., 3:433-438 (1994).
04.008.	DIDYMIN	Iso-Sakuranetin-7-rutinoside; Neoponcirin	[14259-47-3]	594.58	C <sub>28</sub> H <sub>34</sub> O <sub>14</sub>	
04.093.	Na-(2,6-DIETHYLACETANILIDE)- IMINODIACETIC ACID					
04.094.	(+)-DIETHYL-L-TARTRATE	(+)-Tartaric acid diethyl ester	[87-91-2]	206.20	C <sub>8</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,3811
04.294.	2,3-DIETHYLPYRAZINE		[15707-24-1]	136.2	C <sub>8</sub> H <sub>12</sub> N <sub>2</sub>	
04.095.	DIFERULOYL METHANE	Curcumin	[458-37-7]	368.40	C <sub>21</sub> H <sub>20</sub> O <sub>6</sub>	Merck Index 11,2681
04.096.	DIFLUOROMETHYLORNITHINE		[66640-93-5]	182.17	C <sub>6</sub> H <sub>12</sub> F <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	Verma, A.K., Prev. Med., 18:646-652 (1989).
04.097.	DIGITONIN	Digitin	[11024-24-1]	1229.36	C <sub>56</sub> H <sub>92</sub> O <sub>29</sub>	Merck Index 11,3144
04.098.	DIGITOXIGENIN		[143-62-4]	374.52	C <sub>56</sub> H <sub>92</sub> O <sub>29</sub>	Merck Index 11,3145
04.099.	DIGITOXIGENIN-3-O- $\alpha$ -L- THAMNOPYRANOSIDE	Evomonoside	[508-93-0]	520.68	C <sub>29</sub> H <sub>44</sub> O <sub>8</sub>	
04.011.	DIGITOXIN	Digitalin	[71-63-6]	764.95	C <sub>41</sub> H <sub>64</sub> O <sub>13</sub>	Merck Index 11,3146

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.295.	DIGITOXIN-TETRA-DIGITOXOSIDE		[31539-05-6]	911.1	C <sub>47</sub> H <sub>47</sub> O <sub>17</sub>	
04.100.	DIGITOXOSE	2,6-Di-deoxy-D-ribothexose	[527-52-6]	148.16	C <sub>6</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,3147
04.101.	DIGOXIN	Digacin; Lanacordin; Lanoxin	[20830-75-5]	780.95	C <sub>41</sub> H <sub>64</sub> O <sub>14</sub>	Merck Index 11,3150
04.303.	3,4-DIHYDOCUMARIN		[119-84-6]	148.16	C <sub>9</sub> H <sub>8</sub> O <sub>2</sub>	
04.266.	DIHYDROADZEIN			256.24		
04.102.	DIHYDROALLOCORTISONE ACETATE	5a-Dihydrocortisone 21-acetate	[3751-02-8]	404.50	C <sub>23</sub> H <sub>32</sub> O <sub>6</sub>	
04.103.	DIHYDROAMBRETTOLIDE	Juniperic acid lactone		254.42	C <sub>16</sub> H <sub>30</sub> O <sub>2</sub>	
04.296.	DIHYDROCAFFEIC ACID		[1078-61-1]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
04.297.	DIHYDROCAPSAICIN		[19408-84-5]	307.44	C <sub>18</sub> H <sub>29</sub> NO <sub>3</sub>	
04.298.	DIHYDROCARVEOL		[38049-26-2]	154.25	C <sub>10</sub> H <sub>18</sub> O	
04.299.	(+)-DIHYDROCARVEOL		[22567-21-1]	154.25	C <sub>10</sub> H <sub>18</sub> O	
04.300.	(+)-DIHYDROCARVONE		[5524-05-0]	152.24	C <sub>10</sub> H <sub>16</sub> O	
04.301.	(-)-DIHYDROCARVYL ACETATE		[20777-49-5]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	
04.302.	DIHYDROCONIFERYL ALCOHOL		[2305-13-7]	182.22	C <sub>10</sub> H <sub>14</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.104.	DIHYDROCORTISONE 21-ACETATE	5b-Pregnan-17a,21-diol-3,11,20-trione 21-acetate	[1499-59-8]	404.50	C <sub>23</sub> H <sub>32</sub> O <sub>6</sub>	
04.105.	2,3-DIHYDROFISETIN	Fustin; 3,3',4',7-Tetrahydroxyflavanone	[20725-03-5]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4232
04.106.	2,3-DIHYDROFLAVONE	Flavanone	[487-26-3]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	
04.107.	DIHYDROGEIPARVARIN			328.37	C <sub>19</sub> H <sub>20</sub> O <sub>5</sub>	Aust.J.C., 1967,1943
04.255.	DIHYDROGENISTEINE			272.23	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
04.304.	DIHYDROJASMONE		[1128-08-1]	166.26	C <sub>11</sub> H <sub>18</sub> O	
04.108.	DIHYDROKAEMPFEROL	Aromadendrin; 3,5,7,4'-Tetrahydroxyflavanone		288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1957,1738
04.280.	DIHYDROKAINIC ACID			215.25	C <sub>10</sub> H <sub>17</sub> NO <sub>4</sub>	London ED, Klemm N, Coyle JT. Brain Res. 192:463-476 (1980)
04.261.	DIHYDROKAVAINE	Marindinin	[587-63-3]	232.26	C <sub>14</sub> H <sub>16</sub> O <sub>3</sub>	
04.262.	DIHYDROMETHYSTICINE		[3155-57-5]	276.1	C <sub>15</sub> H <sub>16</sub> O <sub>5</sub>	
04.109.	DIHYDROMYRICETIN	Ampelopsin	[27200-12--0]	320.26	C <sub>15</sub> H <sub>12</sub> O <sub>8</sub>	Merck Index 11,611
04.110.	DIHYDROMYRISTICIN		[607-91-0]	194.23	C <sub>11</sub> H <sub>14</sub> O <sub>3</sub>	Zheng, G-q., Kenney, P.M., and Lam, L.K.T. J. Agri. Food Chem., 40:107-110 (1992).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.281.	DIHYDROMYRISTICIN		[607-91-0]	194.23	C <sub>11</sub> H <sub>14</sub> O <sub>3</sub>	Zheng G-q, Kenney PM, Lam LKT. J. Agri Food Chem 40:107-110 (1992)
04.111.	DIHYDRO-OKANIN	2',3',4',3,4-Pentahydroxydihydrochalcone		290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825
04.305.	DIHYDROOUBAIN		[1183-35-3]	586.68	C <sub>29</sub> H <sub>46</sub> O <sub>12</sub>	
04.112.	(+/-)-2,3-DIHYDROQUERCETIN	Taxifolin; 3,3',4',5,7-Pentahydroxyflavanone	[480-18-2]	304.26	C <sub>15</sub> H <sub>12</sub> O <sub>7</sub>	
04.113.	2,3-DIHYDROROBINETIN		[4382-33-6]	304.26	C <sub>15</sub> H <sub>12</sub> O <sub>7</sub>	Ann., 1954(587)207.
04.012.	DIHYDROSANGUINARIN			334.00	C <sub>20</sub> H <sub>15</sub> NO <sub>4</sub>	
04.306.	DIHYDROSINAPYL ALCOHOL		[20736-25-8]	212.25	C <sub>11</sub> H <sub>16</sub> O <sub>4</sub>	
04.282.	DIHYDROTANSHINONE			278.30	C <sub>18</sub> H <sub>14</sub> O <sub>3</sub>	Sato M, Sato T, Ose Y et al. Mutation. Res. 265:149-154 (1992)
04.267.	DIHYDROVALTRAT					
04.114.	3',6'-DIHYDROXY- 2',4',5'-TRIMETHOXYCHALCONE			330.35	C <sub>18</sub> H <sub>18</sub> O <sub>6</sub>	
04.115.	2',4'-DIHYDROXY-2,4-DIMETHOXYCHALCONE			300.32	C <sub>17</sub> H <sub>16</sub> O <sub>5</sub>	
04.116.	2',4'-DIHYDROXY-2-METHOXYCHALCONE			270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.117.	4',3-DIHYDROXY-2-METHOXYCHALCONE			270.29	C16H14O4	
04.118.	4',4-DIHYDROXY-2-METHOXYCHALCONE	Echinatin	[34221-41-5]	270.29	C16H14O4	Tet.Lett., 1971, 2567.
04.119.	5,8-DIHYDROXY-3,3',4',7-TETRAMETHOXYFLAVONE	3,7,3',4'-Tetramethylgossypetin	[7380-44-1]	374.36	C19H18O8	
04.120.	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVANONE			346.35	C18H18O7	
04.121.	3,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE	Robinetin trimethyl ether		344.33	C18H16O7	
04.122.	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE			344.33	C18H16O7	
04.123.	2',6'-DIHYDROXY-3',4'-DIMETHOXYCHALCONE			300.32	C17H16O5	
04.124.	3,7-DIHYDROXY-3',4'-dimethyl ether			314.30	C17H14O6	
04.125.	2',4'-DIHYDROXY-3,4-METHYLENEDIOXYCHALCONE					
04.126.	1,4-DIHYDROXY-3,5-DIMETHOXYBENZENE	2,6-Dimethoxyhydroquinone	[15233-65-5]	170.17	C8H10O4	
04.127.	2',4'-DIHYDROXY-3',6'-DIMETHOXYCHALCONE			300.32	C17H16O5	
04.128.	5,7-DIHYDROXY-3'4'-METHYLENEDIOXYISOFLAVONE	5-Hydroxypseudobaptigenin		298.26	C16H10O6	Merck Index 11,7925

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.129.	4',2-DIHYDROXY-3-METHOXYCHALCONE			270.29	C16H14O4	
04.130.	1,8-DIHYDROXY-3-METHYLANTRHAQUINONE	Chrysophanol; 3-Methylchrysazine; Chrysophanic Acid	[481-74-3]	254.25	C15H10O4	Merck Index 11,2263
04.131.	2',4'-DIHYDROXY-3'-PRENYLOXYCHALCONE	Isocordoin				
04.132.	2,5-DIHYDROXY-3-UNDECYL-1,4-BENZOQUINONE	Embelin	[550-24-3]	294.40	C17H26O4	Merck Index 11,3513
04.133.	2',6'-DIHYDROXY-4,4'-DIMETHOXYCHALCONE			300.32	C17H16O5	
04.134.	3',5-DIHYDROXY-4',6,7-TRIMETHOXYFLAVONE	Eupatorin	[855-96-9]	344.33	C18H16O7	Merck Index 11,3858
04.135.	2',4-DIHYDROXY-4',6'-DIMETHOXYCHALCONE		[56798-34-6]	300.32	C17H16O5	
04.136.	3,5-DIHYDROXY-4',7-DIMETHOXYFLAVONE	Kaempferol-7,4'-dimethyl ether	[15486-33-6]	314.00	C17H14O6	
04.309.	2,3-DIHYDROXY-4-METHOXYBENZOIC ACID		[3934-81-4]	184.15	C8H8O5	
04.137.	2'6'-DIHYDROXY-4'-METHOXYCHALCONE			270.29	C16H14O4	
04.310.	2',6'-DIHYDROXY-4-METHOXYCHALCONE-4'-O-NEOHESPERIDOSIDE			594.57	C28H34O14	
04.138.	2',4'-DIHYDROXY-4-METHOXYDIHYDROCHALCONE			272.31	C16H16O4	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.139.	5,7-DIHYDROXY-4'-METHOXYFLAVANONE	Isosakuranetin	[480-43-3]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	
04.140.	5,7-DIHYDROXY-4'-METHOXYFLAVONE	Linarigenin; Acacetin	[480-44-4]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,9
04.141.	2',7-DIHYDROXY-4'-METHOXYISOFLAVAN	Vestitol		272.31	C <sub>16</sub> H <sub>16</sub> O <sub>4</sub>	Chem.Comm., 1968,1263.
04.142.	5,7-DIHYDROXY-4'-METHOXYISOFLAVONE	Biochanin A	[491-80-5]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.143.	6,7-DIHYDROXY-4'-METHOXYISOFLAVONE	Texasin	[897-46-1]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.144.	7,8-DIHYDROXY-4'-METHOXYISOFLAVONE	Retusine		284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.311.	3,5-DIHYDROXY-4-METHYLBENZOIC ACID		[28026-96-2]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
04.145.	5,7-DIHYDROXY-4-METHYLCOUMARIN		[2107-76-8]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
04.146.	6,7-DIHYDROXY-4-METHYLCOUMARIN	4-Methyl esculetin	[529-84-0]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
04.147.	7,8-DIHYDROXY-4-METHYLCOUMARIN	4-Methylidaphnetin	[2107-77-9]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
04.148.	2,2'-DIHYDROXY-6,6'-DINAPHTHYLDISULPHIDE	DDD	[6088-51-3]	350.47	C <sub>20</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub>	
04.149.	7,8-DIHYDROXY-6-METHOXYCOUMARIN	Fraxetin	[574-84-5]	208.16	C <sub>10</sub> H <sub>8</sub> O <sub>5</sub>	Merck Index 11,4178
04.150.	7,8-DIHYDROXY-6-METHOXYCOUMARIN-b-D-GLUCOPYRANOSIDE	Fraxetin-8-glucoside, Fraxin	[524-30-1]	370.34	C <sub>16</sub> H <sub>18</sub> O <sub>10</sub>	Merck Index 11,4179

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.151.	4',7-DIHYDROXY-6-METHOXYISOFLAVONE	Glycitein		284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.283.	1-(2,4-DIHYDROXY-6-METHOXY-PHENYL)-3-HYDROXY-3-(4-METHOXY-PHENYL)-PROPAN-1-ONE			318.32	C <sub>17</sub> H <sub>18</sub> O <sub>6</sub>	
04.284.	1-(2,4-DIHYDROXY-6-METHOXY-PHENYL)-3-HYDROXY-3-PHENYL-PROPAN-1-ONE			288.30	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
04.152.	5,7-DIHYDROXY-6-METHYLFLAVANONE	Strobopinin		270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	
04.153.	1,6-DIHYDROXY-7-GLUCURONOSYLFLAVONE	Baicalin	[21967-41-9]	446.37	C <sub>21</sub> H <sub>18</sub> O <sub>11</sub>	
04.154.	4',5-DIHYDROXY-7-METHOXYFLAVANONE	Sakuranetin	[2957-21-3]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	Merck Index 11,8289
04.155.	4',5-DIHYDROXY-7-METHOXYFLAVONE	Genkwanin; 7-Methoxyapigenin	[437-64-9]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.156.	5,6-DIHYDROXY-7-METHOXYFLAVONE	Baicalein-7-methyl ether	[29550-13-8]	284.27	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
04.157.	4',5-DIHYDROXY-7-METHOXYISOFLAVONE	Prunetin	[552-59-0]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,7923
04.158.	5,7-DIHYDROXY-8-METHYLFLAVANONE	Cryptostrobin	[55743-21-0]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Chem.Pharm.Bull., 1957(5)195.
04.307.	3,4-DIHYDROXYACETOPHENONE		[1197-09-7]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	
04.159.	1,4-DIHYDROXYANTHRAQUINONE	Quinizarin	[81-64-1]	240.22	C <sub>14</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8094



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.160.	2,6-DIHYDROXYANTHRAQUINONE	Anthraflavic acid	[84-60-6]	240.22	C <sub>14</sub> H <sub>8</sub> O <sub>4</sub>	
04.161.	1,8-DIHYDROXYANTHRAQUINONE-3-CARBOXYLIC ACID	Rhein	[478-43-3]	284.23	C <sub>15</sub> H <sub>8</sub> O <sub>6</sub>	Merck Index 11,8175
04.162.	6,4'-DIHYDROXYAURONE	Hispidol		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Phytochemistry., 5,463(1966)
04.163.	2,2'-DIHYDROXYCHALCONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	J.Amer.Chem.Soc., 68,698(1946).
04.164.	2',3-DIHYDROXYCHALCONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
04.165.	2',4-DIHYDROXYCHALCONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
04.166.	3,4-DIHYDROXYCHALCONE		[72704-76-8]	240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
04.167.	5-(3,5-DIHYDROXYCINNAMOYL)-D-(-)-QUINIC ACID	Isochlorogenic Acid	[327-97-9]	354.32	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	
04.168.	6,7-DIHYDROXYCOUMARIN	Esculetin	[305-01-1]	178.15	C <sub>9</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,3645
04.169.	7,8-DIHYDROXYCOUMARIN	Daphnetin	[486-35-1]	178.15	C <sub>9</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,2816
04.170.	7,12-DIHYDROXYCOUMESTAN	Coumestrol	[479-13-0]	268.23	C <sub>15</sub> H <sub>8</sub> O <sub>5</sub>	Merck Index 11,2565
04.172.	5,7-DIHYDROXYFLAVANONE	Pinocembrin	[51876-18-7]	256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
04.173.	2',5-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.174.	2',6-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.175.	2',7-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.176.	3',4'-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.177.	4',3-DIHYDROXYFLAVONE	4'-Hydroxyflavonol		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.178.	4',5-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.179.	4',6-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.180.	4',7-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.181.	5,7-DIHYDROXYFLAVONE	Chrysin	[480-40-0]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.182.	6,7-DIHYDROXYFLAVONE		[38183-04-9]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.183.	7,3-DIHYDROXYFLAVONE	7-Hydroxyflavanol		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.184.	7,8-DIHYDROXYFLAVONE		[38183-03-8]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.265.	2',3-DIHYDROXYFLAVONE			254.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
04.308.	7,4'-DIHYDROXYFLAVONE		[2196-14-7]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
04.171.	4',7-DIHYDROXYFLAVANONE	Liquiritigenin	[578-86-9]	256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.185.	4',7-DIHYDROXYISOFLAVONE	Daidzein	[486-66-8]	254.24	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,2805
04.186.	3,12-DIHYDROXY-nor-CHOLANIC ACID	Nor-desoxycholic acid				
04.187.	DL-b-(3,4-DIHYDROXYPHENYL)-ALANINE	DL-Dopa; DL-3-Hydroxytyrosine	[63-84-3]	197.20	C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub>	Merck Index 11,3414
04.188.	L-b-(3,4-DIHYDROXYPHENYL)-ALANINE	L-DOPA; L-3-Hydroxytyrosine	[59-92-7]	197.20	C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub>	Merck Index 11,5344
04.312.	3,4-DIHYDROXYPHENYLACETIC ACID		[102-32-9]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
04.264.	3,4-DIHYDROXYPHENYLETHANOL	3-Hydroxytyrosol	[10597-60-1]	154.17	C <sub>8</sub> H <sub>10</sub> O <sub>3</sub>	
04.189.	2,4-DIHYDROXYPTERIDINE	Lumazine	[487-21-8]	164.13	C <sub>6</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub>	Merck Index 11,5467
04.190.	4,8-DIHYDROXYQUINALDIC ACID	Xanthurenic acid; 4,8-Dihydroxyquinoline-2-carboxylic acid	[59-00-7]	205.18	C <sub>10</sub> H <sub>7</sub> NO <sub>4</sub>	Merck Index 11,9977
04.191.	2,3-DIHYDROXYTOLUENE	3-Methylcatechol	[488-17-15]	124.14	C <sub>7</sub> H <sub>8</sub> O <sub>2</sub>	
04.192.	3,4-DIHYDROXYTOLUENE	4-Methylcatechol	[452-86-8]	124.14	C <sub>7</sub> H <sub>8</sub> O <sub>2</sub>	
04.193.	3,3'-DIINDOLYLMETHANE		[1968-05-4]	322.49	C <sub>22</sub> H <sub>30</sub> N <sub>2</sub>	Ge.X., Yannai,S., Rennert, G., Gruener, N., Fares, F.A. Biochem. Biophys. Res. Commun, 228(1):153-158 (1996).
04.194.	3,5-DIIODO-L-TYROSINE	3,5-Diiodo-4-hydroxy-b-phenylalanine	[300-39-0]	432.99	C <sub>9</sub> H <sub>9</sub> I <sub>2</sub> NO <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.195.	4,5-DIMETHOXY-1,2-BENZOQUINONE		[21086-65-7]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
04.196.	2,3-DIMETHOXY-1,4-BENZOQUINONE		[3117-02-0]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
04.197.	2,3-DIMETHOXY-2'-HYDROXYCHALCONE	2'-Hydroxy-2,3-dimethoxychalcone		284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.198.	2,4-DIMETHOXY-2'-HYDROXYCHALCONE	2'-Hydroxy-2,4-dimethoxychalcone		284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.199.	3,4-DIMETHOXY-2'-HYDROXYCHALCONE	2'-Hydroxy-3,4-dimethoxychalcone		284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.200.	4',6'-DIMETHOXY-2'-HYDROXYCHALCONE			284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.201.	4',7'-DIMETHOXY-3,3',5'-TRIHYDROXYFLAVONE	Ombuin; Quercetin-7,4'-dimethylether	[529-40-8]	330.29	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
04.202.	3',5'-DIMETHOXY-3,4',5,7-TETRAHYDROXYFLAVONE	Syringetin	[4423-37-3]	346.30	C <sub>17</sub> H <sub>14</sub> O <sub>8</sub>	
04.203.	3',7'-DIMETHOXY-3,5,4'-TRIHYDROXYFLAVONE	Rhamnazin; Quercetin-3',7'-dimethyl ether		330.00	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	J.Chem.Soc., 1946,771.
04.204.	3,4'-DIMETHOXY-3,5,7-TRIHYDROXYFLAVONE		[33429-83-3]	330.30	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
04.205.	3',4'-DIMETHOXY-3-HYDROFLAVONE	3',4'-Dimethoxyflavonol		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.206.	2',3'-DIMETHOXY-3-HYDROXYFLAVONE	2',3'-Dimethoxyflavonol		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.207.	2',4'-DIMETHOXY-3-HYDROXYFLAVONE	2',4'-Dimethoxyflavonol		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.208.	4,5-DIMETHOXY-3-HYDROXYTOLUENE	Iridol	[1128-32-1]	168.20	C <sub>9</sub> H <sub>12</sub> O <sub>3</sub>	
04.209.	3,4-DIMETHOXY-4'-HYDROXYCHALCONE			284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.318.	TRANS-3,5-DIMETHOXY-4-HYDROXYCINNAMALDEHYD		[4206-58-0]	208.22	C <sub>11</sub> H <sub>12</sub> O <sub>4</sub>	
04.270.	4-HYDROXY-3-METHOXYCINNAMALDEHYDE	Coniferaldehyde	[458 - 36 -6]	178.19	C <sub>10</sub> H <sub>10</sub> O <sub>3</sub>	Budavari, S. The Merck Index, 12t
04.210.	3,5-DIMETHOXY-4-HYDROXYCINNAMIC ACID	Sinapinic acid	[530-59-6]	224.22	C <sub>11</sub> H <sub>12</sub> O <sub>5</sub>	
04.211.	2,3-DIMETHOXY-5,6-DIMETHYL-p-BENZOQUINONE		[483-54-5]	196.21	C <sub>10</sub> H <sub>12</sub> O <sub>4</sub>	
04.212.	4',7-DIMETHOXY-5-HYDROXYFLAVONE	4',7-Dimethoxyapigenin		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.213.	4',7-DIMETHOXY-5-HYDROXYISOFLAVONE	Biochanin A methyl ether	[34086-51-6]	298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.214.	2,3-DIMETHOXY-5-METHYLBENZOQUINONE		[605-94-7]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
04.215.	2,3-DIMETHOXY-5-METHYLHYDROQUINONE		[3066-91-9]	184.20	C <sub>9</sub> H <sub>12</sub> O <sub>4</sub>	
04.216.	3',4'-DIMETHOXY-7-HYDROXYISOFLAVONE	Cladrin		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	Tet., 1969,3887
04.217.	4',6-DIMETHOXY-7-HYDROXYISOFLAVONE	Afromosin		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	J.Chem.Soc., 1960,1491.
04.218.	6,7-DIMETHOXY-8-HYDROXYCOUMARIN	Fraxidin	[525-21-3]	222.20	C <sub>11</sub> H <sub>10</sub> O <sub>5</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.219.	4',7-DIMETHOXYAPIGENIN	4',7-Dimethoxy-5-hydroxyflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.314.			[2785-98-0]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
04.220.	3',4'-DIMETHOXY-b-NAPHTOFLAVONE			332.37	C <sub>21</sub> H <sub>16</sub> O <sub>4</sub>	
04.221.	5,7-DIMETHOXYCOUMARIN	Limetin	[487-06-9]	206.20	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,5370
04.222.	6,7-DIMETHOXYCOUMARIN	Esculetin dimethyl ether; Scoparone	[120-08-1]	206.20	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,8359
04.285.	11,12-DIMETHOXYDIHYDROKAVAIN			292.33	C <sub>16</sub> H <sub>20</sub> O <sub>5</sub>	
04.315.	5,7-DIMETHOXYFLAVANONE		[36052-66-1]	284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
04.223.	3,2'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.224.	3,3'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.225.	3,4'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.226.	3',4'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.227.	3,6-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.228.	3,7-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.229.	5,2'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.230.	5,4'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.231.	5,7-DIMETHOXYFLAVONE	Chrysin dimethylether	[21392-57-4]	282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.232.	6,2'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.233.	6,4'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.234.	6,7-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.235.	7,2'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.236.	7,3'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.237.	7,4'-DIMETHOXYFLAVONE			282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.316.	3',4'-DIMETHOXYFLAVONE		[4143-62-8]	282.3	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.317.	7,8-DIMETHOXYFLAVONE			282.3	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.238.	2',3'-DIMETHOXYFLAVONOL	2',3'-Dimethoxy-3-hydroxyflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.239.	2',4'-DIMETHOXYFLAVONOL	2',4'-Dimethoxy-3-hydroxyflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.240.	3',4'-DIMETHOXYFLAVONOL	3',4'-Dimethoxy-3-hydroxyflavone		298.30	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
04.241.	2,3-DIMETHOXYHYDROQUINONE		[52643-52-4]	170.17	C <sub>8</sub> H <sub>10</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.242.	2,6-DIMETHOXYHYDROQUINONE	1,4-Dihydroxy-3,5-dimethoxybenzene	[15233-65-5]	170.17	C <sub>8</sub> H <sub>10</sub> O <sub>4</sub>	
04.243.	4',7-DIMETHOXYISOFLAVONE	Daidzein dimethyl ether	[1157-39-7]	282.30	C <sub>17</sub> H <sub>14</sub> O <sub>4</sub>	
04.244.	6,8-DIMETHYL- 5,7,4'-TRIHYDROXYFLAVANONE	Cyrtopoterinetin	[24211-30-1]	300.32	C <sub>17</sub> H <sub>16</sub> O <sub>5</sub>	
04.245.	3,4-DIMETHYL-6-D-RIBITYLAMINO BENZENE			255.32	C <sub>13</sub> H <sub>21</sub> N <sub>1</sub> O <sub>4</sub>	
04.319.	4-DIMETHYLAMINOCINNAMALDEHYDE		[6203-18-5]	175.23	C <sub>11</sub> H <sub>13</sub> NO	
04.246.	6-DIMETHYLAMINOPURINE-9-RIBOSIDE		[2620-62-4]	295.30	C <sub>12</sub> H <sub>17</sub> N <sub>5</sub> O <sub>4</sub>	
04.320.	2,3-DIMETHYLANTHRAQUINONE		[6531-35-7]	236.28	C <sub>16</sub> H <sub>12</sub> O <sub>2</sub>	
04.247.	5,6-DIMETHYLBENZIMIDAZOLYLCOBAMIDE COENZYME	Coenzyme B12; Adenosyl cobalamin; 5'-Deoxyadenosylcobalamin	[13870-90-1]	1579.57	C <sub>72</sub> H <sub>100</sub> CoN <sub>18</sub> O <sub>17</sub> P	Merck Index 11,2446
04.321.	DIMETHYLCAFFEIC ACID		[2316-26-9]	208.22	C <sub>11</sub> H <sub>12</sub> O <sub>4</sub>	
04.248.	4'-DIMETHYLEPIPODOPHYLLOTOXIN					
04.322.	6,7-DIMETHYLESCULETIN		[120-08-1]	206.2	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	
04.249.	O,O-DIMETHYLFRAXETIN	6,7,8-Trimethoxycoumarin		236.23	C <sub>12</sub> H <sub>12</sub> O <sub>5</sub>	
04.250.	(+)-DIMETHYL-L-TARTRATE	(+)-Tartaric acid dimethyl ester	[608-68-4]	178.15	C <sub>6</sub> H <sub>10</sub> O <sub>6</sub>	



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.251.	DIMETHYLPSORALEN	Isopimpinellin	[482-27-9]	246.23	C <sub>13</sub> H <sub>10</sub> O <sub>5</sub>	
04.252.	2,6-DIMETHYOXY-1,4-BENZOQUINONE		[580-55-2]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
04.253.	DIMYRISTOYL-L-3-LECITHIN Synthetic	1,2-Dimyristoyl-L-3-glycerolphosphorylcholine	[18194-24-6]	677.96	C <sub>36</sub> H <sub>72</sub> N <sub>8</sub> O <sub>8</sub> P	
04.254.	2,4-(DINITROPHENYL)-L-LYSIN Hydrochloride Monohydrate	NeE-2,4-DNP-L-lysine Hydrochloride	[14401-10-6]	366.77	C <sub>12</sub> H <sub>16</sub> N <sub>4</sub> O <sub>6</sub> .HCl.H <sub>2</sub> O	
04.255.	2',3'-DI-O-ACETYLADENOSINE		[29886-19-9]	351.32	C <sub>14</sub> H <sub>17</sub> N <sub>5</sub> O <sub>6</sub>	
04.256.	1,2-3,4-DI-O-ISOPROPYLENE-D-GALACTOPYRANOSE	Diacetone-D-galactose	[4064-06-6]	260.29	C <sub>12</sub> H <sub>20</sub> O <sub>6</sub>	
04.257.	1,2-5,6-DI-O-ISOPROPYLIDENE-a-D-GLUCOFURANOSE	Diacetone-D-glucose	[582-52-5]	260.29	C <sub>12</sub> H <sub>20</sub> O <sub>6</sub>	Merck Index 11,2945
04.313.	1,2:3,5-DI-O-ISOPROPYLIDENE-ALPHA-D-APIOSE		[25904-06-7]	230.26	C <sub>11</sub> H <sub>18</sub> O <sub>5</sub>	
04.258.	1,2-4,5-DI-O-ISOPROPYLIDENE-b-D-FRUCTOPYRANOSE	Diacetone-D-fructose	[25018-67-1]	260.29	C <sub>12</sub> H <sub>20</sub> O <sub>6</sub>	
04.259.	3,9-DI-O-METHYLCOUMESTROL					
04.071.	2,3-DI-O-METHYL-D-GLUCOPYRANOSE			208.21	C <sub>8</sub> H <sub>16</sub> O <sub>6</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.268.	DIOSCIN		[19057-60-4]	869.06	C <sub>45</sub> H <sub>72</sub> O <sub>16</sub>	
04.058.	DIOSGENIN	Sapogenin; 2b-Hydroxy-5-spirostene	[512-04-9]	414.62	C <sub>27</sub> H <sub>42</sub> O <sub>3</sub>	Merck Index 11,3289
04.047.	DIOSMETIN	4'-Methoxy-5,7,3'-Trihydroxyflavone	[520-34-3]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,3290
04.030.	DIOSMETIN-7-RUTINOSIDE	Barosmin; Diosmin	[520-27-4]	608.56	C <sub>28</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3290
04.014.	DIOSMETINIDINE			320.74	C <sub>16</sub> H <sub>13</sub> ClO <sub>5</sub>	
04.015.	DIOSMIN	3',5,7-Trihydroxy-4'methoxyflavone 7-rutinoside; Barosmin	[520-27-4]	608.56	C <sub>28</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3290
04.016.	DL-1,2-DIPALMITOYLGLYCEROL synthetic	(+/-)-1,2-Dipalmitin; DL-a,b-Diplamitin	[40290-32-2]	568.93	C <sub>35</sub> H <sub>68</sub> O <sub>5</sub>	
04.017.	L-1,2-DIPALMITOYLGLYCEROL synthetic	(-)-1,2-Dipalmitin; L(-)-Glycerol-1,2-dipalmitate	[30334-71-5]	568.93	C <sub>35</sub> H <sub>68</sub> O <sub>5</sub>	
04.018.	1,1-DIPHENYL-2-PICRYLHYDRAZINE		[1707-75-1]	395.34	C <sub>18</sub> H <sub>13</sub> N <sub>5</sub> O <sub>6</sub>	
04.019.	1,1-DIPHENYL-2-PICRYLHYDRAZYL	2,2-Diphenyl-1-picryl-hydrazyl; DPPH	[1898-66-4]	394.33	C <sub>18</sub> H <sub>12</sub> N <sub>5</sub> O <sub>6</sub>	Merck Index 11,3332
04.020.	9,10-DIPHENYLANTHRACENE		[1499-10-1]	330.44	C <sub>26</sub> H <sub>18</sub>	
04.021.	DIPROPHYLLIN	Diphyllin	[479-18-5]	254.25	C <sub>10</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.022.	DIPROPYL DISULFIDE	Propyl disulfide	[629-19-6]	150.31	C <sub>6</sub> H <sub>14</sub> S <sub>2</sub>	Srivastava, S.K., Hu, X., Zaren H.A., Chatterjee, M.L., et al. Cancer Lett., 118:61-67 (1997).
04.023.	DIPROPYL SULFIDE	Propyl sulfide	[111-47-7]	118.24	C <sub>6</sub> H <sub>14</sub> S	Srivastava, S.K., et al. Cancer Lett., 118:61-67 (1997).
04.024.	2,5-DI-TERT-BUTYL-4-HYDROXYANISOLE		[1991-52-2]	212.33	C <sub>15</sub> H <sub>24</sub> O <sub>2</sub>	
04.275.	DI-TERT-BUTYL TARTRAT		[117384 - 46 -	262.3	C <sub>12</sub> H <sub>22</sub> O <sub>6</sub>	
04.025.	DL-1,4-DITHIOTHREITOL	dl-DTT; Cleland's reagent; Threo-1,4-Dimercapto-2,3-butanediol	[17565-41-9]	154.25	C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub>	D.W. Sears et al. Biochem. 16, 2031 (1977).
04.026.	DITHIZONE	Diphenylthiocarbazone	[60-10-6]	238.28	C <sub>13</sub> H <sub>12</sub> N <sub>5</sub>	Merck Index 11,3383
04.027.	L-DJENKOLIC ACID	L-S,S'-Methylenedicysteine	[498-59-9]	254.33	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>	
02.147.	DL-6'-BROMLAUDANOSIN			436.32	C <sub>21</sub> H <sub>26</sub> NO <sub>4</sub> Br	
04.286.	DOCETAXEL		[114977-28-5]	861.91	C <sub>43</sub> H <sub>53</sub> NO <sub>14</sub> x3H <sub>2</sub> O	Wang, T.H., Wang, N.R., Mason, K.A., Milas, L. Mund-, Kiefer- und Gesichtschirurgie. 3:210-2 (1999)
04.028.	11-DODECENOIC ACID			198.35	C <sub>12</sub> H <sub>22</sub> O <sub>2</sub>	
04.029.	2-n-DODECYLFURAN		[75308-12-2]	212.38	C <sub>16</sub> H <sub>28</sub> O	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
04.263.	(2E, 4E, 8Z, 10E/Z)-N-isobutyl-2, 4, 8, 10-dodekatetraenamide	Dodeka-2E, 4E, 8Z, 10E/Z-Tetraenic-acid-isobutylamid	[75917-90-7]	247.38	C <sub>16</sub> H <sub>25</sub> NO	
04.273.	DOXORUBICIN HYDROCHLORIDE	14-Hydroxydaunomycin	[25316-40-9]	580.8	C <sub>27</sub> H <sub>29</sub> NO <sub>11</sub>	Sengupta, S.K., In "Cancer Chemo. Agents" Foye, W.O., Ed., ACS Prof.Ref., pp. 210-215 (1995).
04.323.	DULCITOL		[608-66-2]	182.18	C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>	
05.082.	EBULIN 1					
05.030.	(-)-EBURNAMONINE		[4880-88-0]	294.41	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O	Merck Index 11,3464
05.031.	a-ECDYSON		[3604-87-3]	464.66	C <sub>27</sub> H <sub>44</sub> O <sub>6</sub>	Merck Index 11,3465
05.032.	b-ECDYSON		[5289-74-7]	480.66	C <sub>27</sub> H <sub>44</sub> O <sub>7</sub>	Merck Index 11,3465
05.001.	ECHINACOSID			786,54	C <sub>35</sub> H <sub>46</sub> O <sub>20</sub>	Merck Index 11,3468
05.033.	ECHINATIN	4,4'-Dihydroxy-2-methoxychalcone	[34221-41-5]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Tet.Lett., 1971,2567.
05.034.	ECHINOCYSTIC ACID		[510-30-5]	472.73	C <sub>30</sub> H <sub>48</sub> O <sub>4</sub>	
05.035.	ECHINOCYSTIC ACID-3-GLUCOSIDE		[2309-45-7]	634.00	C <sub>36</sub> H <sub>58</sub> O <sub>9</sub>	
05.036.	EDESTIN	Protein	[9007-57-2]	>300.000		Merck Index 11,3479

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.037.	ELAIDIC ACID	trans-9-Octadecenoic acid; trans-Oleic acid	[112-79-8]	282.48	C18H34O2	Merck Index 11,3497
05.038.	ELATERICIN B	Cucurbitacin I	[2222-07-3]	514.68	C30H42O7	Merck Index 11,2617
01.099.	a-ELATERIN	Cucurbitacin E	[18444-66-1]	556.71	C32H44O8	Merck Index 11,2617
05.085.	BETA-ELEMONIC ACID		[28282-25-9]	454.7	C30H46O3	
05.003.	ELEUTHEROSID B	Syringin, Ligustrin	[118-34-3]	372.37	C17H24O9	Merck Index 12,9192
05.002.	ELEUTHEROSID E		[96038-87-8]	742,73	C34H46O18	
05.004.	ELLAGIC ACID		[476-66-4]	302.20	C14H6O6	Merck Index 11,3508
05.039.	ELLIPTICINE		[519-23-3]	246.32	C17H14N2	Merck Index 11,3509
05.040.	EMBELIN	2,5-Dihydroxy-2-undecyl-1,4-benzoquinone	[550-24-3]	294.40	C17H26O4	Merck Index 11,3513
05.005.	EMETIN-DIHYDROCHLORID			480.65+72	C29H40N2O4x2HCl	Merck Index 12,3600
05.007.	EMODIN	1,3,8-Trihydroxy-6-Methylantraquinone	[518-82-1]	270.25	C15H10O5	Merck Index 11,3518
05.041.	EMODIN 3-METHYL ETHER	Physcion; 1,8-Dihydroxy-3-methoxy-6-methylantraquinone	[521-62-0]	284.28	C16H12O5	Merck Index 11,3518
05.042.	EMODIN-L-RHAMNOSIDE	Cascarin; Frangulin	[60529-33-1]	416.40	C21H20O9	Merck Index 11,4177

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.008.	(+)-EPHEDRIN			165,24	C10H15NO	Merck Index 12,3645
05.009.	(-)-EPHEDRIN		[299-42-3]	165,24	C10H15NO	Merck Index 12,3645
05.043.	EPIANDROSTERONE	5a-Androstan-3b-ol-17-one; Isoandrosterone	[481-29-8]	290.46	C19H30O2	Merck Index 11,3562
05.044.	(-)-EPICATECHIN	3,3',4',5,7-Pentahydroxyflavone	[490-46-0]	290.28	C15H14O6	
05.045.	(+/-)-EPICATECHIN			290.28	C15H14O6	
05.046.	(-)-EPICATECHIN GALLATE		[1257-08-5]	442.39	C22H18O10	
05.086.	(-)-EPICEDROL		[19903-73-2]	222.38	C15H26O	
05.047.	16-EPIESTRIOL	1,3,5(10)-Estratrien-3,16b,17b-triol	[547-81-9]	288.39	C18H24O3	Merck Index 11,3567
05.048.	(-)-EPIGALLOCATECHIN		[970-74-1]	306.28	C15H14O7	Merck Index 11,1908
05.049.	(-)-EPIGALLOCATECHIN GALLATE		[989-51-5]	458.39	C22H18O11	
05.050.	20-EPIPREGNANTRIOL	5b-Pregnan-3a,17a,2β-triol	[1165-28-2]	336.52	C21H36O3	
05.083.	EPIRUBICIN HYDROCHLORIDE	4'-Epidoxorubicin hydrochloride, Farmorubicin	[56390-09-1]	579.99	C27H29NO11xHCl	An Analog of Doxorubicin
05.051.	7-EPI-TAXOL			853,9	C47H51NO14	
05.006.	EPITRITHIOOCTANIC ACID					

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.052.	(+/-)EQUOL	4',7'-Isoflavandiol; 4',7'-Dihydroxyisoflavan	[531-95-3]	242.28	C <sub>15</sub> H <sub>14</sub> O <sub>3</sub>	Merck Index 11,3583 Aust.J.Chem., (1978)31,455-7.
05.087.	ERGOSTEROL		[57-87-4]	396.66	C <sub>28</sub> H <sub>44</sub> O	
05.081.	ERGOTAMIN	12'-Hydroxy-2'-methyl-5' alpha-(phenyl-methyl)erg	[113 - 15 - 5 ]	581.67	C <sub>33</sub> H <sub>35</sub> N <sub>5</sub> O <sub>5</sub>	Budavari, S. The Merck Index 12th
05.053.	ERIOCITRIN	Eriodictyl-7-rutinoside		596.56	C <sub>27</sub> H <sub>32</sub> O <sub>15</sub>	J.Amer.Chem.Soc., 1960,2803.
05.054.	ERIODICTYL DIHYDROCHALCONE	2',4',6',3,4-Pentahydroxydihydrochalcone	[57765-66-9]	290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	
05.055.	ERIODICTYOL	3',4',5,7-Tetrahydroxyflavanone	[552-58-9]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,3616
05.056.	ERIODICTYOL CHALCONE	2',4',6',3,4-Pentahydroxychalcone	[73692-51-0]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	
05.057.	ERIODICTYOL-7-GLUCOSIDE		[38965-51-4]	450.41	C <sub>21</sub> H <sub>22</sub> O <sub>11</sub>	Tet.Lett.,1966,5133.
05.058.	ERIODICTYOL-7-NEOHESPERIDOSIDE	Neoeriodictin	[13241-32-2]	596.54	C <sub>27</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3616
05.059.	ERIODICTYOL-7-RUTINOSIDE	Eriocitrin		596.56	C <sub>27</sub> H <sub>32</sub> O <sub>15</sub>	J.Amer.Chem.Soc. 1960,2803.
05.060.	ERUCIN		[504-84-7]	193.29	C <sub>6</sub> H <sub>11</sub> NS <sub>2</sub>	
05.061.	ERYSOLIN		[504-84-7]	193.29	C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> S <sub>2</sub>	
05.062.	DL-Erythro-DIHYDROSPINGOSINE Synthetic	DL-Erythro-1,3-dihydroxy-2-aminoctadecane	[3102-56-5]	301.52	C <sub>18</sub> H <sub>39</sub> NO <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.063.	ERYTHRODIOL		[545-48-2]	442.74	C <sub>30</sub> H <sub>50</sub> O <sub>2</sub>	
05.064.	D-ERYTHROSE		[583-50-6]	120.11	C <sub>4</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,3637
05.065.	D-(-)-ERYTHROSE (contains 10 % glucose]		[583-50-6]	120.11	C <sub>4</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,3637
05.066.	ESCHOLAMINE IODIDE		[30331-75-0]	446.23	C <sub>19</sub> H <sub>13</sub> NO <sub>4</sub> I	
05.067.	ESCHOLZINE		[4040-75-9]	323.36	C <sub>19</sub> H <sub>17</sub> NO <sub>4</sub>	Dict.of Org.Comp., E-00462
05.068.	ESCULETIN	6,7-Dihydroxycoumarin	[305-01-1]	178.15	C <sub>9</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,3645
05.069.	ESCULETIN DIBENZYL ETHER		[909-84-2]	358.41	C <sub>23</sub> H <sub>18</sub> O <sub>4</sub>	
05.088.	ESCULETIN DIBENZYLETHER		[909-84-2]	358.39	C <sub>23</sub> H <sub>28</sub> O <sub>4</sub>	
05.070.	ESCULETIN DIMETHYL ETHER	Scorparone; 6,7-Dimethoxycoumarin	[120-08-1]	206.20	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,8359
05.071.	ESCULETIN-6-METHYL ETHER	Scopoletin; 7-Hydroxy-6-methoxycoumarin; Chrysatropic acid	[92-61-5]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8363
05.072.	ESCULIN	Aesculetin-6b-D-glucopyranoside; Aesculin	[531-75-9]	358.28	C <sub>15</sub> H <sub>16</sub> O <sub>9</sub> .H <sub>2</sub> O	Merck Index 11,3646
05.073.	ESERINE		[57-47-6]	275.36	C <sub>15</sub> H <sub>21</sub> N <sub>3</sub> O <sub>2</sub>	
05.074.	17a-ESTRADIOL	(1,3,5(10)-Estradien-3,17a-diol)	[57-91-0]	272.39	C <sub>18</sub> H <sub>24</sub> O <sub>2</sub>	Merck Index 11,3654



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.075.	b-ESTRADIOL	Dihydrofolliculin; 1,3,5(10)-Estratrien-2,17 $\beta$ -diol	[50-28-2]	272.40	C <sub>18</sub> H <sub>24</sub> O <sub>2</sub>	Merck Index 11,3653
05.076.	$\beta$ -ESTRADIOL 3-METHYL ETHER	1,3,5(10)-Estratrien-3,17 $\beta$ -diol 3-methyl ether		286.42	C <sub>19</sub> H <sub>26</sub> O <sub>2</sub>	
05.077.	b-ESTRADIOL DIPROPIONATE	Dihydrofolliculin dipropionate	[113-38-2]	384.52	C <sub>24</sub> H <sub>32</sub> O <sub>4</sub>	Merck Index 11,3653
05.078.	1,3,5(10)-ESTRATRIEN-17a-ETHYNYL-3,17 $\beta$ -DIOL 3-METHYL ETHER	17a-Ethynylestradiol 3-methyl ether; Mestranol	[72-33-3]	310.44	C <sub>21</sub> H <sub>26</sub> O <sub>2</sub>	
05.079.	ESTRIOL	1,3,5(10)-Estratrien-3,16a,17 $\beta$ -triol	[50-27-1]	288.39	C <sub>18</sub> H <sub>24</sub> O <sub>3</sub>	Merck Index 11,3659
05.080.	ESTRONE	1,3,5(10)-Estratrien-3-ol-17-one; Folliculin	[53-16-7]	270.37	C <sub>18</sub> H <sub>22</sub> O <sub>2</sub>	Merck Index 11,3660
05.011.	ESTRONE 3-METHYL ETHER	3-Methoxysterone	[1624-62-0]	284.41	C <sub>19</sub> H <sub>24</sub> O <sub>2</sub>	
05.012.	ETHIOCHOLANDIOL	5 $\beta$ -Androstan-3a,17 $\beta$ -diol	[1851-23-6]	292.46	C <sub>19</sub> H <sub>32</sub> O <sub>2</sub>	
05.013.	ETHIOCHOLANOLONE	5 $\beta$ -Androstan-3a-ol-17-one	[53-42-9]	290.46	C <sub>19</sub> H <sub>30</sub> O <sub>2</sub>	
05.014.	L-ETHIONINE	L-2-Amino-4-(ethylthio)butyric acid	[13073-35-3]		C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> S	Merck Index 11,3693
05.015.	ETHISTERONE	17a-ethynyltestosterone, 4,17a-Pregnen-17b-ol-20-yn-3-one	[434-03-7]	312.45	C <sub>21</sub> H <sub>28</sub> O <sub>2</sub>	Merck Index 11,3696
05.016.	7-ETHOXYCOUMARIN		[31005-02-4]	190.20	C <sub>11</sub> H <sub>10</sub> O <sub>3</sub>	
05.089.	4-ETHOXYCOUMARIN		[35817-27-7]	190.2	C <sub>11</sub> H <sub>10</sub> O <sub>3</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.090.	ETHYL-3-HYDROXYBENZOATE		[7781-98-8]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	
05.091.	ETHYL-4-HYDROXYBENZOATE		[120-47-8]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	
05.018.	β-ETHYLESTRADIOL 3-METHYL ETHER	Estratrien-17a-ethyl-3-17β-diol 3-methyl ether	[1035-77-4]	286.42	C <sub>19</sub> H <sub>26</sub> O <sub>2</sub>	
05.019.	4,6-O-ETHYLIDENE-α-D-GLUCOPYRANOSE		[13224-99-2]	206.19	C <sub>8</sub> H <sub>14</sub> O <sub>6</sub>	
05.020.	2,4-O-ETHYLIDENE-D-ERYTHROSE			146.14	C <sub>6</sub> H <sub>10</sub> O <sub>4</sub>	
05.021.	4-ETHYLQUINOL	Ethylhydroquinone	[2349-70-4]	138.17	C <sub>8</sub> H <sub>10</sub> O <sub>2</sub>	
05.092.	ETHYL RHOAGENINE		[2650-36-4]	397.43	C <sub>22</sub> H <sub>23</sub> NO <sub>6</sub>	
05.093.	ETHYL VANILLIN		[121-32-4]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	
05.022.	17α-ETHYNYLESTRADIOL	1,3,5(10)-Estratrien-17a-ethinyl-3,17β-diol	[57-63-6]	296.41	C <sub>20</sub> H <sub>24</sub> O <sub>2</sub>	Merck Index 11,3689
05.023.	ETOPOSIDE		[33419-42-0]	588.58	C <sub>29</sub> H <sub>32</sub> O <sub>13</sub>	Merck Index 11,3842
05.024.	EUCALYPTIN	5-Hydroxy-7,4'-dimethoxy-6,8-dimethylflavone	[3122-88-1]	326.36	C <sub>19</sub> H <sub>18</sub> O <sub>5</sub>	Ind.J.Chem., 1966(4)481.
05.094.	EUGENOL		[97-53-0]	164.21	C <sub>10</sub> H <sub>12</sub> O <sub>2</sub>	
05.095.	EUGENOL METHYLETHER		[93-15-2]	178.23	C <sub>11</sub> H <sub>14</sub> O <sub>2</sub>	
05.025.	EUPAFOLIN	6-Methoxyluteolin; Nepetin		316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,5483

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
05.026.	EUPATORIN	3',5-Dihydroxy-4',6,7-trimethoxyflavone	[855-96-9]	344.33	C <sub>18</sub> H <sub>16</sub> O <sub>7</sub>	Merck Index 11,3858
05.027.	EUPATORIN-5-METHYL ETHER	3'-hydroxy-5,6,7,4'-tetramethoxyflavone	[21764-09-0]	358.36	C <sub>19</sub> H <sub>18</sub> O <sub>7</sub>	
05.084.	EUPHORBIASTEREOID			552.66	C <sub>32</sub> H <sub>40</sub> O <sub>8</sub>	
05.096.	EVERNIC ACID		[537-09-7]	332.32	C <sub>17</sub> H <sub>16</sub> O <sub>7</sub>	
05.028.	EVODIAMINE		[518-17-2]	303.36	C <sub>19</sub> H <sub>17</sub> N <sub>3</sub> O	Merck Index 11,3865
05.029.	EVOMONOSIDE	Digitoxigenin-3-O-a-L-Rhamnopyranoside	[508-93-0]	520.68	C <sub>29</sub> H <sub>44</sub> O <sub>8</sub>	
06.073.	FARNESOL		[4602-84-0]	222.37	C <sub>15</sub> H <sub>26</sub> O	Haug JS, Goldner CM, Yazlovitskaya EM et al. Biochim Biophys Acta. 1223:133-40 (1994)
06.081.	FARNESYL ACETATE		[29548-30-9]	264.41	C <sub>17</sub> H <sub>28</sub> O <sub>2</sub>	
06.068.	FENCHON		[1195-79-5]	152.24	C <sub>10</sub> H <sub>16</sub> O	
06.001.	FERULIC ACID		[1135-24-6]	194.18	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	Tanaka, T., Kojima, T., Kawamori, T., et. Al. Carcinogenesis, 14:1321-1325 (1993).
06.030.	FISETIN	3,3',4',7-Tetrahydroxyflavone	[528-48-3]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,4026
06.031.	FISETIN-3',4'-DIMETHYL ETHER	3,7-Dihydroxy-3',4'-dimethoxyflavone		314.30	C <sub>17</sub> H <sub>14</sub> O <sub>6</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.032.	FISETINIDIN CHLORIDE		[2948-76-7]	306.71	C <sub>15</sub> H <sub>11</sub> O <sub>5</sub> Cl	
06.033.	FLAVAN	2-Phenylchroman; 2,3-Dihydro-2-phenylbenzopyran		210.28	C <sub>15</sub> H <sub>14</sub> O	
06.034.	FLAVANOMAREIN	Iso-okanin-7-glucoside; 7-o-Glucosyl-4',5',8-trihydroxyflavanone	[577-38-8]	450.41	C <sub>21</sub> H <sub>22</sub> O <sub>11</sub>	
06.008.	FLAVANONE	2,3-Dihydroflavone	[487-26-3]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	
06.036.	FLAVANONE DIACETYL HYDRAZONE			322.37	C <sub>19</sub> H <sub>18</sub> N <sub>2</sub> O <sub>3</sub>	
06.037.	FLAVANONE HYDRAZONE			238.30	C <sub>15</sub> H <sub>14</sub> N <sub>2</sub> O	
06.038.	FLAVANONE-AZINE			444.55	C <sub>30</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	
06.039.	FLAVINE-ADENINE DINUCLEOTIDE DISODIUM SALT Dihydrate	Riboflavin 5'-adenosine diphosphate disodium salt; FAD-Na <sub>2</sub>	[146-14-5]	865.57	C <sub>27</sub> H <sub>31</sub> N <sub>9</sub> Na <sub>2</sub> O <sub>15</sub> P <sub>2</sub> .2H <sub>2</sub> O	Merck Index 11,4028
06.074.	FLAVOKAVAIN A			314.33	C <sub>18</sub> H <sub>18</sub> O <sub>5</sub>	
06.076.	FLAVOKAVAIN B			284.31	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
06.040.	FLAVONE	2-Phenylchromone	[52-82-6]	222.25	C <sub>15</sub> H <sub>10</sub> O <sub>2</sub>	Merck Index 11,4030
06.007.	FLAVONOL	3-Hydroxyflavone	[577-85-5]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.009.	FLUCLOXACILLIN					
06.072.	4-FLUOR 4-CHLOROBUTYROPHENON	p-fluoro-p-chloro-butyrophenone	[3874-54-2]	200.64	C <sub>10</sub> H <sub>10</sub> FOCl	
06.071.	4-FLUOROOCETOPHENONE	p-Fluoroacetophenone	[403-42-9]	138.14	C <sub>8</sub> H <sub>7</sub> FO	
06.070.	4-FLUORBENZALDEHYD	p-fluorobenzaldehyde	[459-57-4]	124.11	C <sub>7</sub> H <sub>5</sub> FO	
06.069.	4-FLUORBENZOICACID	p-fluorobenzoic acid	[456-22-4]	140.11	C <sub>7</sub> H <sub>5</sub> FO <sub>2</sub>	
06.041.	FLUORESCEIN DIACETATE		[596-09-8]	416.40	C <sub>24</sub> H <sub>16</sub> O <sub>7</sub>	
06.042.	FLUORESCEIN ISOTHIOCYANATE		[27072-45-3]	389.39	C <sub>21</sub> H <sub>11</sub> NO <sub>5</sub> S	H J L Riggs et al., Amer.J.Pathol.34,1081(1958).
06.043.	4-FLUOROGLUTAMIC ACID 5-METHYL ESTER			179.15	C <sub>6</sub> H <sub>10</sub> FNO <sub>4</sub>	
06.044.	2-FLUOROISOGLUTAMINE Hydrochloride			200.60	C <sub>5</sub> H <sub>9</sub> FN <sub>2</sub> O <sub>3</sub> .HCl	
06.045.	2-(2-FLUOROPHENYL)-5-(1-NAPHTHYL)-1,3,4-OXADIAZOLE	Scintillation Grade		290.31	C <sub>18</sub> H <sub>11</sub> FN <sub>2</sub> O	
06.046.	2-(3-FLUOROPHENYL)-5-(1-NAPHTHYL)-1,3,4-OXADIAZOLE	Scintillation Grade		290.31	C <sub>18</sub> H <sub>11</sub> FN <sub>2</sub> O	
06.047.	2-(2-FLUOROPHENYL)-5-(2-NAPHTHYL)-1,3,4-OXADIAZOLE	Scintillation Grade		290.31	C <sub>18</sub> H <sub>11</sub> FN <sub>2</sub> O	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.048.	2-(3-FLUOROPHENYL)-5-(2-NAPHTHYL)-1,3,4-OXADIAZOLE	Scintillation Grade			C <sub>18</sub> H <sub>11</sub> FN <sub>2</sub> O	
06.049.	2-(4-FLUOROPHENYL)-5-(2-NAPHTHYL)-1,3,4-OXADIAZOLE	Scintillation Grade		290.31	C <sub>18</sub> H <sub>11</sub> FN <sub>2</sub> O	
06.050.	2-(2-FLUOROPHENYL)-5-PHENYL-1,3,4-OXADIAZOLE	Scintillation Grade		240.24	C <sub>14</sub> H <sub>9</sub> FN <sub>2</sub> O	
06.051.	2-(3-FLUOROPHENYL)-5-PHENYL-1,3,4-OXADIAZOLE	Scintillation Grade		240.24	C <sub>14</sub> H <sub>9</sub> FN <sub>2</sub> O	
06.052.	2-(4-FLUOROPHENYL)-5-PHENYL-1,3,4-OXADIAZOLE	Scintillation Grade		240.24	C <sub>14</sub> H <sub>9</sub> FN <sub>2</sub> O	
06.053.	2-(2-FLUOROPHENYL)-5-PHENYLOXAZOLE	Scintillation Grade		239.26	C <sub>15</sub> H <sub>10</sub> FNO	
06.054.	2-(3-FLUOROPHENYL)-5-PHENYLOXAZOLE	Scintillation Grade		239.26	C <sub>15</sub> H <sub>10</sub> FNO	
06.055.	2-(4-FLUOROPHENYL)-5-PHENYLOXAZOLE	Scintillation Grade		239.26	C <sub>15</sub> H <sub>10</sub> FNO	
06.056.	9-FLUOROPREDNISOLONE	1,4-Pregnadien-9-fluoro-11 $\beta$ ,17 $\alpha$ ,21-triol-3,20-dione		378.44	C <sub>21</sub> H <sub>27</sub> FO <sub>5</sub>	
06.057.	5-FLUOROTRYPTAMINE HCl		[2711-58-2]	214.68	C <sub>10</sub> H <sub>11</sub> FN <sub>2</sub> .HCl	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.058.	5-FLUOROURACIL		[51-21-8]	130.08	C <sub>4</sub> H <sub>3</sub> FN <sub>2</sub> O <sub>2</sub>	Ananthan, S., In "Cancer Chemotherapeutic Agents" Foye, W.O., Ed., ACS Professional Reference, pp. 49-54 (1995).
06.059.	FLURBIPROFEN		[5104-49-4]	244.26	C <sub>15</sub> H <sub>13</sub> FO <sub>2</sub>	Wechter, W.J., Kantoci, D., Murray, E.D., et.al. Cancer Res., 57:4316-4324 (1997).
06.075.	FOLACIDGLYCERINESTER	N-[4-[[[(2-Amino-1,4-dihydro-4-oxo-6-pteridiny) methyl] amino] be		515.49	C <sub>22</sub> H <sub>25</sub> N <sub>7</sub> O <sub>8</sub>	
06.060.	FOLIC ACID	Pteroylglutamic acid; PGA	[59-30-3]	441.40	C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub>	Merck Index 11,4140
06.061.	FOLIN & CIOCALTEU'S REAGENT					J.Biol.Chem., 193,265.
06.062.	FOLINERIN	Oleandrin	[465-16-7]	576.75	C <sub>32</sub> H <sub>48</sub> O <sub>9</sub>	Merck Index 11,6786
06.077.	FOLINIC ACID CALCIUM SALT	Leucovorin	[1492-18-8]	473.44	C <sub>20</sub> H <sub>23</sub> N <sub>7</sub> O <sub>7</sub>	Kuwa K, Sakamoto S, Sassa S et al. Anticancer Res. 19:513-42 (1999)
06.063.	FORMIMINOGLUTAMIC ACID Octahydrate Hemibarium Salt	FIGLU	[816-90-0]	241.80	C <sub>6</sub> H <sub>9</sub> O <sub>4</sub> N <sub>2</sub> .1/2Ba	
06.006.	FORMONONETIN	7-Hydroxy-4'-methoxyisoflavone	[486-72-3]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,4157

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.078.	FORMONONETIN		[485-72-3]	268.26	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Morito K, Aomori t, Hirose T et al Biol. Pharmaceutical Bull. 25:48-52 (2002)
06.082.	N-FORMYLDEACETYLCOLCHICINE		[66575-29-9]	385.42	C <sub>21</sub> H <sub>23</sub> NO <sub>6</sub>	
06.065.	FORSKOLIN		[66575-29-9]	410.50	C <sub>22</sub> H <sub>34</sub> O <sub>7</sub>	J J de Souza et al., Med.Res.Rev.3,201(1983). J C Henquin et al., Endocrinology 112,2218(1983).
06.066.	FORTUNELLIN	Acacetin-7-neohesperidoside	[20633-93-6]	610.60	C <sub>28</sub> H <sub>32</sub> O <sub>14</sub>	
06.002.	FRANGULIN	Cascarin; Emodin-3-(L-Rhamnoside)	[60529-33-1]	416.40	C <sub>21</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 11,4177
06.003.	FRANGULIN A	Emodin-L-rhamnoside; Rahmnoxanthin	[521-62-0]	416.40	C <sub>21</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 11,4177
06.004.	FRANGULIN B		[14101-04-3]	402.37	C <sub>20</sub> H <sub>18</sub> O <sub>9</sub>	Merck Index 11,4177
06.067.	FRAXETIN	7,8-Dihydroxy-6-methoxycoumarin	[574-84-5]	208.16	C <sub>10</sub> H <sub>8</sub> O <sub>5</sub>	Merck Index 11,4178
06.035.	FRAXETIN-8-GLUCOSIDE	Fraxin; 7,8-Dihydroxy-methoxycoumarin-b-D-glucopyranoside	[524-30-1]	370.34	C <sub>16</sub> H <sub>18</sub> O <sub>10</sub>	Merck Index 11,4179
06.064.	FRAXIDIN	6,7-Dimethoxy-8-hydroxycoumarin	[525-21-3]	222.20	C <sub>11</sub> H <sub>10</sub> O <sub>5</sub>	
06.010.	FRAXIN	Fraxetin-8-glucoside	[524-30-1]	370.34	C <sub>16</sub> H <sub>18</sub> O <sub>10</sub>	Merck Index 11,4179



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.011.	FRIEDELIN	Friedelan-3-one	[559-74-0]	426.74	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,4184
06.012.	D-FRUCTOSE-1,6-DIPHOSPHATE Dibarium Salt	FDP-Ba2		610.77	C <sub>6</sub> H <sub>10</sub> Ba <sub>2</sub> O <sub>12</sub> P <sub>2</sub>	
06.013.	D-FRUCTOSE-1,6-DIPHOSPHATE Dicalcium salt	FDB-Ca2	[6055-82-9]	416.25	C <sub>6</sub> H <sub>10</sub> O <sub>12</sub> P <sub>2</sub> Ca <sub>2</sub>	
06.014.	D-FRUCTOSE-1,6-DIPHOSPHATE Tetra sodium salt	FDP-Na4	[23784-19-2]	428.04	C <sub>6</sub> H <sub>10</sub> O <sub>12</sub> P <sub>2</sub> Na <sub>4</sub> .xH <sub>2</sub> O	
06.015.	D-FRUCTOSE-1,6-DIPHOSPHATE Trisodium salt	FDP-Na3	[81028-91-3]	406.06	C <sub>6</sub> H <sub>11</sub> Na <sub>3</sub> O <sub>12</sub> P <sub>2</sub> .xH <sub>2</sub> O	
06.016.	D-FRUCTOSE-1-PHOSPHATE Barium salt		[53823-70-4]	395.47	C <sub>6</sub> H <sub>11</sub> O <sub>9</sub> PBa	
06.017.	D-FRUCTOSE-6-PHOSPHATE DISODIUM SALT		[26177-86-6]	304.10	C <sub>6</sub> H <sub>11</sub> O <sub>9</sub> PNa <sub>2</sub> .xH <sub>2</sub> O	
06.018.	FTORAFUR	5-Fluoro-1-(tetrahydro-2-furyl)uracil	[17902-23-7]	200.17	C <sub>8</sub> H <sub>9</sub> FN <sub>2</sub> O <sub>3</sub>	Ananthan, S., In "Cancer Chemo. Agents" Foye, W.O., Ed., ACS Prof.Ref., pp. 49-54 (1995).
06.019.	L-FUCONO-gamma-LACTONE			162.14	C <sub>6</sub> H <sub>10</sub> O <sub>5</sub>	
06.020.	D-FUCOSE	6-Deoxy-D-galactose; Rhodeose	[3615-37-0]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,4192
06.021.	L-FUCOSE	6-Deoxy-a-L-galactose	[2438-80-4]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,4193
06.083.	FUCOSTEROL		[17605-67-3]	412.7	C <sub>29</sub> H <sub>48</sub> O	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.079.	FUMAGILIN	Anebacilin, fugilin, fumadil B	[23110-15-8]	458.54	C <sub>26</sub> H <sub>34</sub> O <sub>7</sub>	Stepiel H, Grochal M, Zielinski KW. Journal of Endocrinology 150-99-106 (1996)
06.023.	FUMARIC ACID		[110-17-8]	116.08	C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>	
06.022.	FUMARPROTOCETRARIC ACID	Parmelia furfuracea	[489-50-9]	472.36	C <sub>22</sub> H <sub>16</sub> O <sub>12</sub>	Karrer, 1062
06.024.	FUMONISIN B1	Macrofusin	[116355-83-0]	721.8	C <sub>34</sub> H <sub>59</sub> NO <sub>15</sub>	Merck Index 12,4311
06.025.	FUMONISIN B2					
06.005.	FUNGISPORIN					
06.084.	FURFURAL		[98-01-1]	96.09	C <sub>5</sub> H <sub>4</sub> O <sub>2</sub>	
06.085.	FURFURYL ACETATE			140.14	C <sub>7</sub> H <sub>8</sub> O <sub>3</sub>	
06.086.	FURFURYL ALCOHOL		[98-00-0]	98.11	C <sub>5</sub> H <sub>6</sub> O <sub>2</sub>	
06.026.	6-FURFURYLAMINOPURINE	Kinetin	[525-79-1]	215.22	C <sub>10</sub> H <sub>9</sub> N <sub>5</sub> O	Merck Index 11,5192
06.027.	6-FURFURYLAMINOPURINE RIBOSIDE	Kinetin riboside	[4338-47-0]	347.34	C <sub>15</sub> H <sub>17</sub> N <sub>5</sub> O <sub>5</sub>	Cancer Res., 20,1362 (1960). Virology., 38,26 (1969).
06.080.	FUROSEMIDE		[54-31-9]	330.74	C <sub>12</sub> H <sub>11</sub> CIN <sub>2</sub> O <sub>5</sub> S	Prandota J. Am J Ther 9:317-28 (2002)

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
06.028.	DL-3-(2-FURYL)SERINE			171.16	C <sub>7</sub> H <sub>9</sub> NO <sub>4</sub>	
06.029.	FUSTIN	2,3-Dihydrofisetin; 3,3',4',7-Tetrahydroxyflavanone	[20725-03-5]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4232
07.030.	D-GALACTAL		[21193-75-9]	146.15	C <sub>6</sub> H <sub>10</sub> O <sub>4</sub>	
07.031.	GALACTAN	Polygalactan	[39300-87-3]			
07.102.	GALACTOMANNANE		[11078-30-1]			
07.033.	D(-)-GALACTONO-gamma-LACTONE	D-Galactono-1,4-lactone	[2782-07-2]	178.14	C <sub>6</sub> H <sub>10</sub> O <sub>6</sub>	
07.034.	D-GALACTOSAMINE Hydrochloride	D-Chondrosamine hydrochloride	[1772-03-8]	215.64	C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub> .HCl	Merck Index 11,4240
07.035.	D(+)-GALACTURONIC ACID Monohydrate		[685-73-4]	212.16	C <sub>6</sub> H <sub>10</sub> O <sub>7</sub> .H <sub>2</sub> O	
07.008.	GALANGIN	3,5,7-Trihydroxyflavone	[548-83-4]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,4244
07.036.	GALANGIN-3-RUTINOSIDE		[16268-50-1]	578.54	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	Merck Index 11,4244
07.037.	GALLIC ACID	3,4,5-Trihydroxybenzoic acid	[149-91-7]	170.12	C <sub>7</sub> H <sub>6</sub> O <sub>5</sub>	Merck Index 12,4363
03.252.	GAMMA-BUTYROLACTONE		[96-48-0]	86.09	C <sub>4</sub> H <sub>6</sub> O <sub>2</sub>	
07.038.	GARDENIN	Crocin	[42553-65-1]	977.00	C <sub>44</sub> H <sub>64</sub> O <sub>24</sub>	Merck Index 11,2593

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.039.	GARDENIN-A	3',4',5',6,7,8-Hexamethoxy-5-hydroxyflavone	[21187-73-5]	418.41	C <sub>21</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,4265
07.040.	GARDENOSIDE		[24512-62-7]	404.38	C <sub>17</sub> H <sub>24</sub> O <sub>11</sub>	
07.041.	GEIPARVARIN			326.36	C <sub>19</sub> H <sub>18</sub> O <sub>5</sub>	Aust.J.C.,1967,1943.
07.090.	GELDANAMYCIN		[30562-34-6]	560.64	C <sub>29</sub> H <sub>40</sub> N <sub>2</sub> O <sub>9</sub>	Yamaki H, Iguchi-Arigo SM, Ariga H. J Antibot (Tokyo) 42:604-10 (1989)
07.042.	GELSEMINE		[509-15-9]	322.42	C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,4277
07.103.	GELSEMINE HYDROCHLORID		[35306-33-3]	358.87	C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O <sub>2</sub> xHCl	
07.043.	GENIPOSIDE		[24512-63-8]	388.37	C <sub>17</sub> H <sub>24</sub> O <sub>10</sub>	
07.044.	GENIPOSIDIC ACID			374.34	C <sub>16</sub> H <sub>22</sub> O <sub>10</sub>	
07.001.	GENISTEIN	4',5,7-Trihydroxyisoflavone	[446-72-0]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,4281
07.104.	GENISTEIN-4',7-DIMETHYLETHER		[34086-51-6]	298.3	C <sub>17</sub> H <sub>14</sub> O <sub>5</sub>	
07.046.	GENISTEINE (Alkaloid)	11-Isosparteine	[446-95-7]	252.37	C <sub>15</sub> H <sub>26</sub> N <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,4282
07.002.	GENISTEIN-METHYLETHER	Olmelin		284.25	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 12,4395
07.007.	GENISTIN	Glucosyl-7-Genistein	[529-59-9]	432.39	H <sub>2</sub> 1H <sub>20</sub> O <sub>10</sub>	Merck Index 11,4281

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.047.	GENKWANIN	4',5-Dihydroxy-7-methoxyflavone; 7-Methoxyapigenin	[437-64-9]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
07.048.	GENTIAN VIOLET	C.I. 42555; Crystal violet	[548-62-9]	407,99	C <sub>25</sub> H <sub>30</sub> CIN <sub>3</sub>	Merck Index 11,4287
07.049.	GENTIANOSE		[25954-44-3]	504.45	C <sub>18</sub> H <sub>32</sub> O <sub>16</sub>	
07.050.	β-D-GENTIOBIOSE	Amygdalose; 6-O-β-D-Glucopyranosyl-β-D-glucose	[554-91-6]	342.31	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	Merck Index 11,4288
07.052.	β-GENTIOBIOSE OCTA-ACETATE		[53270-74-9]	678.61	C <sub>28</sub> H <sub>38</sub> O <sub>19</sub>	Merck Index 11,4288
07.053.	GENTIOPICRIN	Gentiopicroside	[20831-76-9]	356.32	C <sub>16</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 11,4289
07.003.	GENTIOPIKROSID	Gentiopicrin	[20831-76-9]	356.33	C <sub>16</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 12,4403
07.055.	GENTISIN	4,7-Dihydroxy-2-methoxyxanthone; Gentianic acid; Gentiin	[437-50-3]	258.24	C <sub>14</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,4291
07.056.	GERALDOL	3'-Methoxy-3,7,4'-trihydroxyflavone	[21511-25-1]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
07.009.	GERANIOL	Lemonol	[106-24-1]	154.25	C <sub>10</sub> H <sub>18</sub> O	Merck Index 12,4411
07.105.	5-GERANOXY-7-METHOXYCOUMARIN		[7380-39-4]	328.41	C <sub>20</sub> H <sub>24</sub> O <sub>4</sub>	
07.106.	GERANYL ACETATE		[105-87-3]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.091.	GERANYLGERANIOL		[24034-73-9]	290.95	C <sub>20</sub> H <sub>34</sub> O	Ohizumi H, Masuda Y, Yoda M et al. Abt. cancer Res. 17:1051-7 (1997)
07.057.	7-GERANYLOXYCOUMARIN	Auraptene		298.39	C <sub>19</sub> H <sub>22</sub> O <sub>3</sub>	Ber.,1970(103)3619.
07.107.	GHB	gamma-Glutaminyl-4-hydroxybenzene	[30382-24-2]	238.24	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub>	
07.108.	GIBBERELIC ACID		[77-06-5]	346.39	C <sub>19</sub> H <sub>22</sub> O <sub>6</sub>	
07.058.	GIBERILLIC ACID		[77-06-5]	346.39	C <sub>19</sub> H <sub>22</sub> O <sub>6</sub>	Merck Index 11,4313
07.110.	8-GINGEROL			322.45	C <sub>19</sub> H <sub>30</sub> O <sub>4</sub>	
07.109.	6-GINGEROL		[23513-14-6]	294.4	C <sub>17</sub> H <sub>26</sub> O <sub>4</sub>	
07.010.	GINKGOLIC ACID I	2-Hydroxy-6-Tridecylbenzoicacid		320.5	C <sub>20</sub> H <sub>32</sub> O <sub>3</sub>	
07.011.	GINKGOLIC ACID II	Mix: 2-Hydroxy-6-(Pentadec-8-enyl)benzoicacid+6-Hydroxy-2-Heptadec-12-enylbenzoicacid		346.5+374.6	C <sub>22</sub> H <sub>34</sub> O <sub>3</sub> +C <sub>24</sub> H <sub>38</sub> O <sub>3</sub>	
07.032.	GINKGOLID A		[15291-75-5]	408.00	C <sub>20</sub> H <sub>24</sub> O <sub>9</sub>	Merck Index 12,4433
07.045.	GINKGOLID B		[15291-77-7]	424.00	C <sub>20</sub> H <sub>24</sub> O <sub>10</sub>	Merck Index 12,4433
07.051.	GINKGOLID C		[15291-76-6]	440.00	C <sub>20</sub> H <sub>24</sub> O <sub>11</sub>	Merck Index 12,4433

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.092.	GINKGOLIDE AB	A mixture of Ginkgolide A and Ginkgolide B				
07.093.	GINKGOLIDES	A mixture of Ginkgolides A, B and C				
07.004.	GINSENOSID Rb1		[41753-43-9]	1109.31	C54H92O23	Merck Index 12,4434
07.005.	GINSENOSID Rg1		[22427-39-0]	800.2	C42H72O14	Merck Index 12,4434
07.094.	GINSENOSIDE F1			638.87	C36H62O9	
07.095.	GINSENOSIDE F2					
07.096.	GINSENOSIDE F3			770.99	C41H70O13	
07.086.	GINSENOSIDE Rb2			1080.31	C53H91O22	
07.085.	GINSENOSIDE RC			1079.31	C53H90O22	
07.083.	GINSENOSIDE RD			945	C48H81O18	
07.084.	GINSENOSIDE RE			946	C48H82O18	
07.097.	GINSENOSIDE RG2			785.01	C42H72O13	
07.098.	GINSENOSIDE RG3			785.01	C42H72O13	
07.099.	GINSENOSIDE RH1			638.87	C36H62O9	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.100.	GINSENSIDE RH2			640.89	C <sub>36</sub> H <sub>62</sub> O <sub>8</sub> ·xH <sub>2</sub> O	
07.059.	GINSENSIDES KIT	5mg each: ginsenoside Rb1,Rb2,Rc,Rd,Rg1				
07.089.	GITOXIN	(3b,5b,16b)-3-[(O-2,6-Dideoxy-beta-D-ribohexopyr	[4562 - 36 - 1]	780.95	C <sub>41</sub> H <sub>64</sub> O <sub>14</sub>	Budavari, S. The Merck Index, 12t
07.060.	(+)-GLAUCINE Hydrochloride		[475-81-0]	391.91	C <sub>21</sub> H <sub>25</sub> NO <sub>4</sub> ·HCl	Merck Index 11,4332
07.061.	(+)-GLAUDINE	1,2,9,10-Tetramethoxyaporphine; Boldine dimethylether	[475-81-0]	355.42	C <sub>21</sub> H <sub>25</sub> NO <sub>4</sub>	Merck Index 11,4332
07.111.	(-)-GLOBULOL		[489-41-8]	222.38	C <sub>15</sub> H <sub>26</sub> O	
07.101.	GLUCARIC ACID, CALCIUM SALT	D-saccharic acid, calcium salt	[5793-89-5]	320.3	C <sub>6</sub> H <sub>8</sub> O <sub>8</sub> Ca <sub>4</sub> H <sub>2</sub> O	Walaszek Z. Szemraj J. Narog M et al. Cancer Detect Prev. 21:178-90 (1997)
07.062.	α-D-GLUCOHEPTOSE	D-Glycero-D-glucoheptose	[62475-58-5]	210.19	C <sub>7</sub> H <sub>14</sub> O <sub>7</sub>	
07.063.	D(+)-GLUCONIC ACID δ-LACTONE		[4253-68-3]	178.15	C <sub>6</sub> H <sub>10</sub> O <sub>6</sub>	
07.064.	trans-β-D-GLUCOPYRANOSYL METHYLACETOACETATE			278.26	C <sub>11</sub> H <sub>18</sub> O <sub>8</sub>	
07.112.	1-O-ALPHA-D-GLUCOPYRANOSYL-D-MANNITOL		[20942-99-8]	344.31	C <sub>12</sub> H <sub>24</sub> O <sub>11</sub>	



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.065.	2-( $\beta$ -D-GLUCOPYRANOSYLOXY) BENZALDEHYDE	Salicylaldehyde- $\beta$ -D-glucopyranoside; Helicin	[618-65-5]	284.27	C <sub>13</sub> H <sub>16</sub> O <sub>7</sub>	Merck Index 11,4544
07.113.	D-(+)-GLUCOSAMINE HYDROCHLORID		[66-84-2]	215.63	C <sub>6</sub> H <sub>14</sub> NO <sub>5</sub> Cl	
07.066.	L-GLUCOSE		[921-60-8]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4353
07.067.	$\beta$ -D-GLUCOSE		[492-61-5]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4353
07.068.	$\alpha$ -D-GLUCOSE PENTAACETATE	1,2,3,4,6-Penta-O-acetyl- $\alpha$ -glucopyranose	[604-68-2]	390.35		
07.069.	$\beta$ -D-GLUCOSE PENTAACETATE	1,2,3,4,6-Penta-O-acetyl- $\beta$ -glucopyranose	[604-69-3]	390.34	C <sub>16</sub> H <sub>22</sub> O <sub>11</sub>	
07.070.	$\alpha$ -D-GLUCOSE-1-PHOSPHATE DIPOTASSIUM SALT Dihydrate (Cori ester)		[5996-14-5]	372.36	C <sub>6</sub> H <sub>11</sub> K <sub>2</sub> O <sub>9</sub> P <sub>2</sub> H <sub>2</sub> O	Merck Index 11,4355
07.071.	$\alpha$ -D-GLUCOSE-1-PHOSPHATE DISODIUM SALT Tetrahydrate		[56401-20-8]	376.16	C <sub>6</sub> H <sub>11</sub> Na <sub>2</sub> O <sub>9</sub> P <sub>2</sub> ·4H <sub>2</sub> O	
07.072.	D-GLUCOSE-6-PHOSPHATE Monosodium salt		[54010-71-8]	282.12	C <sub>6</sub> H <sub>12</sub> O <sub>9</sub> PNa	
07.073.	D-GLUCOSEAMINIC ACID	2-Amino-2-deoxy-D-gluconic acid	[3646-68-2]	195.18	C <sub>6</sub> H <sub>13</sub> NO <sub>6</sub>	
07.074.	7-O-GLUCOSYL-4'5'8'- TRIHYDROXYFLAVANONE	Iso-okanin-7-glucoside; Flavanomarein	[577-38-8]	450.41	C <sub>21</sub> H <sub>22</sub> O <sub>11</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.075.	2'-O-GLUCOSYL-4'6'4- TRIHYDROXYDIHYDROCHALCONE	Phloridzin dihydrate	[60-81-1]	436.00	C <sub>21</sub> H <sub>24</sub> O <sub>10</sub> ·2H <sub>2</sub> O	Merck Index 11,7300
07.076.	GLUCOSYL-7-DAIDZEIN	Daidzin; 7-o-Glucosyl-4'-hydroxyisoflavone		416.40	C <sub>21</sub> H <sub>20</sub> O <sub>9</sub>	Merck Index 11,2805
07.077.	GLUCOSYL-7-GENISTEIN	Genistin	[529-59-9]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	Merck Index 11,4281
07.078.	GLUCOSYL-7-O-FORMONONETIN	Ononin	[486-62-4]	430.42	C <sub>22</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,4157
07.079.	gamma-GLUTAMYL-4-METHOXY-β- NAPHTHYLAMIDE			302.34	C <sub>16</sub> H <sub>18</sub> N <sub>2</sub> O <sub>4</sub>	
07.080.	gamma-L-GLUTAMYL-α-NAPHTHYLAMIDE		[81012-91-1]	272.31	C <sub>15</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub>	
07.081.	gamma-L-GLUTAMYL-p-NITROANILIDE	GpNA; L-Glutamic acid 5-(4-nitroanilide) monohydrate.	[24032-35-7]	267.24	C <sub>11</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub>	
07.082.	gamma-L-GLUTAMYL-β-NAPHTHYLAMIDE			272.31	C <sub>15</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub>	
07.088.	GLYCIN		[56-40-6]	75.07	C <sub>2</sub> H <sub>5</sub> N O <sub>2</sub>	
07.012.	GLYCITEIN	4',7-Dihydroxy-6-methoxyisoflavone		284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
07.114.	GLYCOCHOLIC ACID		[475-31-0]	465.64	C <sub>26</sub> H <sub>43</sub> N <sub>2</sub> O <sub>6</sub>	
07.013.	D-(+)-GLYCOGEN		[9005-79-2]	150.13	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	Merck Index 11,4392

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.014.	GLYCYL-L-PROLINE Hemihydrate		[704-15-4]	181.19	C7H12N2O3.1/2H2O	
07.015.	GLYCYL-L-PROLINE-4-METHOXY-β-NAPHTHYLAMIDE			327.39	C18H21N3O3	
07.016.	18-a-GLYCYRRHETINIC ACID		[1449-05-4]	470.71	C30H46O4	
07.017.	18-β-GLYCYRRHETINIC ACID	3b-Hydroxy-11-oxo-18b-olean-12-en-30-oic acid, Enoxolone	[471-53-4]	470.71	C30H46O4	Merck Index 11,3543
07.115.	8-ALPHA-GLYCYRRHETINIC ACIDMETHYLESTER			484.72	C31H48O4	
07.116.	8-BETA-GLYCYRRHETINIC ACIDMETHYLESTER		[1477-44-7]	484.72	C31H48O4	
07.018.	GLYCYRRHIZIC ACID, AMMONIUM SALT, TRIHYDRATE	Glycyrrhizin	[53956-04-0]	894.03	C42H65NO16x3H2O	Lo, H.H., Yen, Y.S., Hsieh, S.E., Chung, J.G. J. Appl. Toxicol., 17:385-390 (1997).
07.006.	GLYCYRRHIZIC ACID	Glycyrrhizin	[1405-86-3]	822.94	C42H65NO16	Merck Index 12,4515
07.019.	GOSSYPETIN	3,5,7,3',4',8-Hexahydroxyflavone		318.25	C15H10O8	
07.020.	GOSSYPETIN-3,7,3'4'-TETRAMETHYL ETHER	5,8-Dihydroxy-3,3',4',7,tetramethoxyflavone	[7380-44-1]	374.36	C19H18O8	
07.021.	GOSSYPIN	3,3',4',5,7-Pentahydroxy-8-O-Glucosylflavone	[652-78-8]	648.50	C28H14O18	Proc.Ind.Acad.Sci.,1936(4a)54.
07.022.	GOSSYPOL		[303-45-7]	518.50	C30H30O8	Merck Index 11,4435

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.023.	GOSSYPOL ACETATE		[12542-36-8]	579.00	C <sub>30</sub> H <sub>30</sub> O <sub>8</sub> C <sub>2</sub> H <sub>4</sub> O <sub>2</sub>	Meck Index 11,4435
07.117.	GRAMINE		[87-52-5]	174.24	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub>	
07.024.	GREEN TEA POLYPHENOLS					Wang, Z.Y., Khan, W.A., Bickers, D.R., Mukhtar, H. Carcinogenesis, 10:411-5 (1989).
07.118.	GRISEOFULVIN		[126-07-8]	329.34	C <sub>17</sub> H <sub>17</sub> O <sub>6</sub> Cl	
07.119.	GUAIAC		[9000-29-7]			
07.120.	GUAIACOL		[90-05-1]	124.14	C <sub>7</sub> H <sub>8</sub> O <sub>2</sub>	
07.121.	GUAIACOL METHYLEETHER		[91-16-7]	138.17	C <sub>8</sub> H <sub>10</sub> O <sub>2</sub>	
07.122.	GUAIAZULENE		[489-84-9]	198.31	C <sub>15</sub> H <sub>18</sub>	
07.123.	GUAIOL		[489-86-1]	222.38	C <sub>15</sub> H <sub>26</sub> O	
07.025.	GUANINE Anhydrous	2-Amino-6-hydroxypurine	[73-40-5]	151.13	C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O	Merck Index 11,4477
07.026.	GUANOSINE-2'(3')-MONOPHOSPHATE DISODIUM SALT	Guanylic Acid disodium Salt; 2'(3')-GMP-Na <sub>2</sub>	[6027-83-4]	407.19	C <sub>10</sub> H <sub>12</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>8</sub> P	
07.027.	GUANOSINE-5'-MONOPHOSPHATE DISODIUM SALT	5'-Guanylic acid; GMP	[550-12-9]	407.19	C <sub>10</sub> H <sub>12</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>8</sub> P	Merck Index 11.4484

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
07.028.	GUANOSINE-5'-TRIPHOSPHATE DISODIUM SALT	5'-GTP-Na <sub>2</sub>	[56001-37-7]	567.15	C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>14</sub> P <sub>3</sub>	
07.124.	GUGGULSTERONE E		[39025-24-6]	312.45	C <sub>21</sub> H <sub>28</sub> O <sub>2</sub>	
07.125.	GUGGULSTERONE Z		[39025-23-5]	312.45	C <sub>21</sub> H <sub>28</sub> O <sub>2</sub>	
07.126.	GUIBOURTINIDIN CHLORIDE			290.7	C <sub>15</sub> H <sub>11</sub> O <sub>4</sub> Cl	
07.029.	GYPSOGENIN-3-GLUCORONIDE			646.84	C <sub>36</sub> H <sub>54</sub> O <sub>10</sub>	Merck Index 11,4497
08.030.	HAEMATEIN		[475-25-2-4]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4553
08.031.	HAEMATOPORPHYRIN		[14459-29-1]	598.72	C <sub>35</sub> H <sub>38</sub> N <sub>4</sub> O <sub>6</sub>	Merck Index 11,4555
08.032.	HAEMATOPORPHYRIN Dihydrochloride		[17696-69-4]	671.64	C <sub>34</sub> H <sub>38</sub> N <sub>4</sub> O <sub>6</sub> .2HC1	Merck Index 11,4555
08.033.	HAEMATOPORPHYRIN Dihydrochloride (90 %)		[17696-69-4]	671.64	C <sub>34</sub> H <sub>38</sub> H <sub>4</sub> O <sub>6</sub> .2HCl	Merck Index 11,4555
08.034.	HAEMATOXYLIN		[517-28-2]	302.29	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,4556
08.001.	HAMAMELITANIN		[469-32-9]	484.38	C <sub>20</sub> H <sub>20</sub> O <sub>14</sub>	Merck Index 11,4522
08.036.	HARMALINE	3,4-Dihydroharmin	[304-21-2]	214.27	C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O	Merck Index 11,4528
08.194.	HARMALINE HYDROCHLORIDE		[6027-98-1]	250.73	C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> OxHCl	
08.195.	HARMALOL HYDROCHLORIDE		[6028-07-5]	236.7	C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> OxHCl	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.196.	HARMAN		[486-84-0]	182.22	C <sub>12</sub> H <sub>10</sub> N <sub>2</sub>	
08.197.	HARMAN HYDROCHLORIDE		[21655-84-5]	218.69	C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> xHCl	
08.198.	HARMINE		[442-51-3]	212.25	C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> O	
08.039.	HARMINE Hydrochloride		[343-27-1]	248.72	C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> O.HCl	Merck Index 11,4531
08.199.	HARMOL HYDROCHLORIDE		[40580-83-4]	234.69	C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> OxHCl	
08.002.	HARPAGOSIDE	8'-Cinnamoylharpagide	[19210-12-9]	494.51	C <sub>24</sub> H <sub>30</sub> O <sub>11</sub> .xH <sub>2</sub> O	
08.040.	HARRINGTONIN		[26833-85-2]	531.6	C <sub>28</sub> H <sub>37</sub> N <sub>9</sub> O	Power, R.G. Phytochemistry, 11:1467-1472 (1972).
08.200.	HECOGENIN		[467-55-0]	430.64	C <sub>27</sub> H <sub>42</sub> O <sub>4</sub>	
08.201.	HECOGENIN ACETATE		[915-35-5]	472.67	C <sub>29</sub> H <sub>44</sub> O <sub>5</sub>	
08.003.	HEDERACOSIDE C		[27013-76-9]	1221.39	C <sub>59</sub> H <sub>96</sub> O <sub>26</sub>	
08.043.	HEDERAGENIN	Caulosapogenin; Melanthigenin	[465-99-6]	472.73	C <sub>30</sub> H <sub>48</sub> O <sub>4</sub>	Merck Index 11,4540
08.006.	α-HEDERIN	Helixin	[27013-91-8]	750.99	C <sub>41</sub> H <sub>66</sub> O <sub>12</sub>	Merck Index 11,4541
08.044.	HELENIEN		[547-17-1]	1045.75	C <sub>72</sub> H <sub>116</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.045.	HELICIN	Salicylaldehyde-b-D-glucopyranoside, Glucopyranosyloxybenzaldehyde	[618-65-5]	284.27	C13H16O7	Merck Index 11,4544
08.046.	HELMINTHOSPORIN	1,5,8-Trihydroxy-3-Methylantraquinone		270.25	C15H10O5	
08.202.	HELVETICOSIDE		[630-64-8]	534.65	C29H42O9	
08.047.	HELVETICOSOL	Strophanthidol-digitoxosid	[18695-02-8]	536.68	C29H44O9	Merck Index 11,4551
08.203.	1-HEPTACOSANOL		[2004-39-9]	396.75	C27H56O	
08.204.	HEPTYL ACETATE		[112-06-1]	158.24	C9H18O2	
08.048.	2-n-HEPTYLFURAN		[3777-71-7]	166.27	C11H18O	Lam, L.K.. Et al. Nutr. Cancer, 17:19-26 (1992).
08.190.	HERBIMYCIN A		[70563-58-5]	574.7	C30H42N2O9	Satoh T et al. J. Biolchem 267:2537
08.037.	HERMINE	7-Methoxy-1-methyl-9H-pyrido[3,4-b]indole; Banisterin; Yagien; Telepathine	[442-51-3]	212.26	C13H12N2O	Merck Index 11,4531
08.049.	HERNIARIN	7-Methoxycoumarin; Umbelliferone methylester; Ayapamin	[531-59-9]	176.18	C10H8O3	
08.050.	HESPERETIN	4'-Methoxy-3',5,7, trihydroxyflavanone	[520-33-2]	302.29	C16H14O6	Merck Index 11,4590
08.052.	HESPERETIN CHALCONE	2',4',6',3-Tetrahydroxy-4-methoxychalcone		302.29	C16H14O6	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.053.	HESPERETIN DIHYDROCHALCONE	4-Methoxy-2',4',6',3-Tetrahydroxydihydrochalcone	[35400-60-3]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
08.054.	HESPERETIN-7-NEOHESPERIDOSIDE	Neohesperidin	[13241-33-3]	610.58	C <sub>28</sub> H <sub>34</sub> O <sub>15</sub>	
08.055.	HESPERETINIC ACID	Isoferulic acid; 3-Hydroxy-4-methoxycinnamic acid	[537-73-5]	194.19	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	
08.011.	HESPERIDIN	Hesperetin-7-rutinoside	[520-26-3]	610.58	C <sub>28</sub> H <sub>34</sub> O <sub>15</sub>	Merck Index 11,4591
08.057.	HESPERIDIN METHYL CHALCONE		[24292-52-2]	624.61	C <sub>29</sub> H <sub>36</sub> O <sub>15</sub>	
08.058.	HETEROPHYLLIN	Aricine; Cinchovatin	[481-91-7]	382.47	C <sub>22</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,809
08.059.	2-(N-HEXADECANOYLAMINO)-4-NITROPHENOL SODIUM SALT	2'-Hydroxy-5'-nitrohexadecan-anilide		414.52	C <sub>22</sub> H <sub>35</sub> N <sub>2</sub> NaO <sub>4</sub>	
08.060.	2-(N-HEXADECANOYLAMINO)-4-NITROPHENYLPHOSPHORYLCHOLINE HYDROXIDE		[60438-73-5]	575.69	C <sub>27</sub> H <sub>50</sub> N <sub>3</sub> O <sub>8</sub> P	Gal.A.E., and Fash.F.J., Chem.Phys.Lipids., 16,71,(1976).
08.061.	2-(N-HEXADECANOYLAMINO)-4-NITROPHENYLPHOSPHORYLCHOLINE IODIDE			685.60	C <sub>27</sub> H <sub>49</sub> I <sub>2</sub> N <sub>3</sub> O <sub>7</sub> P	A E Gal et al., J.Chem.Phys.Lipids., 16,71(1971).
08.062.	2'-(N-HEXADECANOYLAMINO)-4'-NITROPHENYL-β-D-GALACTOPYRANOSIDE		[63424-42-0]	554.68	C <sub>28</sub> H <sub>46</sub> N <sub>2</sub> O <sub>9</sub>	



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.063.	2'-(N-HEXADECANOYLAMINO)- 4'-NITROPHENYL-β-D-GLUCOPYRANOSIDE		[61443-58-1]	554.68	C <sub>28</sub> H <sub>46</sub> N <sub>2</sub> O <sub>19</sub>	
08.064.	4,4',5,5',6,6'-HEXAHYDROXYDIPHENIC ACID DILACTONE	Ellagic acid	[476-66-4]	302.20	C <sub>14</sub> H <sub>6</sub> O <sub>8</sub>	Merck Index 11,3508
08.065.	3,3',4,4',5,7-HEXAHYDROXYFLAVANE	Leucodyanidin (Polymer)	[480-17-1]	306.28	(C <sub>15</sub> H <sub>14</sub> O <sub>7</sub> ) <sub>n</sub>	Merck Index 11,5334
08.066.	3,3',4',5,5',7-HEXAHYDROXYFLAVONE	Cannabiscetin; Myricetin	[529-44-2]	318.25	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	Merck Index 11,6244
08.067.	3,3',4',5,6,7-HEXAHYDROXYFLAVONE	Quercetagetin	[90-18-6]	318.23	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	Merck Index 11,8403
08.068.	3,5,7,3',4',8-HEXAHYDROXYFLAVONE	Gossypetin		318.25	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	
08.069.	3',4',5',6,7,8-HEXAMETHOXY-5- HYDROXYFLAVONE	Gardenin A	[21187-73-5]	418.41	C <sub>21</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,4265
08.070.	3',4',5',5,6,7-HEXAMETHOXYFLAVONE			402.41	C <sub>21</sub> H <sub>22</sub> O <sub>8</sub>	
08.205.	1-HEXANOL		[111-27-3]	102.18	C <sub>6</sub> H <sub>14</sub> O	
08.071.	HEXATOXYLIN		[517-28-2]	302.00	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	
08.186.	HEXEDIN			351.6	C <sub>22</sub> H <sub>45</sub> N <sub>3</sub>	
08.206.	TRANS-2-HEXEN-1-AL		[6728-26-3]	98.15	C <sub>6</sub> H <sub>10</sub> O	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.207.	TRANS-2-HEXEN-1-OL		[928-95-0]	100.17	C <sub>6</sub> H <sub>12</sub> O	
08.208.	HEXYLACETATE		[142-92-7]	144.22	C <sub>8</sub> H <sub>16</sub> O <sub>2</sub>	
08.209.	HEXYLCINNAMALDEHYDE		[101-86-0]	216.33	C <sub>15</sub> H <sub>20</sub> O	
08.072.	2-n-HEXYLFURAN		[3777-70-6]	152.24	C <sub>10</sub> H <sub>16</sub> O	
08.073.	S-HEXYLGLUTATHIONE		[24425-56-7]	391.50	C <sub>16</sub> H <sub>29</sub> N <sub>3</sub> O <sub>6</sub> S	
08.074.	5-HIDROXYFISETIN	3,3',4',5',7-Pentahydroxyflavone; Robinetin	[490-31-3]	302.25	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub>	
08.075.	HINESOL			222.38	C <sub>15</sub> H <sub>26</sub> O	
08.007.	HINOKIFLAVONE	4',6"-o-Biapigenin	[19202-36-9]	538.48	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	Tet.Let.,1967,397.
08.076.	HISPIDOL	6,4'-Dihydroxyaurone		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Phytochemistry., 5,463(1966)
08.077.	HISTAMINE Dihydrochloride		[56-92-8]	184.07	C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> .2HCl	Merck Index 11,4640
08.078.	HISTAMINE DIPHOSPHATE		[23297-93-0]	307.14	C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> .2H <sub>3</sub> PO <sub>4</sub>	Merck Index 11,4640
08.079.	L-HISTIDINE		[71-00-1]	155.16	C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub>	Merck Index 11,4642
08.080.	L-HISTIDINE Hydrochloride Monohydrate		[7048-02-4]	191.62	C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> .HCl	Merck Index 11,4642
08.081.	L-HISTIDINE METHYL ESTER Dihydrochloride		[7389-87-9]	242.11	C <sub>7</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub> .2HCl	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.082.	L-HISTIDYL- $\beta$ -NAPHTHYLAMIDE		[7424-15-9]	280.33	C <sub>16</sub> H <sub>16</sub> N <sub>4</sub> O	
08.083.	HOLOCALIN		[101-93-9]	311.30	C <sub>14</sub> H <sub>17</sub> NO <sub>7</sub>	
08.210.	HOMATROPINE		[87-00-3]	275.36	C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub>	
08.211.	HOMATROPINE HYDROBROMIDE		[51-56-9]	356.26	C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub> xHBr	
08.084.	HOMOBUTEIN	3-Methoxy-2',4',4-trihydroxychalcone	[34000-39-0]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	
08.085.	a-HOMOCHOLIDONINE		[476-33-5]	369.42	C <sub>21</sub> H <sub>23</sub> NO <sub>5</sub>	Merck Index 11,4652
08.086.	DL-HOMOCYSTEIC ACID	2-Amino-4-sulphobutyric acid	[504-33-6]	183.19	C <sub>4</sub> H <sub>9</sub> NO <sub>5</sub> S	
08.087.	DL-HOMOCYSTEINE	2-Amino-4-mercaptobutyric acid	[454-29-5]	135.19	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> S	Merck Index 11,4654
08.088.	DL-HOMOCYSTEINE THIOLACTONE Hydrochloride		[6038-19-3]	153.63	C <sub>4</sub> H <sub>7</sub> NOSxHCl	Merck Index 11,4654
08.090.	DL-HOMOCYSTINE	DL-4,4'-Dithio-bis(2-aminobutanoic acid)	[870-93-9]	268.36	C <sub>8</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>	
08.091.	HOMOERIODICTYOL	3'-Methoxy-5,7,4'-trihydroxyflavanone	[446-71-9]	302.29	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,4656
08.212.	HOMOGENTISIC ACID		[451-13-8]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.092.	HOMOHARRINGTONINE		[26833-87-4]	545.6	C <sub>29</sub> H <sub>39</sub> NO <sub>9</sub>	Powell, R.G., Rogovin, S.P., and Smith, C.R. Ind. Eng. Chem. Prod. Res. Dev., 13:129-132 (1974).
08.094.	HOMOORIENTIN	Luteolin-6-C-glucoside	[4261-42-1]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
08.095.	DL-HOMOTRYPTOPHAN	α-Amino-Gamma-(3-indole)-butyric Acid		218.26	C <sub>12</sub> H <sub>14</sub> O <sub>2</sub> N <sub>2</sub>	J.Am.Chem.Soc., 1962(1948).
08.213.	HOMOVANILLIC ACID		[306-08-1]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
08.096.	HONOKIOL		[35354-74-6]	266.34	C <sub>18</sub> H <sub>18</sub> O <sub>2</sub>	Merck Index 12,4780
08.189.	HUMOLON	R-3,5,6-Trihydroxy-4,6-bis(3-methyl-2-butenyl) -2-(3-methyl-1-oxobutyl)-2,4-cyclo-hexdien-1-one; α-bitter acid, α-lupulic acid;	[26472 - 41 - 3]	362.47	C <sub>21</sub> H <sub>30</sub> O <sub>5</sub>	
08.097.	HUNNEMANINE		[490-52-8]	355.40	C <sub>20</sub> H <sub>21</sub> NO <sub>5</sub>	
08.098.	HYALURONIC ACID POTASSIUM SALT	(ex Human umbilical cord - lyophilised)	[9004-61-9]			
08.099.	HYALURONIC ACID SODIUM SALT	ex Human umbilical cord - lyophilised				
08.010.	HYDANTONITRIL					
08.214.	HYDRASTINE HYDROCHLORIDE		[5936-28-7]	419.95	C <sub>21</sub> H <sub>21</sub> NO <sub>6</sub> xHCl	
08.215.	HYDROCINNAMIC ACID		[501-52-0]	150.18	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.216.	HYDROCINNAMIC ACID ETHYLESTER		[2021-28-5]	178.23	C <sub>11</sub> H <sub>14</sub> O <sub>2</sub>	
08.100.	HYDROCORTISONE	4-Pregnen-11 $\beta$ ,11a,21-triol-3,20-dione; Kendall's 'F'; Reichstein's 'M'	[50-23-7]	362.48	C <sub>21</sub> H <sub>30</sub> O <sub>5</sub>	
08.101.	HYDROCORTISONE HYDROGEN SUCCINATE	4-Pregnen-11 $\beta$ ,17a,21-triol-3,20-dione 21-hydrogen succinate	[2203-97-6]	462.55	C <sub>25</sub> H <sub>34</sub> O <sub>8</sub>	
08.217.	HYDROCOTARNINE HYDROBROMIDE			302.17	C <sub>12</sub> H <sub>15</sub> NO <sub>3</sub> xHBr	
08.218.	HYDROQUINONE DIACETATE		[1205-91-0]	194.19	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	
08.219.	HYDROQUINONE MONOETHYLETHER		[622-62-8]	138.17	C <sub>8</sub> H <sub>10</sub> O <sub>2</sub>	
08.102.	HYDROQUINONE-b-D-GLUCOPYRANOSIDE	Arbutin; Uvasol	[497-76-7]	272.26	C <sub>12</sub> H <sub>16</sub> O <sub>7</sub>	Merck Index 11,799
08.103.	HYDROXOCOBALAMIN Hydrochloride	Vitamin B12a,HCl; Vitamin B12b.HCl	[78091-12-0]	1382.87	C <sub>62</sub> H <sub>90</sub> ClCoN <sub>13</sub> O <sub>15</sub> P	Merck Index 11,787
08.104.	2-HYDROXY-1,4-NAPHTHOQUINONE	Lawsone	[82-72-7]	174.16	C <sub>10</sub> H <sub>6</sub> O <sub>3</sub>	Merck Index 11,5263
08.105.	5'-HYDROXY-2-(HYDROXYMETHYL)-1,4-PYRANONE	Kojic Acid	[501-30-4]	142.11	C <sub>6</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,5197
08.106.	2'-HYDROXY-2-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.107.	3-HYDROXY-2'-METHOXYFLAVONE	2'-Methoxyflavonol		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.108.	6-HYDROXY-2'-METHOXYFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.109.	7-HYDROXY-2'-METHOXYFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.110.	DL-3-HYDROXY-2-PHENYLPROPIONIC ACID	DL-Tropic acid	[529-64-6]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	Merck Index 11,9691
08.111.	1,8-HYDROXY-3-(HYDROXYMETHYL)- ANTHRAQUINONE	Aloe emodin	[481-72-1]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
08.112.	7-HYDROXY-3',4'-(METHYLENEDIOXY) ISOFLAVONE	Pseudobaptigenin	[90-29-9]	282.26	C <sub>16</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,7925
08:223.	2-HYDROXY-3,4-DIMETHOXYBENZOICACID		[5653-46-3]	198.18	C <sub>9</sub> H <sub>10</sub> O <sub>5</sub>	
08.113.	2'-HYDROXY-3,4-DIMETHOXYCHALCONE	3,4-Dimethoxy-2'-hydroxychalcone		284.32	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	
08.114.	4'-HYDROXY-3,4- METHYLENEDIOXYCHALCONE					
08.115.	2-HYDROXY-3-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.116.	4-HYDROXY-3-METHOXYCINNAMALDEHYDE	Coniferaldehyde	[458-36-6]	178.19	C <sub>10</sub> H <sub>10</sub> O <sub>3</sub>	
08.117.	4-HYDROXY-3-METHOXYCINNAMYL ALCOHOL	Coniferyl alcohol	[458-35-5]	180.21	C <sub>10</sub> H <sub>12</sub> O <sub>3</sub>	Merck Index 11,2499
08.118.	DL-4-HYDROXY-3-METHOXYMANDELIC ACID	DL-Vanillomandelic acid (VMA)	[55-10-7]	198.17	C <sub>9</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,9840
08.119.	4-HYDROXY-3-PHENYLCOUMARIN		[1786-05-6]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.120.	2'-HYDROXY-4,4',6'-TRIMETHOXYCHALCONE		[3420-72-2]	314.35	C <sub>18</sub> H <sub>18</sub> O <sub>5</sub>	
08.121.	2'-HYDROXY-4',6',2,5-TETRAMETHOXYCHALCONE			344.37	C <sub>19</sub> H <sub>20</sub> O <sub>6</sub>	
08.225.	2-HYDROXY-4-METHOXYBENZOIC ACID		[2237-36-7]	168.15	C <sub>8</sub> H <sub>8</sub> O <sub>4</sub>	
08.122.	2'-HYDROXY-4'-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.123.	2-HYDROXY-4'-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.124.	2'-HYDROXY-4-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.125.	4'-HYDROXY-4-METHOXYDIHYDROCHALCONE			256.31	C <sub>16</sub> H <sub>16</sub> O <sub>3</sub>	
08.126.	3-HYDROXY-4'-METHOXYFLAVONE	4'-Methoxyflavonol		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.127.	5-HYDROXY-4'-METHOXYFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.128.	7-HYDROXY-4'-METHOXYFLAVONE	Pratol	[487-24-1]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.129.	7-HYDROXY-4'-METHOXYISOFLAVONE	Formononetin	[485-72-3]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,4157
08.130.	6-HYDROXY-4-METHYLCOUMARIN	4-Methyl-6-hydroxycoumarin	[2373-31-1]	176.17	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	
08.131.	7-HYDROXY-4-METHYLCOUMARIN	4-Methylumbelliferone	[90-33-5]	176.18	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	Merck Index 11,4792

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.132.	2'-HYDROXY-4'-PRENYLOXYCHALCONE					
08.133.	3-HYDROXY-5,6,7,4'-TETRAMETHOXYFLAVONE	Eupatorin-5-methyl ether	[21764-09-0]	358.36	C <sub>19</sub> H <sub>18</sub> O <sub>7</sub>	
08.134.	7-HYDROXY-5-METHYLFLAVONE			282.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
08.135.	7-HYDROXY-6-DESOXYVERBENALIN	Loganin	[18524-94-2]	390.40	C <sub>17</sub> H <sub>26</sub> O <sub>10</sub>	Merck Index 11,5441
08.136.	2'-HYDROXY-6'-METHOXYCHALCONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
08.137.	7-HYDROXY-6-METHOXYCOUMARIN	Chrysotropic acid; Esculetin-6-methylether; Scopoletin	[92-61-5]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8363 Planta medica., 49,46-50,1983
08.138.	3-HYDROXY-6-METHOXYFLAVONE	6-Methoxyflavonol		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.139.	5-HYDROXY-7,4'-DIMETHOXY-6,8-DIMETHYLFLAVONE	Eucalyptin	[3122-88-1]	326.36	C <sub>19</sub> H <sub>18</sub> O <sub>5</sub>	Ind.J.Chem., 1966(4)481.
08.140.	6-HYDROXY-7-METHOXY-4-PHENYLCOUMARIN	Dalbergin	[482-82-7]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Chem.Comm., 1968,1390.
08.141.	6-HYDROXY-7-METHOXYCOUMARIN	Isoscooletin	[776-86-3]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
08.142.	8-HYDROXY-7-METHOXYCOUMARIN	Daphnetin-7-methyl ether		192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
08.143.	5-HYDROXY-7-METHOXYFLAVANONE	Pinocembrin-7-methyl ether; Pinostrobin	[480-37-5]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	
08.144.	3-HYDROXY-7-METHOXYFLAVONE	7-Methoxyflavonol		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.145.	5-HYDROXY-7-METHOXYFLAVONE	Methylchrysin; Tectochrysin	[520-28-5]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,2261
08.146.	8-HYDROXY-7-METHOXYFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.147.	5-HYDROXY-7-METHOXYISOFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
08.148.	3-HYDROXY-9-METHOXYCOUMESTAN	7-Hydroxy-12-methoxycoumestan; 9-O-Methylcoumestrol				
08.149.	3-HYDROXY-9-METHOXYPTEROCARPAN	Medicarpin	[32383-76-9]	270.28	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Merck Index 11,5673
08.150.	4-HYDROXYACETOPHENONE-b-D-GLUCOSIDE	L-Picein	[530-14-3]	298.30	C <sub>14</sub> H <sub>18</sub> O <sub>7</sub>	Merck Index 11,7367
08.191.	7-HYDROXYARISTLOCHIC ACID A	See aristolochic acid A		357.27	C <sub>17</sub> H <sub>11</sub> NO <sub>8</sub>	
08.188.	4-HYDROXYBENZOICACID	p-hydroxybenzoic acid	[99-96-7]	138.12	C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>	
08.151.	5-d-HYDROXYBUTYL HYDANTOIN			172.19	C <sub>7</sub> H <sub>12</sub> O <sub>3</sub> N <sub>2</sub>	
08.152.	10-HYDROXYCAMPTOTHECIN			364.37	C <sub>20</sub> H <sub>16</sub> N <sub>2</sub> O <sub>5</sub>	Merck Index 11,1742
08.153.	2'-HYDROXYCHALCONE	Benzylidene-(2-hydroxyacetophenone)	[1214-47-4]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	
08.220.	2-HYDROXYCHALCONE		[644-78-0]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	
08.221.	4-HYDROXYCHALCONE		[20426-12-4]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.222.	4'-HYDROXYCHALCONE		[2657-25-2]	224.27	C <sub>15</sub> H <sub>12</sub> O <sub>2</sub>	
08.154.	2'-HYDROXYCHALCONE PHENYLHYDRAZONE			314.40	C <sub>21</sub> H <sub>18</sub> N <sub>2</sub> O	
08.155.	3-(3,4-HYDROXYCINNAMOYL)-D(-)-QUINIC ACID	Chlorogenic acid; Helianthic acid	[327-97-9]	354.32	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	Merck Index 11,2142 Biochem.J., 239.641(1986).
08.187.	HYDROXY-CITRIC ACID Ca-Salt			530.44	C <sub>12</sub> H <sub>10</sub> NO <sub>16</sub> Ca <sub>3</sub>	
08.156.	3-HYDROXYCOUMARIN		[939-19-5]	162.15	C <sub>9</sub> H <sub>6</sub> O <sub>3</sub>	
08.157.	4-HYDROXYCOUMARIN		[1076-38-6]	162.15	C <sub>9</sub> H <sub>6</sub> O <sub>3</sub>	
08.158.	7-HYDROXYCOUMARIN	Umbelliferone	[93-35-6]	162.14	C <sub>9</sub> H <sub>6</sub> O <sub>3</sub>	
08.159.	7-HYDROXYCOUMARIN-GLUCOSIDE	Umbelliferone glucoside; Skimmin	[93-39-0]	324.30	C <sub>15</sub> H <sub>16</sub> O <sub>8</sub>	Merck Index 11,8506
08.160.	2'-HYDROXYDAIDZEIN	2',4',7-Trihydroxyisoflavone		270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
08.161.	3-HYDROXY-DL-KYNURENINE	a,2-Diamino-3-hydroxy-gamma-oxobenzenebutanoic acid	[2147-61-7]	224.22	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,5207
08.162.	11β-HYDROXYETIOCHOLANOLONE	5β-Androstan-3a,11β-diol-17-one	[739-26-4]	306.46	C <sub>19</sub> H <sub>30</sub> O <sub>3</sub>	
08.163.	2'-HYDROXYFLAVANONE			240.26	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
08.164.	3'-HYDROXYFLAVANONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.165.	4'-HYDROXYFLAVANONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
08.166.	5-HYDROXYFLAVANONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
08.167.	6-HYDROXYFLAVANONE			240.27	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
08.168.	7-HYDROXYFLAVANONE		[6515-36-2]	240.26	C <sub>15</sub> H <sub>12</sub> O <sub>3</sub>	
08.009.	7-HYDROXYFLAVONE		[6665-86-7]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
08.170.	2'-HYDROXYFLAVONE			238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
08.171.	4'-HYDROXYFLAVONE			238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
08.172.	6-HYDROXYFLAVONE		[665-83-4]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
08.173.	6-HYDROXYFLAVONE-b-D-GLUCOSIDE			400.40	C <sub>21</sub> H <sub>20</sub> O <sub>8</sub>	
08.174.	7-HYDROXYFLAVONE-b-D-GLUCOSIDE			400.40	C <sub>21</sub> H <sub>20</sub> O <sub>8</sub>	
08.027.	7-HYDROXYFLAVONOL	7,3-Dihydroxyflavone		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
08.175.	2'-HYDROXYFLAVONOL	3,2'-Dihydroxyflavone		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
08.176.	4'-HYDROXYFLAVONOL	3,4'-Dihydroxyflavone		254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	
08.177.	3-a-HYDROXYFRIEDELAN-2-ONE			442.74	C <sub>30</sub> H <sub>50</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.178.	2'-HYDROXYGENISTEIN	5,7,2',4'-Tetrahydroxyisoflavone		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
08.179.	5-HYDROXYINDOLYL-3-ACETIC ACID	Metabolite of serotonin	[54-16-0]	191.19	C <sub>10</sub> H <sub>9</sub> NO <sub>3</sub>	Clin.Chem., 26,907(1980).
08.180.	4',7-HYDROXYISOFLAVAN	(+/-)Equol; 4',7-Isoflavandiol	[531-95-3]	242.28	C <sub>15</sub> H <sub>14</sub> O <sub>3</sub>	Merck Index 11,3583 Aust.J.Chem., (1978)31,455-7.
08.181.	7-HYDROXYISOFLAVONE				C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
08.224.	5-HYDROXYISOVANILLIC ACID		[4319-02-2]	184.15	C <sub>8</sub> H <sub>8</sub> O <sub>5</sub>	
08.182.	trans-4-HYDROXY-L-PROLINE	4-Hydroxypyrrolidine-2-carboxylic acid	[51-35-4]	131.13	C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub>	Merck Index 11,4775
08.183.	L-17-HYDROXYLUPANINE Perchlorate			364.83	C <sub>15</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> .HC <sub>10</sub> O <sub>4</sub>	Merck Index 11,4760
08.038.	P-HYDROXYMANDELONITRILE-b-D-GLUCOSIDE	Dhurrin	[499-20-7]	311.30	C <sub>14</sub> H <sub>17</sub> NO <sub>7</sub>	Merck Index 11,2937
08.041.	4-(HYDROXYMETHYL)-IMIDAZOLE Hydrochloride	4-Imidazolemethanol	[32673-41-9]	134.57	C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> O.HCl	
08.042.	11a-HYDROXYMETHYLTESTOSTERONE	4-Androsten-17a-methyl-11a,17β-diol-3-one	[1807-02-9]	318.47	C <sub>20</sub> H <sub>30</sub> O <sub>3</sub>	
08.028.	2-HYDROXYMYRISTIC ACID	2-Hydroxytetradecanoic acid	[2507-55-3]	244.38	C <sub>14</sub> H <sub>28</sub> O <sub>3</sub>	
08.051.	2-HYDROXYMYRISTIC ACID	2-Hydroxytetradecanoic acid	[2507-55-3]	244.28	C <sub>14</sub> H <sub>28</sub> O <sub>3</sub>	
08.056.	2-HYDROXPALMITIC ACID	2-Hydroxyhexadecanoic acid	[764-67-0]	272.44	C <sub>16</sub> H <sub>32</sub> O <sub>3</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.226.	4-(4-HYDROXYPHENYL)-2-BUTANONE		[156-38-7]	164.21	C <sub>10</sub> H <sub>12</sub> O <sub>2</sub>	
08.089.	N-(4-HYDROXYPHENYL)RETINAMIDE		[65646-68-6]	391.55	C <sub>26</sub> H <sub>33</sub> NO <sub>2</sub>	Moon, R.C., Thompson, H.J., Becci, P.J., et al. Cancer Res., 39:1339-1346 (1979).
08.029.	17a-HYDROXPREGNENOLONE	5-Pregnen-3 $\beta$ -17a-diol-20-one	[387-79-1]	334.51	C <sub>21</sub> H <sub>34</sub> O <sub>3</sub>	
08.093.	17a-HYDROXPREGNENOLONE 17-ACETATE	5-Pregnen-3 $\beta$ -17a-diol-20-one-acetate		375.54	C <sub>23</sub> H <sub>35</sub> O <sub>4</sub>	
08.012.	17a-HYDROXPREGNENOLONE 3,17-DIACETATE	5-Pregnen-3 $\beta$ ,17a-diol-20-one 3,17-diacetate	[1176-21-2]	416.57	C <sub>25</sub> H <sub>36</sub> O <sub>5</sub>	
08.013.	11a-HYDROXYPROGESTERONE	4-Pregnen-11a-ol-3,20-dione	[80-75-1]	330.48	C <sub>21</sub> H <sub>30</sub> O <sub>3</sub>	
08.014.	11 $\beta$ -HYDROXYPROGESTERONE	4-Pregnen-11 $\beta$ -ol-3,20-dione	[600-57-7]	330.48	C <sub>21</sub> H <sub>30</sub> O <sub>3</sub>	
08.015.	17a-HYDROXYPROGESTERONE	4-Pregnen-11a-ol-3,20-dione	[68-96-2]	330.48	C <sub>21</sub> H <sub>30</sub> O <sub>3</sub>	Merck Index 11,4773
08.016.	21-HYDROXYPROGESTERONE	Deoxycorticosterone; 4-Pregnen-21-ol-3,20-dione	[64-85-7]	330.48	C <sub>21</sub> H <sub>30</sub> O <sub>3</sub>	Merck Index 11,2882
08.017.	17a-HYDROXYPROGESTERONE ACETATE	17a-Acetoxyprogesterone; 4-Pregnen-17a-ol-3,20-dione acetate		372.52	C <sub>23</sub> H <sub>32</sub> O <sub>4</sub>	
08.018.	5-HYDROXYPSEUDOBAPTIGENIN	5,7-Dihydroxy-3',4'-methylenedioxyisoflavone		298.26	C <sub>16</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,7925

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.227.	4-HYDROXYQUINOLINE		[611-36-9]	129.17	C <sub>9</sub> H <sub>7</sub> NO	
08.019.	8-HYDROXYQUINOLINE-b-D-GLUCOPYRANOSIDE		[229266-96-4]	307.31	C <sub>15</sub> H <sub>17</sub> NO <sub>6</sub>	
08.020.	8-HYDROXYQUINOLINE-b-D-GLUCORONIDE	Quinolyl-8b-glucuronic acid	[14683-61-5]	321.29	C <sub>15</sub> H <sub>15</sub> NO <sub>7</sub>	Biochem J., 53,125(1953) J.Histochem.Cytochem., 4,570 (1956).
08.228.	6-HYDROXYTROPINONE		[5932-53-6]	155.2	C <sub>8</sub> H <sub>13</sub> NO <sub>2</sub>	
08.021.	5-HYDROXYTRYPTAMINE BIMALEATE	Serotonin bimaleate	[18525-25-2]	292.30	C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>5</sub>	Merck Index 11,8413
08.022.	5-HYDROXYTRYPTAMINE CREATININE SULPHATE	Serotonin creatinine sulphate	[61-47-2]	405.43	C <sub>14</sub> H <sub>19</sub> N <sub>5</sub> O <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub>	Merck Index 11,8413 J.Med.Chem., 30,1-12(1987).
08.023.	DL-5-HYDROXYTRYPTOPHAN		[114-03-4]	220.30	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,4784
08.024.	3-HYDROXYTYRAMINE Hydrochloride	Dopamine HCl; 3,4-Dihydroxy-phenethylamine HCl	[62-31-7]	189.64	C <sub>8</sub> H <sub>11</sub> NO <sub>2</sub> .HCl	Merck Index 11,3415
08.004.	HYDROXYVALERENIC ACID		[101628-22-2]	250.00	C <sub>15</sub> H <sub>22</sub> O <sub>3</sub>	
08.229.	L-HYOSCYAMINE		[101-31-5]	289.38	C <sub>17</sub> H <sub>23</sub> NO <sub>3</sub>	
08.230.	HYOSCYAMINE HYDROBROMIDE		[306-03-6]	370.29	C <sub>17</sub> H <sub>23</sub> NO <sub>3</sub> xHBr	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
08.231.	HYOSCYAMINE SULFATE		[620-61-1]		(C <sub>17</sub> H <sub>23</sub> NO <sub>3</sub> ) <sub>2</sub> SO <sub>4</sub>	
08.184.	HYPERFORIN			536	C <sub>35</sub> H <sub>52</sub> O <sub>4</sub>	
08.005.	HYPERICIN	Mycopophyrin; Cyclosan	[548-04-9]	504.43	C <sub>30</sub> H <sub>16</sub> O <sub>8</sub>	Merck Index 11,4799 Natwiss., 1951,47.
08.025.	HYPERIN	Hyperoside; Quercetin-3-galactoside	[482-36-0]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,8044
08.008.	HYPEROSIDE	Hyperin; Quercetin-3b-D-galactoside	[482-36-0]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,8044
08.192.	HYPOCRELLIN A			546.52	C <sub>30</sub> H <sub>26</sub> O <sub>10</sub>	Nenghui W, Zhiyi Z. J Photochem Photobiol. B. 14:207-17 (1992)
08.193.	HYPOCRELLIN B			528.51	C <sub>30</sub> H <sub>24</sub> O <sub>9</sub>	
08.185.	HYPOPHYLLANTIN			430	C <sub>24</sub> H <sub>30</sub> O <sub>7</sub>	
08.026.	HYPOXANTHINE	6-Hydroxypurine	[68-94-0]	136.12	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O	Merck Index 11,4805
09.031.	IBERVERIN		[505-79-3]	147.26	C <sub>5</sub> H <sub>9</sub> NS <sub>2</sub>	
09.076.	IBOTENIC ACID		[2552-55-8]	158.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub>	
09.032.	IBUPROFEN		[15687-27-1]	206.28	C <sub>13</sub> H <sub>18</sub> O <sub>2</sub>	Kelloff, G.J., Boone, C.W., Crowell, J.A., et al. Cancer Epidemiol. Biomarkers Prev., 3:85-98 (1994).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.070.	ICARIIN			676.66	C <sub>33</sub> H <sub>40</sub> O <sub>15</sub>	Lee Mk, Choi YJ, Sung SH, Planta Medica 61:523-526 (1995)
09.033.	ICHTHYNONE			408.42	C <sub>23</sub> H <sub>20</sub> O <sub>7</sub>	Tet., 1964,1317
09.034.	IDAEIN CHLORIDE	Cyanidin-3-galactoside chloride	[27661-36-5]	484.86	C <sub>21</sub> H <sub>21</sub> C <sub>10</sub> I <sub>11</sub>	Merck Index 11,2694
09.071.	IDARUBICIN HYDROCHLORIDE		[57852-57-0]	533.96	C <sub>26</sub> H <sub>27</sub> N <sub>9</sub> xHCl	Ganzina F, Pacciarini MA, Di Pietro N. Invest New Drugs. 4:85-105 (1986)
09.077.	IDEAIN CHLORIDE		[27661-36-5]	484.82	C <sub>21</sub> H <sub>21</sub> O <sub>11</sub> Cl	
09.035.	IDOXURIDINE	5-Iodo-2'-deoxyuridine	[54-42-2]	354.10	C <sub>9</sub> H <sub>11</sub> N <sub>2</sub> O <sub>5</sub>	Pressacco, J., Hedley, D.W., Erlichman, C. Cancer Res., 55:3772-3778 (1994).
09.072.	IKARUGAMYCIN			480.64	C <sub>29</sub> H <sub>40</sub> N <sub>2</sub> O <sub>4</sub>	Jomon K, Koruda Y, Ajisaka M, Sakai H. J. Antibot (Tokyo) 25:271-80 (1972)
09.036.	4-IMIDAZOLE-ACRYLIC ACID Dihydrate	Urocanic acid	[104-98-3]	174.16	C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> .2H <sub>2</sub> O	Merck Index 11,9691
09.037.	IMPERATORIN	Marmelosin; Ammidin	[482-44-0]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Merck Index 11,4839
09.038.	INDOLE	2,3-Benzopyrrole	[120-72-9]	117.15	C <sub>8</sub> H <sub>7</sub> N	Merck Index 12,4993



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.039.	INDOLE-3-CARBINOL HYDRATE	4-Indomethanol	[123334-15-6]	147.18	C <sub>9</sub> H <sub>9</sub> NO.xH <sub>2</sub> O	Grubbs, C.J., Steele, V.E., Casebolt, T. et al. Anticancer Res., 15:709-716 (1995).
09.008.	2-INDOLINON	Oxindol	[59-48-3]	133.15	C <sub>8</sub> H <sub>7</sub> NO	Beilstein 21,8,V,7
09.040.	INDOMETHACIN		[53-86-1]	357.79	C <sub>19</sub> H <sub>16</sub> CINO <sub>4</sub>	Verma, A.K., Ashendel, C.L., Boutwell, R.K. Cancer Res., 40:308-315 (1980).
09.073.	INOSITOL		[87-89-8]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Wattenber LW, Anticancer Res. 19:3659-61 (1999)
09.041.	5-iodo-2'-DEOXYCYTIDINE		[611-53-0]	353.12	C <sub>9</sub> H <sub>12</sub> IN <sub>3</sub> O <sub>4</sub>	
09.042.	5-iodo-2'-DEOXYRIDINE	Idoxuridine; IDU	[54-42-2]	354.11	C <sub>9</sub> H <sub>11</sub> IN <sub>2</sub> O <sub>5</sub>	
09.043.	19-iodocholest-5-en-3-β-ol	19-Iodocholesterol		512.56	C <sub>27</sub> H <sub>45</sub> IO	
09.045.	3-iodo-L-TYROSINE		[70-78-0]	307.09	C <sub>9</sub> H <sub>10</sub> INO <sub>3</sub>	Merck Index 11,4937
09.046.	6-β-iodomethylnorcholesterol					
09.047.	5-iodouracil	2,4-Dihydroxy-5-iodopyridine	[696-07-1]	237.98	C <sub>4</sub> H <sub>3</sub> IN <sub>2</sub> O <sub>2</sub>	
09.048.	5-iodouridine	2,4-Dihydroxy-5-iodo-1-β-D-ribofuranosylpyridine	[1024-99-3]	370.11	C <sub>9</sub> H <sub>11</sub> In <sub>2</sub> O <sub>6</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.069.	IODPHENOXYACETICACID	4-Iodophenoxyacetic acid	[1878 - 94 - 0]	278,05	C <sub>8</sub> H <sub>7</sub> O <sub>3</sub> I	
09.074.	IONOMYCIN CALCIUM SALT		[56092-82-1]	747.1	C <sub>41</sub> H <sub>70</sub> O <sub>9</sub> Ca	Myake H, Hara I, Yamanaka K, Arakawa S, Kamidono S. J Urology. 162:916-21 (1999)
09.078.	ALPHA-IONONE		[127-41-3]	192.3	C <sub>13</sub> H <sub>20</sub> O	
09.079.	BETA-IONONE		[79-77-6]	192.3	C <sub>13</sub> H <sub>20</sub> O	
09.080.	IPRIFLAVONE		[35212-22-7]	280.33	C <sub>18</sub> H <sub>16</sub> O <sub>3</sub>	
09.009.	ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE	IPTG Hemidioxane	[367-93-1]	238.31	C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S	
09.049.	IRIDOL	4,5-Dimethoxy-3-hydroxytoluene	[1128-32-1]	168.20	C <sub>9</sub> H <sub>12</sub> O <sub>3</sub>	
09.075.	ISATIN	Indole-2,3-dione	[91-56-5]	147.13	C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub>	Hamaue N. Yakugaku Zasshi. 120:352-62 (2000)
09.050.	ISLANDICIN	1,4,8-Trihydroxy-3-methylantraquinone	[476-56-2]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
09.051.	ISOBERGAPTEN	Angelicine	[523-50-2]	186.17	C <sub>11</sub> H <sub>6</sub> O <sub>3</sub>	
09.081.	(+/-)-ISOBORNEOL		[124-76-5]	154.25	C <sub>10</sub> H <sub>18</sub> O	
09.082.	ISOBORNYL ACETATE		[125-12-2]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.083.	ISOBORNYL ISOVALTRATE		[7779-73-9]	238.38	C <sub>15</sub> H <sub>26</sub> O <sub>2</sub>	
09.084.	ISOBUTANOL		[78-83-1]	74.12	C <sub>4</sub> H <sub>10</sub> O	
09.085.	ISOBUTYL ACETATE		[110-19-0]	116.17	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	
09.007.	ISOCHLOROGENIC ACID	5-(3,4-Dihydroxycinnamoyl)-D-(-)-quinic acid	[327-97-9]	354.32	C <sub>16</sub> H <sub>18</sub> O <sub>9</sub>	
09.052.	ISOCHOLESTEROL	Lanosterol; 3 $\beta$ -Hydroxy-8,24-lanostadiene.	[79-63-0]	426.74	C <sub>30</sub> H <sub>50</sub> O	
09.053.	DL-ISOCITRIC ACID LACTONE		[4702-32-3]	174.11	C <sub>6</sub> H <sub>6</sub> O <sub>6</sub>	
09.054.	ISOCORDOIN	2',4'-Dihydroxy-3'-prenyloxychalcone				
09.055.	(+)-ISOCORYDINE	Luteanine; Artabotrine	[475-67-2]	341.39	C <sub>20</sub> H <sub>23</sub> NO <sub>4</sub>	Merck Index 11,5046
09.086.	ISOEUGENOL		[97-54-1]	164.21	C <sub>10</sub> H <sub>12</sub> O <sub>2</sub>	
09.087.	ISOEUGENYLACETATE		[[93-29-8]	206.24	C <sub>12</sub> H <sub>14</sub> O <sub>3</sub>	
09.001.	ISOFERULIC ACID	Hesperetic acid; 3-Hydroxy-4-methoxycinnamic acid	[537-73-5]	194.19	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	
09.056.	ISOLIQUIRITIGENIN	2',4',4'-Trihydroxychalcone		256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
09.088.	ISOLONGIFOLENE		[1135-66-6]	204.36	C <sub>15</sub> H <sub>24</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.089.	(-)-ISOLONGIFOLOL		[1139-17-9]	222.38	C <sub>15</sub> H <sub>26</sub> O	
09.057.	D- $\alpha$ -ISOLUPANINE PERCHLORATE		[486-87-3]	348.84	C <sub>15</sub> H <sub>24</sub> N <sub>2</sub> O.HClO <sub>4</sub>	
09.058.	ISOMALTOSE	$\alpha$ -1,6-Glucobiose; 6-O- $\alpha$ -D-Glucopyranosyl-D-glucose	[499-40-1]	342.31	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	
09.090.	ISOMALTOSE		[499-40-1]	342.3	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	
09.091.	(+)-ISOMENTHOL		[23283-97-8]	156.27	C <sub>10</sub> H <sub>20</sub> O	
09.092.	(+/-)-ISOMENTHOL		[23283-97-8]	156.27	C <sub>10</sub> H <sub>20</sub> O	
09.093.	ISOMENTHONE		[491-07-6]	154.25	C <sub>10</sub> H <sub>18</sub> O	
09.059.	ISOOKANIN-7-GLUCOSIDE	Flavanomarein; 7-O-Glucosyl-4',5',5-trihydroxyflavanone	[577-38-8]	450.41	C <sub>21</sub> H <sub>22</sub> O <sub>11</sub>	
09.060.	ISO-OSAJIN			404.48	C <sub>25</sub> H <sub>24</sub> O <sub>5</sub>	Merck Index 11,6842
09.061.	ISO-OSAJIN-4'-METHYLETHER			418.50	C <sub>26</sub> H <sub>26</sub> O <sub>5</sub>	
09.066.	ISOPETASIN			316.4	C <sub>20</sub> H <sub>28</sub> O <sub>3</sub>	
09.062.	ISOPILOSINE		[491-88-3]	286.34	C <sub>16</sub> H <sub>18</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,5085
09.063.	ISOPIMPINELLIN	Dimethylpsoralen	[482-27-9]	246.23	C <sub>13</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,7406

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.094.	(+)-ISOPINOCAMPHEOL		[24041-60-9]	154.25	C <sub>10</sub> H <sub>18</sub> O	
09.095.	(-)-ISOPINOCAMPHEOL		[1196-00-5]	154.25	C <sub>10</sub> H <sub>18</sub> O	
09.064.	ISOPOMIFERIN			420.48	C <sub>25</sub> H <sub>24</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1946,406
09.065.	ISOPOMIFERIN-4',4'-DIMETHYLETHER			448.53	C <sub>27</sub> H <sub>28</sub> O <sub>6</sub>	
09.069.	2-ISOPROPYLIDENE-5-METHYLCYCLOHEXANONE	Pulegone	[89-82-7]	152.24	C <sub>10</sub> H <sub>16</sub> O	Merck Index 11,7955
09.011.	2'3'-ISOPROPYLIDENE-ADENOSINE		[362-75-4]	307.32	C <sub>13</sub> H <sub>17</sub> N <sub>5</sub> O <sub>4</sub>	
09.012.	1,2-O-ISOPROPYLIDENE-D-GLUCOFURANOSE		[18549-40-1]	220.22	C <sub>9</sub> H <sub>16</sub> O <sub>6</sub>	
09.013.	2'3'-ISOPROPYLIDENE-GUANOSINE		[362-76-5]	323.31	C <sub>13</sub> H <sub>17</sub> N <sub>5</sub> O <sub>5</sub>	
09.014.	5,6-ISOPROPYLIDENE-L-ASCORBIC ACID	Ascorbic Acid Acetonide	[15042-01-0]	216.20	C <sub>9</sub> H <sub>12</sub> O <sub>6</sub>	
09.096.	ISOPROPYLLGALLATE		[1138-60-9]	212.21	C <sub>10</sub> H <sub>12</sub> O <sub>5</sub>	
09.067.	ISOPROPYLNICOTINAT		[553 - 60 - 6]	165	C <sub>9</sub> H <sub>11</sub> O <sub>2</sub> N	
09.015.	ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE	IPTG Hemidioxane	[367-93-1]	238.31	C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S	
09.044.	ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE	IPTG Dioxane free	[367-93-1]	238.31	C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.016.	ISOPROPYL- $\beta$ -D-THIOGALACTOPYRANOSIDE Dioxane free	IPTG; Isopropyl- $\beta$ -thiogalactopranoside	[367-93-1]	238.31	C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S	
09.097.	(-)-ISOPULEGOL		[89-79-2]	154.25	C <sub>10</sub> H <sub>18</sub> O	
09.010.	ISOQUERCITRIN	Quercetin-3-O- $\beta$ -D-glucopyranose; Trifoliin; Quercetin-3-Glucoside	[21637-25-2]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,5109
09.002.	ISORHAMNETIN	3'-Methoxy-3,5,7,4'-tetrahydroxyflavone	[418-19-3]	316.27	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170 J.Chem.Soc., 1926,2336.
09.018.	ISORHAMNETIN-3-GLUCOSIDE			478.42	C <sub>22</sub> H <sub>22</sub> O <sub>12</sub>	
09.019.	ISORHAMNETIN-3-RUTINOSIDE	Narcissin	[604-80-8]	624.57	C <sub>28</sub> H <sub>32</sub> O <sub>16</sub>	
09.020.	ISORHOIFOLIN	Apigenin-7-Rutinoside	[522-57-8]	578.54	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
09.021.	ISOSAKURANETIN	5,7-Dihydroxy-4'-methoxyflavanone	[480-43-3]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	
09.022.	ISOSAKURANETIN-7-NEOESPERIDOSIDE	Poncirin	[14941-08-3]	594.58	C <sub>28</sub> H <sub>34</sub> O <sub>14</sub>	Tet.Lett., 1968,1635. Compt.Rendu., 1946(223)45.
09.023.	ISOSAKURANETIN-7-RUTINOSIDE	Didymin; Neoponcirin	[14259-47-3]	594.58	C <sub>28</sub> H <sub>34</sub> O <sub>14</sub>	
09.024.	ISOSALIPURPOL	2',4',6',4'-Tetrahydroxychalcone; Naringenin chalcone		272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
09.025.	ISOSCOPOLETIN	6-Hydroxy-7-methoxycoumarin	[776-86-3]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
09.006.	ISOSILANDRIN			466.46	C <sub>25</sub> H <sub>22</sub> O <sub>9</sub>	
09.004.	ISOSILYBIN	Mix		482.46	C <sub>25</sub> H <sub>20</sub> O <sub>10</sub>	
09.005.	ISOSILYBIN A			482.46	C <sub>25</sub> H <sub>20</sub> O <sub>10</sub>	
09.026.	11-ISOSPARTEIN	Genisteine (Alkaloid)	[446-95-7]	252.37	C <sub>15</sub> H <sub>26</sub> N <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,4282
09.027.	ISOTHEBAINE		[568-21-8]	311.37	C <sub>19</sub> H <sub>21</sub> NO <sub>3</sub>	Merck Index 11,5116
09.098.	ISOVALERIC ACID		[503-74-2]	102.14	C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	
09.003.	ISOVITEXIN	Apigenin-6-C-glucoside; Saponaretin	[29702-25-8]	432.39	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
09.029.	ISOXANTHOTHUMOL			353.30	C <sub>21</sub> H <sub>21</sub> O <sub>5</sub>	
09.099.	CIS-JASMONE		[488-10-8]	164.25	C <sub>11</sub> H <sub>16</sub> O	
09.028.	JATRORRHIZINE IODIDE		[3621-38-3]	465.30	C <sub>20</sub> H <sub>20</sub> INO <sub>4</sub>	Merck Index 11,5142
09.017.	JUGLONE	5-Hydroxy-1,4-naphthoquinone	[481-39-0]	174.16	C <sub>10</sub> H <sub>6</sub> O <sub>3</sub>	Merck Index 11,5150
10.004.	KAEMPFERIDE	4'-Methoxy-3,5,7-trihydroxyflavone	[491-54-3]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
10.052.	KAEMPFERIDINIDIN CHLORIDE			320.71	C <sub>16</sub> H <sub>13</sub> O <sub>5</sub> Cl	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
10.002.	KAEMPFEROL	3,4',5,7-Tetrahydroxyflavone	[520-18-3]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5156
10.005.	KAEMPFEROL 3-ROBINOSIDE 7-RHAMNOSIDE	Robinin	[301-19-9]	740.68	C <sub>33</sub> H <sub>40</sub> O <sub>19</sub>	Merck Index 11,8230
10.006.	KAEMPFEROL-3-(P-COUMARYL)GLUCOSIDE	Tiliroside	[20316-62-5]	594.52	C <sub>30</sub> H <sub>26</sub> O <sub>13</sub>	Natwiss., 1959,358.
10.007.	KAEMPFEROL-3,4'-DIMETHYL ETHER	Ermanin; 3,4'-Dimethoxy-5,7-dihydroxyflavone	[20869-95-8]	314.29	C <sub>17</sub> H <sub>14</sub> O <sub>6</sub>	
10.008.	KAEMPFEROL-3,7,4'-TRIMETHYL ETHER		[15486-34-7]	328.33	C <sub>18</sub> H <sub>16</sub> O <sub>6</sub>	
10.009.	KAEMPFEROL-3-O-GLUCOSIDE	Astragalin		448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	Merck Index 11,5156
10.053.	KAEMPFEROL-3-O-RUTINOSIDE		[17650-84-9]	594.53	C <sub>27</sub> H <sub>30</sub> O <sub>15</sub>	
10.010.	KAEMPFEROL-3-RHAMNOGLUCOSIDE	Kaempferol-3-Rutinoside; Nicotoflorin	[17650-84-9]	594.54	C <sub>27</sub> H <sub>30</sub> O <sub>15</sub>	Natwiss., 1955(42)607.
10.012.	KAEMPFEROL-7,4'DIMETHOXY-8-BUTYRYL ESTER			400.40	C <sub>21</sub> H <sub>20</sub> O <sub>8</sub>	
10.013.	KAEMPFEROL-7,4'-DIMETHYL ETHER	3,5-Dihydroxy-4',7-dimethoxyflavone	[15486-33-6]	314.00	C <sub>17</sub> H <sub>14</sub> O <sub>6</sub>	
10.014.	KAEMPFEROL-7-NEOHESPERIDOSIDE	Kaempferol-7-o-a-L-rhamnosido-D-glucoside	[13353-03-6]	594.53	C <sub>27</sub> H <sub>30</sub> O <sub>15</sub>	Merck Index 11,5156
10.015.	KAHWEOL		[6894-43-5]	314.19	C <sub>20</sub> H <sub>26</sub> O <sub>3</sub>	Lam, L.K.T., Spamins, V.L. and Wattenberg, L.W. Cancer Res., 42:1193-1198 (1982).



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
10.016.	KAHWEOL ACETATE		[81760-4706]	356.47	C <sub>22</sub> H <sub>28</sub> O <sub>4</sub>	Lam, L.K.T., Sparnins, V.L., and Wattenberg, L.W. J. Med. Chem., 30:1399-1403 (1987).
10.017.	KAHWEOL PALMITATE		[81760-45-4]	552.42	C <sub>36</sub> H <sub>56</sub> O <sub>4</sub>	Lam, L.K.T., Sparnins, V.L. and Wattenberg, L.W. Cancer Res., 42:1193-1198 (1982).
10.051.	KAINIC ACID		[487-79-6]	213.23	C <sub>10</sub> H <sub>15</sub> NO <sub>4</sub>	Sun H, Hashino E, Ding DI. Salvi RJ. J Comp Neurol 430:172-181 (2001)
15.160.	KALIUMSORBAT	2,4-Hexadienoic acid potassium salt	[24634-61-5]	150.22	C <sub>6</sub> H <sub>7</sub> KO <sub>2</sub>	Budavari, S. The Merck Index, 12t
10.018.	KARANJIN	3-Methoxy-2-phenyl-4H-furo[2,3-h]-1-benzopyran-4-one	[521-88-0]	292.30	C <sub>18</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,5163
10.001.	D/L-KAVAIN	Kawain	[3155-48-4]	230.26	C <sub>14</sub> H <sub>14</sub> O <sub>3</sub>	Merck Index 12,5299
10.030.	Kavain natural	Kawain	[3155-48-4]	230.26	C <sub>14</sub> H <sub>14</sub> O <sub>3</sub>	Merck Index 12,5299
10.032.	Kava-Kava-Kit					
10.019.	KERACYANIN CHLORIDE	Cyanidin-3-rutinoside chloride	[18719-76-1]	631.00	C <sub>27</sub> H <sub>31</sub> O <sub>15</sub> C <sub>1</sub>	Merck Index 11,2694
10.020.	KETOCONAZOLE		[65277-42-1]	531.43	C <sub>26</sub> H <sub>28</sub> Cl <sub>2</sub> N <sub>4</sub> O <sub>4</sub>	Van Wauwe, J.P., Janssen, P.A.J. J. Med. Chem., 32:2231-2239 (1989).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
10.021.	5-KETO-D-GLUCONIC ACID CALCIUM SALT	Calcium 5-keto-d-gluconate	[3470-36-8]	426.35	C <sub>12</sub> H <sub>18</sub> CaO <sub>14</sub>	
10.022.	2-KETO-D-GLUCONIC ACID hemicalcium salt		[3470-37-9]	462.38	C <sub>12</sub> H <sub>18</sub> CaO <sub>14</sub>	
10.023.	11-KETOETIOCHOLANOLONE	5 $\beta$ -Androstan-3 $\alpha$ -ol-11-17-dione; Etiocholan-3 $\alpha$ ,ol-11,17-dione	[739-27-5]	304.43	C <sub>19</sub> H <sub>18</sub> O <sub>3</sub>	
10.024.	2-KETOPIMELIC ACID			174.15	C <sub>7</sub> H <sub>10</sub> O <sub>5</sub>	
10.025.	KETOPROFEN		[22071-15-4]	254.28	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	Rao, K.V., Detrisai, C.J. Steele, V.E., et al. Carcinogenesis, 17:1435-1438 (1996).
10.050.	Ketotifen-N-Oxid	4,9-Dihydro-4-(1-methyl-4-piperidinyl-idene-10 H-benzo-[4,5]-cyclohepta-[1,2-b]-thiophen-10-one-N-oxid		325.43	C <sub>19</sub> H <sub>19</sub> N O <sub>2</sub> S	
10.003.	KHELLIN	[4,9-Dimethoxy-7-methylfuro[3,2-g](1)benzopyran-5-one]	[82-02-0]	260.25	C <sub>14</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,5189
10.026.	$\alpha$ -D-KOJIBIOSE	2-O- $\alpha$ -D-Glucopyranosyl- $\alpha$ -D-glucopyranose		342.31	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	
10.027.	KOJIC ACID	5'-Hydroxy-2-(hydroxymethyl)-1,4-pyranone	[501-30-4]	142.11	C <sub>6</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,5197
18.152.	K-STROPHANTIN		[33279-57-1]	872.96	C <sub>42</sub> H <sub>64</sub> O <sub>19</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
10.028.	KUROMANIN CHLORIDE	Cyanidin-3-glucoside chloride. Chrysanthemin; Asterin		484.86	C <sub>21</sub> H <sub>21</sub> C <sub>10</sub> O <sub>11</sub>	Merck Index 11,2694
10.029.	DL-KYNURENINE SULPHATE Monohydrate		[2126-91-2]	324.32	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> .H <sub>2</sub> SO <sub>4</sub> .H <sub>2</sub> O	Merck Index 11,5207
11.030.	LABURNINE	Cytisine; Ulexine	[485-35-8]	190.25	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O	Merck Index 11,2795
11.063.	LAGOCHILINE			356.50	C <sub>20</sub> H <sub>36</sub> O <sub>5</sub>	Schultes RE. Science. 163:245-54 (1969)
11.031.	LAMINARIN		[9008-22-2]	162.00	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	Merck Index 11,5226
11.032.	LANATOSIDE A	Digilanide A	[17575-20-1]	969.14	C <sub>49</sub> H <sub>76</sub> O <sub>19</sub>	Merck Index 11,5229
11.033.	LANATOSIDE B		[15575-21-2]	985.16	C <sub>49</sub> H <sub>76</sub> O <sub>20</sub>	Merck Index 11,5229
11.034.	LANATOSIDE C		[15575-22-3]	985.16	C <sub>49</sub> H <sub>76</sub> O <sub>20</sub>	Merck Index 11,5229
11.035.	LANESOL	2,3-Dibromo-4,5-dihydroxybenzyl alcohol	[4950-06-5]	297.94	C <sub>7</sub> H <sub>6</sub> Br <sub>2</sub> O <sub>3</sub>	
11.036.	DL-LANTHIONINE	bis(2-Amino-2-carboxyethyl)sulfide	[922-55-4]	208.23	C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S	Merck Index 11,5234
11.072.	LAPACHOL		[84-79-7]	242.28	C <sub>15</sub> H <sub>14</sub> O <sub>3</sub>	
11.064.	LAPPACONITINE		[32854-75-4]	584.70	C <sub>32</sub> H <sub>44</sub> N <sub>2</sub> O <sub>8</sub>	Ono, M, Satoh T. Res Comm. Chem Path Pharm 63:13-25 (1989)

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.037.	DL-LAUDANOSINE		[2688-77-9]	357.46	C <sub>21</sub> H <sub>27</sub> NO <sub>4</sub>	Merck Index 11,5249
11.073.	DL-LAUDANOSOLINE HYDROBROMIDE			382.25	C <sub>17</sub> H <sub>19</sub> NO <sub>4</sub> xHBr	
11.074.	LAURALDEHYDE		[112-54-9]	184.32	C <sub>12</sub> H <sub>24</sub> O	
11.075.	(+/-)-LAVANDULOL		[1845-51-8]	154.25	C <sub>10</sub> H <sub>18</sub> O	
11.076.	(+/-)-LAVANDULYL ACETATE		[50373-59-6]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	
11.038.	LAWSONE	2-Hydroxy-1,4-naphthoquinone	[83-72-7]	174.16	C <sub>10</sub> H <sub>6</sub> O <sub>3</sub>	Merck Index 11,5263
11.039.	DL-LECITHIN	1,2-Dipalmitoyl-DL-3-glycerolphosphorocholine		734.07	C <sub>40</sub> H <sub>80</sub> NO <sub>8</sub> P	
11.040.	L-LECITHIN	Vitellin, Kelecicn, Granulestin	[8002-43-5]	734.07	C <sub>40</sub> H <sub>80</sub> NO <sub>8</sub> P	Merck Index 12,5452
11.077.	(+)-LEDENE		[21747-46-6]	204.36	C <sub>15</sub> H <sub>24</sub>	
11.041.	LEUCENOL	L-Mimosine	[500-44-7]	198.18	C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,6118
11.042.	L-LEUCINE-7-AMIDO-4-METHYLCOUMARIN HC	Leu-MCA; L-Leucine-4-methyl-7-coumarinylamide hydrochloride	[66447-31-2]	288.35	C <sub>16</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub>	Biochim.Biophys.Acta., 719,532 (1982).
11.043.	LEUCOCYANIDIN (polymer)	3,3',4,4',5,7-Hexahydroxyflavane	[480-17-1]	306.28	(C <sub>15</sub> H <sub>14</sub> O <sub>7</sub> ) <sub>n</sub>	Merck Index 11,5334
11.044.	LEUCOPTERIN	2-Amino-4,6,7-Trihydroxypteridine	[492-11-5]	183.13	C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.065.	LEVODOPA		[59-92-7]	197.19	C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub>	Morris JG. Clin Exp Neurol. 15:24-50 (1978)
11.045.	LEVOGLUCOSAN	1,6-Anhydro-B-D-Glucose	[498-07-7]	162.15	C <sub>6</sub> H <sub>10</sub> O <sub>5</sub>	
11.046.	LEVULINIC ACID		[123-76-2]	116.12	C <sub>5</sub> H <sub>8</sub> O <sub>3</sub>	Merck Index 11,5352
11.078.	LICHENIN		[1402-10-4]		(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	
11.061.	LIGNAN A					
11.059.	LIGUSTILIDE Z		[81944-09-4]	190.24	C <sub>12</sub> H <sub>14</sub> O <sub>2</sub>	
11.047.	LIMETIN	5,7-Dimethoxycoumarin	[487-06-9]	206.20	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,5370
11.048.	LIMONENE		[138-86-3]	136.23	C <sub>10</sub> H <sub>16</sub>	Gould, M.N. Environ Health Perspect., 105(Suppl4):977-979 (1997).
11.079.	(cis+trans)-1,2-(+)-LIMONENE OXIDE		[1195-92-2]	152.24	C <sub>10</sub> H <sub>16</sub> O	
11.080.	(cis+trans)-1,2-(-)-LIMONENE OXIDE			152.24	C <sub>10</sub> H <sub>16</sub> O	
11.049.	LIMONIN		[1180-71-8]	470.53	C <sub>26</sub> H <sub>30</sub> O <sub>3</sub>	Merck Index 11,5372

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.066.	LIMONIN GLUCOSIDE	Limonin 17beta-D-glucopyranoside		650.67	C <sub>32</sub> H <sub>42</sub> O <sub>14</sub>	Miller EG, Gonzales-Sanders AP, Couvillon AM et al. Nutr. Cancer 17:1-7 (1992)
11.081.	(-)-LINALOOL		[126-91-0]	154.25	C <sub>10</sub> H <sub>18</sub> O	
11.082.	LINALOOL OXIDE		[60047-17-8]	170.25	C <sub>10</sub> H <sub>18</sub> O <sub>2</sub>	
11.083.	LINALYL ACETATE		[115-95-7]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	
11.003.	LINALOOL		[78-70-6]	154.25	C <sub>10</sub> H <sub>18</sub> O	Merck Index 12,5520
11.050.	LINARIGENIN	Acacetin; 5,7-Dihydroxy-4'-methoxyflavone	[480-44-4]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,9
11.051.	LINARIN	Acacetin-7-rutinoside	[480-36-4]	592.57	C <sub>28</sub> H <sub>32</sub> O <sub>14</sub>	Merck Index 11,5376
11.067.	LINCOMYCIN HYDROCHLORIDE		[7179-49-9]	443.00	C <sub>18</sub> H <sub>34</sub> N <sub>2</sub> O <sub>6</sub> SxHCixH <sub>2</sub> O	Heman-Ackah Sm. J Pharm Sci. 64:1621-6 (1975)
11.052.	LINOLEIC ACID	9,12-Octadecadienoic acid	[60-33-3]	280.45	C <sub>18</sub> H <sub>32</sub> O <sub>2</sub>	Merck Index 11,5382
11.002.	γ-LINOLEIC ACID METHYL ESTER					
11.060.	LINOLENACIDMETHYLESTER	Gamolenic acit methyl ester	[16326-32-2]	292.5	C <sub>19</sub> H <sub>32</sub>	
11.053.	LINOLENIC ACID	9,12,15-Octadecatrienoic acid	[463-40-1]	278.44	C <sub>18</sub> H <sub>30</sub> O <sub>2</sub>	Merck Index 11,5383

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.004.	D,L-alpha-LIPOIC ACID	D,L-Thioctic acid, Dithiooctanicacid	[1077-28-7]	206.32	C8H14O2S2	Merck Index 12,9462
11.054.	LIPOIC ACID POLYMER					
11.062.	b-LIPONACID			222	C8H14S2O3	Barltrop et al. Am. Chem. Soc. Vol 7
11.058.	LIPONACIDETHYLESTER					
11.055.	LIQUIRITIGENIN	4',7-Dihydroxyflavanone	[578-86-9]	256.27	C15H12O4	
11.056.	LITHOCHOLIC ACID	5β-Cholan-24-oic acid-3a-ol; 3a-Hydroycholanic acid	[434-13-9]	376.58	C24H40O3	Merck Index 11,5423
11.084.	LITHOCHOLIC ACID		[434-13-9]	376.58	C24H40O3	
11.057.	LOBELANINE HCl		[579-21-5]	371.93	C22H25NO2.HCl	Merck Index 11,5430
11.005.	α-LOBELIN HCl		[134-63-4]	373.93	C22H27NO2.HCl	Merck Index 11,5432
11.006.	LOBELIN SULPHATE		[174-64-5]	773.00	C22H27NO2.2H2SO4	Merck Index 11,5432
11.085.	ALPHA-LOBELINE HYDROCHLORIDE		[134-63-4]	373.92	C22H27NO2xHCl	
11.086.	LOBELINE SULFATE		[134-64-5]	773	(C22H27NO2)2xH2SO4	
11.007.	LOGANIC ACID		[22255-40-9]	376.37	C16H24O10	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.008.	LOGANIN	7-Hydroxy-6-desoxyverbenalin	[18524-94-2]	390.40	C <sub>17</sub> H <sub>26</sub> O <sub>10</sub>	Merck Index 11,5441
11.087.	(+)-LONGIFOLENE		[475-20-7]	204.36	C <sub>15</sub> H <sub>24</sub>	
11.009.	D-LUCIFERIN	(S)-2-[6-Hydroxy-2-benzothiazolyl]-2-thiazolene-4-carboxylic acid	[2591-17-5]	280.32	C <sub>11</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> S <sub>2</sub>	Merck Index 11,5465
11.010.	LUCIGENIN	Bis-N-Methylacridinium nitrate	[2315-97-1]	510.52	C <sub>28</sub> H <sub>22</sub> N <sub>4</sub> O <sub>6</sub>	
11.011.	LUMAZINE	2,4-Dihydroxypteridine	[487-21-8]	164.13	C <sub>6</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub>	Merck Index 11,5467
11.088.	GAMMA-LUMICOLCHICINE		[6901-14-0]	399.45	C <sub>22</sub> H <sub>25</sub> N <sub>6</sub> O <sub>6</sub>	
11.089.	LUPENONE		[1617-70-5]	424.71	C <sub>30</sub> H <sub>48</sub> O	
11.012.	LUPEOL	b-Viscol; 3b-Hydroxy-20[29]-lupene	[545-47-1]	426.74	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,5478
11.013.	LUPEOL ACETATE		[1617-68-1]	468.78	C <sub>32</sub> H <sub>52</sub> O <sub>2</sub>	
11.014.	LUPININ	Octahydro-1H-quinolizin-1-methanol	[486-70-4]	169.29	C <sub>10</sub> H <sub>19</sub> NO	Merck Index 11,5479
11.015.	LUPININ Hydrochloride		[486-70-4]	205.79	C <sub>10</sub> H <sub>19</sub> NO.HCl	Merck Index 11,5479
11.068.	LUPININE		[545-47-1]	169.26	C <sub>10</sub> H <sub>19</sub> NO	Mizaev S. Farmakol Toksikol 41:52-5 (1978)
11.090.	(-)-LUPININE		[486-70-4]	169.27	C <sub>10</sub> H <sub>19</sub> NO	



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
03.226.	COLUPOLON	3,5-Dihydroxy-2,6,6-tris (3-methyl-2-butenyl) –4-(2-methyl-1-oxop		400.6	C <sub>25</sub> H <sub>36</sub> O <sub>4</sub>	Budavari, S. The Merck Index, 12t
11.016.	LUPULONE	b-Lupulic acid	[486-28-0]	414.60	C <sub>26</sub> H <sub>38</sub> O <sub>4</sub>	Merck Index 11,5842 Chem.Ind., 1955,1595
11.017.	LUTEANINE	(*)-Isocorydine; Artabotrine	[475-67-2]	341.39	C <sub>20</sub> H <sub>23</sub> NO <sub>4</sub>	Merck Index 11,5046
11.018.	LUTEIN	Xanthophyll	[127-40-2]	568.91	C <sub>40</sub> H <sub>56</sub> O <sub>2</sub>	Merck Index 11,9972
11.001.	LUTEOLIN	3',4',5,7-Tetrahydroxyflavone	[491-70-3]	286.23	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5843
11.069.	LUTEOLIN		[491-70-3]	286.24	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Molnar J, Beladi I, Domonkos K et al. Neoplasma 28:11-8 (1981)
11.019.	LUTEOLIN TETRAMETHYL ETHER	3',4',5,7-Tetramethoxyflavone	[855-97-0]	342.36	C <sub>19</sub> H <sub>18</sub> O <sub>6</sub>	
11.020.	LUTEOLIN-3',7-DIGLUCOSIDE		[52187-80-1]	610.50	C <sub>27</sub> H <sub>30</sub> O <sub>16</sub>	Merck Index 11,5483
11.021.	LUTEOLIN-4'-GLUCOSIDE	3',4',5,7-Tetrahydroxyflavone-4'-glucoside	[6920-38-3]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
11.022.	LUTEOLIN-6-C-GLUCOSIDE	Homoorientin	[4261-42-1]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
11.023.	LUTEOLIN-7-GLUCOSIDE		[5373-11-5]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	Merck Index 11,5483
11.024.	LUTEOLIN-8-C-GLUCOSIDE	Orientine	[60485-60-1]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
11.025.	LUTEOLINIDINE CHLORIDE		[1154-78-5]	307.72	C <sub>15</sub> H <sub>12</sub> ClO <sub>5</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
11.026.	LUTEONE	5,7,2',4'-Tetrahydroxy-6-prenylisoflavone	[41743-56-0]	354.37	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	
11.027.	LYCOPENE	4,4-Carotene	[502-65-8]	536.91	C <sub>40</sub> H <sub>56</sub>	Merck Index 11,5492
11.070.	LYCOPENE		[502-65-8]	536.87	C <sub>40</sub> H <sub>56</sub>	Rousseau EJ, Davison AJ, Dunn B. Free Radic Biol. Med. 13:407-433 (1992)
11.028.	LYCOPERSICIN	Tomatin	[17406-45-0]	1034.23	C <sub>50</sub> H <sub>83</sub> NO <sub>21</sub>	Merck Index 11,9471
11.029.	LYNESTRENOL	4-Estren-17a-ethinyl-17β-ol	[52-76-6]	284.44	C <sub>20</sub> H <sub>28</sub> O	Merck Index 11,5501
11.071.	LYNGBYATOXIN			437.62	C <sub>27</sub> H <sub>39</sub> N <sub>3</sub> O <sub>2</sub>	Fujiki H, Suganuma M, Hakii H et al. J Cancer Res Clin Oncol. 108:174-6 (1984)
12.030.	MACLURIN	2,3',4,4',6-Pentahydroxybenzophenone	[519-34-6]	262.23	C <sub>13</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5519
12.031.	MADECASOL	Centelase; Asiaticoside	[16830-15-2]	959.16	C <sub>48</sub> H <sub>78</sub> O <sub>19</sub>	Merck Index 11,857
12.222.	MADECASSIC ACID		[18449 - 41 - 7]	507.72	C <sub>30</sub> H <sub>48</sub> O <sub>6</sub>	
12.032.	MADECASSOSIDE		[34540-22-2]	975.16	C <sub>48</sub> H <sub>78</sub> O <sub>20</sub>	
12.033.	MAESAQUINONE		[19833-20-6]	418.63	C <sub>26</sub> H <sub>42</sub> O <sub>4</sub>	
12.034.	(+)-MAGNOFLORINE IODIDE	Thalictrin	[2141-09-5]	469.33	(C <sub>20</sub> H <sub>24</sub> NO <sub>4</sub> )+I	Merck Index 11,5579

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.035.	MAGNOLOL		[528-43-8]	266.34	C <sub>18</sub> H <sub>18</sub> O <sub>2</sub>	Merck Index 12,5738
12.036.	MAIRIN	Betulinic Acid	[472-15-1]	456.73	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	
12.037.	D-MALTOSE Monohydrate (Maltobiose)	4-O-a-D-Glucopyranosyl-D-glucose	[6363-53-7]	360.32	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .H <sub>2</sub> O	Merck Index 11,5595
12.038.	D(+)-MALIC ACID		[636-61-3]	134.09	C <sub>4</sub> H <sub>6</sub> O <sub>5</sub>	Merck Index 11,5589
12.039.	L(-)-MALIC ACID	Hydroxybutanedioic acid; 2-Hydroxysuccinic acid	[97-67-6]	134.09	C <sub>4</sub> H <sub>6</sub> O <sub>5</sub>	Merck Index 11,5589
12.235.	MALTOL		[118-71-8]	126.12	C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>	
12.040.	MALTOTRIOSE	a-1,4-Glucotriose	[1109-28-0]	504.44	C <sub>18</sub> H <sub>32</sub> O <sub>16</sub>	
12.041.	MALVIDIN CHLORIDE		[643-84-5]	366.75	C <sub>17</sub> H <sub>15</sub> ClO <sub>7</sub>	Merck Index 11,5596
12.042.	MALVIDIN-3-GALACTOSIDE CHLORIDE	Primulin		528.91	C <sub>23</sub> H <sub>25</sub> ClO <sub>12</sub>	Merck Index 11,5596
12.043.	MALVIDIN-3-GLUCOSIDE	Oenin, Cyclamin		510.46	C <sub>23</sub> H <sub>26</sub> O <sub>13</sub>	Merck Index 12,5754
12.001.	MALVIN CHLORIDE	Malvidin-3,5-diglucoside chloride	[16727-30-3]	691.06	C <sub>29</sub> H <sub>35</sub> O <sub>17</sub> Cl	Merck Index 11,5596
12.044.	DL-MANDELIC ACID	DL-a-Hydroxyphenylacetic acid	[611-72-3]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	Merck Index 11,5599
12.045.	L(+)-MANDELIC ACID	1-a-Hydroxyphenyl acetic acid	[17199-29-0]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.046.	MANGIFERIN	1,3,6,7-Tetrahydroxyxanthone-2-C-glucoside	[4773-96-0]	422.36	C <sub>19</sub> H <sub>18</sub> O <sub>11</sub>	Bull.Chem.Soc.Jap., 1957(30)625
12.047.	MANGOSTINE	1,3,6-Trihydroxy-7-methoxy-2,8-di(3-methyl-2-butanyl)xanthone	[6147-11-1]	410.48	C <sub>24</sub> H <sub>26</sub> O <sub>6</sub>	Merck Index 11,5627
12.048.	MANNAN (ex Yeast)		[9036-88-8]			
12.049.	D-MANNITOL	D-Mannite	[69-65-8]	182.18	C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,5629
12.050.	D-MANNONIC ACID-gamma-LACTONE		[26301-79-1]	178.14	C <sub>6</sub> H <sub>10</sub> O <sub>6</sub>	
12.051.	D-MANNOSAMINE hydrochloride	2-Amino-2-deoxy-D-mannose Hcl	[5505-63-5]	215.64	C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub> .HCl	
12.052.	D-MANNOSE		[3458-28-4]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,5632
12.236.	L-(-)MANNOSE		[10030-80-5]	180.17	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	
12.053.	MAREIN	Okanin-4'-O-glucoside	[595-96-6]	450.40	C <sub>21</sub> H <sub>22</sub> O <sub>11</sub>	
12.054.	MARGARIC ACID	Heptadecanoic acid	[506-12-7]	270.46	C <sub>17</sub> H <sub>34</sub> O <sub>2</sub>	
12.055.	MARITIMEIN	Maritimetin-6-glucoside	[490-54-0]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
12.056.	MARITIMETIN	3',4',6,7-Tetrahydroxyaurone		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825.
12.057.	MARMELOSIN	Imperatorin	[482-44-0]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Merck Index 11,4839

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.058.	MARRUBIIN		[465-92-9]	332.00	C <sub>20</sub> H <sub>28</sub> O <sub>4</sub>	Merck Index 11,5635
12.218.	MATAIRESINOL		[580-72-3]	358.40	C <sub>20</sub> H <sub>22</sub> O <sub>6</sub>	
12.224.	MATRINE		[519-02-8]	248.36	C <sub>15</sub> H <sub>24</sub> N <sub>2</sub> O	Ishida M. Shinozaki H. Br J Pharmacol. 82:523-31 (1984)
12.059.	MEDICARPIN	3-Hydroxy-9-methoxypterocarpan	[32383-76-9]	270.28	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	Merck Index 11,5673
12.060.	MELAMINE	2,4,6-Triamino-s-triazine	[108-78-1]	126.12	C <sub>3</sub> H <sub>6</sub> N <sub>6</sub>	Merck Index 11,5691
12.061.	MELANIN		[8049-97-6]			Merck Index 11,5692
12.062.	MELATONIN	N-Acetyl-5-methoxytryptamine	[73-31-4]	232.28	C <sub>13</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,5692
12.064.	D-MELEZITOSE Dihydrate	O-α-D-glucopyranosyl-(1-3)-β-D-fructofuranosyl-α-D-glucopyranosid	[597-12-6]	540.47	C <sub>18</sub> H <sub>32</sub> O <sub>16</sub> ·2H <sub>2</sub> O	Merck Index 11,5698
12.237.	D-MELIBIOSE		[585-99-9]	342.3	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	
12.065.	MELICOPICENE		[517-73-7]	329.36	C <sub>18</sub> H <sub>19</sub> N <sub>5</sub>	
12.066.	MELICOPICINE	1,2,3,4-Tetramethoxy-10-methylacridone	[517-73-7]	329.36	C <sub>18</sub> H <sub>19</sub> N <sub>5</sub>	
12.067.	MELICOPIDINE		[477-78-1]	313.32	C <sub>17</sub> H <sub>15</sub> N <sub>5</sub>	
12.068.	MELICOPINE		[568-01-4]	313.31	C <sub>17</sub> H <sub>15</sub> N <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.069.	MENAPHTHONE B.P.	2-Methyl-1,4-naphthoquinone; Vitamin K3	[58-27-5]	172.19	C <sub>11</sub> H <sub>8</sub> O <sub>2</sub>	Merck Index 11,5714
12.070.	(+)-MENISPERINE IODIDE			356.45	C <sub>21</sub> H <sub>26</sub> NO <sub>4</sub>	
12.238.	MENTHOFURAN		[494-90-6]	150.22	C <sub>10</sub> H <sub>14</sub> O	
12.220.	MENTHOL		[89-78-1]	156.27	C <sub>10</sub> H <sub>20</sub> O	
12.239.	(-)-MENTHOL		[2216-51-5]	156.27	C <sub>10</sub> H <sub>20</sub> O	
12.240.	(+)-MENTHOL		[15356-60-2]	156.27	C <sub>10</sub> H <sub>20</sub> O	
12.241.	(+/-)-MENTHOL		[15356-70-4]	156.27	C <sub>10</sub> H <sub>20</sub> O	
12.221.	MENTHON		[10458-14-7]	154.25	C <sub>10</sub> H <sub>18</sub> O	
12.242.	(-)-MENTHYL ACETATE		[2623-23-6]	198.31	C <sub>12</sub> H <sub>22</sub> O <sub>2</sub>	
12.071.	6-MERCAPTOPYRIMIDINE MONOHYDRATE	6-Purinethiol	[6112-76-1]	152.18	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> S.H <sub>2</sub> O	Montgomery, J.A., In "Cancer Chemotherapeutic Agents" Foye, W.O., Ed., ACS Professional Reference, pp. 58-66 (1995).
12.072.	6-MERCAPTOPYRIMIDINE-9-D-RIBOSIDE	6-Purinethiol riboside	[574-25-4]	284.30	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>4</sub> S	
12.073.	MESO-ERYTHRITOL		[149-32-6]	122.12	C <sub>4</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,3620

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.074.	MESOPORPHYRIN DIMETHYLESTER		[1263-63-4]	594.76	C <sub>36</sub> H <sub>42</sub> N <sub>4</sub> O <sub>4</sub>	
12.076.	MESOPORPHYRIN IX	2,8,12,18-Tetramethyl-3,8-diethylporphyrin-11,17-dipropionic acid	[493-90-3]	566.70	C <sub>34</sub> H <sub>38</sub> N <sub>4</sub> O <sub>4</sub>	
12.075.	MESOPORPHYRIN IX DIMETHYL ESTER		[1263-63-4]	594.76	C <sub>36</sub> H <sub>42</sub> N <sub>4</sub> O <sub>4</sub>	
12.078.	METHACHOLINE BROMIDE	Acetyl-β-methylcholine bromide	[333-31-3]	240.15	C <sub>8</sub> H <sub>18</sub> NO <sub>2</sub> Br	
12.079.	3-O-METHANESULPHONYL-1,2,5,6-DI-O-ISOPROPYLIDENE-D-GLUCOFURANOSE			336.36	C <sub>13</sub> H <sub>20</sub> O <sub>8</sub> S	
12.080.	DL-METHIONINE		[59-51-8]	149.21	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S	Merck Index 11,5896
12.081.	L-METHIONINE		[63-68-3]	149.21	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S	Merck Index 11,5896
12.082.	L-METHIONINE METHYL ESTER Hydrochloride		[2491-18-1]	199.70	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> S.HCl	
12.083.	DL-METHIONINE SULPHOXIDE		[454-41-1]	165.21	C <sub>5</sub> H <sub>11</sub> NO <sub>3</sub> S	
12.084.	DL-METHIONINE-DL-SULPHOXIMINE		[1982-67-8]	180.23	C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> S	
12.085.	METHOTREXATE		[59-05-2]	454.4	C <sub>20</sub> H <sub>22</sub> N <sub>8</sub> O <sub>5</sub>	
12.086.	6-METHOXY LUTEOLIN	Eupafolin; Nepetin		316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
12.087.	3-METHOXY-2',4',4'-TRIHIDROXYCHALCONE	Homobutein	[34000-39-0]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.088.	4-METHOXY-2',4',6',3-TETRAHYDROXYDIHYDROCHALCONE	Hesperetin dihydrochalcone	[35400-60-3]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
12.089.	4-METHOXY-2',4',6'-TRIHYDROXYDIHYDROCHALCONE	Phloretin-4-methyl ether	[76172-68-4]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
12.090.	5-METHOXY-3,3',4',7-TETRAHYDROXYFLAVONE	Azaleatin	[529-51-1]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
12.091.	4'-METHOXY-3,3',5-STILBENETROL	Rhaponticin	[155-58-8]	420.42	C <sub>21</sub> H <sub>24</sub> O <sub>9</sub>	Merck Index 11,8173
12.092.	3'-METHOXY-3,5,7,4'-TETRAHYDROXYFLAVONE	Isorhamnetin	[418-19-3]	316.27	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170 J.Chem.Soc., 1926,2336.
12.093.	4-METHOXY-3',5,7-TRIHYDROXYFLAVANONE	Hesperetin	[520-33-2]	302.29	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,4590
12.094.	4'-METHOXY-3,5,7-TRIHYDROXYFLAVONE	Kaempferide	[491-54-3]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
12.095.	3'-METHOXY-3,7,4'-TRIHYDROXYFLAVANONE	Homoeriodictyol	[446-71-9]	302.29	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,4656
12.096.	3'-METHOXY-3,7,4'-TRIHYDROXYFLAVONE	Geraldol	[21511-25-1]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
12.097.	4'-METHOXY-4-HYDROXYDIHYDROCHALCONE			244.30	C <sub>15</sub> H <sub>16</sub> O <sub>3</sub>	
12.246.	6-METHOXY-4-METHYLCOUMARIN		[6295-35-8]	190.2	C <sub>11</sub> H <sub>10</sub> O <sub>3</sub>	
12.247.	7-METHOXY-4-METHYLCOUMARIN		[2555-28-4]	190.2	C <sub>11</sub> H <sub>10</sub> O <sub>3</sub>	



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.098.	4-METHOXY-5,7,3'-TRIHYDROXYFLAVONE	Diosmetin	[520-34-3]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,3290
12.099.	3'-METHOXY-5,7,4'-TRIHYDROXYFLAVONE	Chrysoeriol	[491-71-4]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
12.100.	7-METHOXY-5-HYDROXYFLAVANONE	Pinocembrin-7-methyl ether	[480-37-5]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	
12.101.	2'-METHOXY-7,8-BENZOFLAVONE	2'-Methoxy-a-naphthoflavone		302.34	C <sub>10</sub> H <sub>14</sub> O <sub>3</sub>	
12.102.	4'-METHOXY-7,8-BENZOFLAVONE	4'-Methoxy-a-Naphthoflavone		302.34	C <sub>20</sub> H <sub>14</sub> O <sub>3</sub>	
12.103.	7-METHOXY-8-HYDROXYFLAVONE			268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
12.104.	2'-METHOXY-a-NAPHTHOFLAVONE	2'-Methoxy-7,8-benzoflavone		302.34	C <sub>20</sub> H <sub>14</sub> O <sub>3</sub>	
12.105.	4'-METHOXY-a-NAPHTHOFLAVONE	4'-Methoxy-7,8-Benzoflavone		302.34	C <sub>20</sub> H <sub>14</sub> O <sub>3</sub>	
12.106.	7-METHOXYAPIGENIN	Genkwanin; 4',5'-Dihydroxy-7-methoxyflavone	[437-64-9]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
12.107.	2'-METHOXY-b-NAPHTHOFLAVONE			302.34	C <sub>20</sub> H <sub>14</sub> O <sub>3</sub>	
12.108.	4'-METHOXYCHALCONE		[959-23-9]	238.29	C <sub>17</sub> H <sub>15</sub> N <sub>5</sub>	
12.109.	4-METHOXYCHALCONE		[959-33-1]	238.29	C <sub>16</sub> H <sub>14</sub> O <sub>2</sub>	
12.243.	4'-METHOXYCHALCONE		[959-33-1]	238.29	C <sub>16</sub> H <sub>14</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.230.	2-METHOXYCINNAMALDEHYD	2 - Methoxycinnamaldehyde, 2 - Methoxy cinnamic aldehyde, 2 - Propenal	[1504 - 74 - 1]	162.2	C <sub>10</sub> H <sub>10</sub> O <sub>2</sub>	
12.110.	7-METHOXYCOUMARIN	Herniarin; Umbelliferone methyl ester	[531-59-9]	176.18	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	
12.244.	4-METHOXYCOUMARIN		[20280-81-3]	176.17	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	
12.111.	4'-METHOXYFLAVANONE			254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
12.112.	5-METHOXYFLAVANONE		[55947-36-9]	254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
12.113.	6-METHOXYFLAVANONE		[3034-04-6]	254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
12.114.	7-METHOXYFLAVANONE		[21785-09-1]	254.29	C <sub>16</sub> H <sub>14</sub> O <sub>3</sub>	
12.115.	2'-METHOXYFLAVONE		[19725-47-4]	252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
12.116.	3-METHOXYFLAVONE			252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
12.117.	4'-METHOXYFLAVONE		[4143-74-2]	252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
12.118.	5-METHOXYFLAVONE		[42079-78-7]	252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
12.119.	6-METHOXYFLAVONE		[26964-24-9]	252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	
12.120.	7-METHOXYFLAVONE		[22395-22-8]	252.28	C <sub>16</sub> H <sub>12</sub> O <sub>3</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.121.	2'-METHOXYFLAVONOL	3-Hydroxy-2'-methoxyflavone		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
12.122.	4'-METHOXYFLAVONOL	3-Hydroxy-4'-methoxyflavone		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
12.123.	6-METHOXYFLAVONOL	3-Hydroxy-6-Methoxyflavone		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
12.124.	7-METHOXYFLAVONOL	3-Hydroxy-7-methoxyflavone		268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
12.125.	6-METHOXYINDOLE		[3189-13-7]	147.18	C <sub>9</sub> H <sub>9</sub> NO	
12.227.	5-METHOXYINDOLE		[1006-94-6]	147.17	C <sub>9</sub> H <sub>9</sub> NO	
12.245.	6-METHOXYLUTEOLIN		[520-11-6]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
12.248.	4-(4-METHOXYPHENYL)-2-BUTANONE		[104-20-1]	178.23	C <sub>11</sub> H <sub>14</sub> O <sub>2</sub>	
12.126.	3-METHOXYPIPERONAL	Myristicin aldehyde; 3-Methoxy-4,5-methylenedioxybenzaldehyde	[5780-07-4]	180.16	C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>	
12.127.	5-METHOXYPSORALEN	Bergapten	[484-20-8]	216.20	C <sub>12</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,1173
12.128.	8-METHOXYPSORALEN	Xanthotoxin; Ammoidin	[298-81-7]	216.20	C <sub>12</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,5911
12.129.	5-METHOXY SALVIGENIN	5,6,7,3'-Tetramethoxyflavone	[1168-42-9]	342.36	C <sub>19</sub> H <sub>18</sub> O <sub>6</sub>	
12.130.	5-METHOXYTRYPTAMINE	3-(2-aminoethyl)-5-methoxyindole; O-methyl-serotonin	[608-07-1]	190.25	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O	Merck Index 11,5926

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.228.	11-METHOXYANGONIN			288.30	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
12.249.	METHYL ACETATE		[79-20-9]	74.08	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub>	
12.131.	METHYL CAFFEATE		[3843-74-1]	194.19	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	Rao, C.V., et.al.Chem. Biol. Interactions, 84:277-290 (1992).
12.132.	METHYL CHOLATE	Cholic acid methyl ester	[1448-36-8]	422.62	C <sub>25</sub> H <sub>42</sub> O <sub>5</sub>	
12.133.	METHYL CHRYSIN	5-Hydroxy-7-methoxyflavone; Tectochrysin	[520-28-5]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,2261
12.134.	4-METHYL DAPHNETIN	4-Methyl-7,8-dihydroxycoumarin	[2107-77-9]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
12.135.	4-METHYL ESCULETIN	6,7-Dihydroxy-4-methylcoumarin	[529-84-0]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	
12.136.	METHYL LAURATE	Methyl dodecanoate	[111-82-0]	214.35	C <sub>13</sub> H <sub>26</sub> O <sub>2</sub>	
12.137.	METHYL LINOLENATE	Linolenic acid methyl ester	[301-00-8]	292.46	C <sub>19</sub> H <sub>32</sub> O <sub>2</sub>	
12.138.	METHYL MYRISTATE	Myristic acid methyl ester	[124-10-7]	242.41	C <sub>15</sub> H <sub>30</sub> O <sub>2</sub>	
12.139.	METHYL PALMITATE	Palmitic acid methyl ester	[112-39-0]	270.46	C <sub>17</sub> H <sub>34</sub> O <sub>2</sub>	
12.140.	METHYL β-L-ARABINOPYRANOSIDE		[3795-69-5]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	
12.141.	METHYL URSOLATE	Ursolic acid methyl ester	[32208-45-0]	470.75	C <sub>31</sub> H <sub>50</sub> O <sub>3</sub>	Merck Index 11,9802

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.142.	METHYL VACCENATE (cis)	Methyl 11-Octadecenoate (cis)	[1937-63-9]	296.48	C <sub>19</sub> H <sub>36</sub> O <sub>2</sub>	
12.143.	METHYL VACCENATE (trans)	Methyl -11-transoctadecenoate	[6198-58-9]	296.48	C <sub>19</sub> H <sub>36</sub> O <sub>2</sub>	Merck Index 11,9810
12.144.	METHYL-1,2,3,4-TETRA-O-ACETYL-β-D-GLUCURONATE		[7355-18-2]	376.31	C <sub>15</sub> H <sub>20</sub> O <sub>11</sub>	
12.145.	6-METHYL-1,3,8-TRIHYDROXYANTHRAQUINONE	Emodin	[518-82-1]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,3518
12.146.	3-METHYL-1,4,8-TRIHYDROXYANTHRAQUINONE	Islandicin	[476-56-2]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
12.147.	16-METHYL-16-DEHYDROPREGNENOLONE	5,16-Pregnadien-16-methyl-3β-ol-30-one		328.50	C <sub>22</sub> H <sub>32</sub> O <sub>2</sub>	
12.148.	6-METHYL-16-DEHYDROPREGNENOLONE ACETATE	3β-Hydroxy-6-methyl-5,16-pregnadien-20-one acetate	[20867-46-3]	370.53	C <sub>24</sub> H <sub>34</sub> O <sub>3</sub>	
12.149.	17a-METHYL-19-NORTESTOSTERONE	4-Estren-17a-methyl-17β-ol-3-one		288.44	C <sub>19</sub> H <sub>28</sub> O <sub>2</sub>	
12.250.	2-METHYL-1-BUTANOL		[137-32-6]	88.16	C <sub>5</sub> H <sub>12</sub> O	
12.150.	METHYL-2,3,4,6-TETRA-O-ACETYL-α-D-GLUCOPYRANOSIDE			362.33	C <sub>15</sub> H <sub>22</sub> O <sub>10</sub>	
12.151.	METHYL-2,3-ANHYDRO-4,6-O-BENZYLIDENE-α-D-ALLOPYRANOSIDE		[3150-15-0]	264.28	C <sub>14</sub> H <sub>16</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.251.	2-METHYL-3-BUTEN-2-OL		[115-18-4]	86.14	C <sub>5</sub> H <sub>10</sub> O	
12.255.	5-METHYL-3-HEPTANONE		[541-85-5]	128.22	C <sub>8</sub> H <sub>16</sub> O	
12.152.	METHYL-4,6-O-BENZYLIDENE-2,3-DI-O-(p-TOSYL)-α-D-GLUCOPYRANOSIDE		[6884-01-1]	590.68	C <sub>28</sub> H <sub>30</sub> O <sub>10</sub> S <sub>2</sub>	
12.153.	METHYL-4,6-O-BENZYLIDENE-α-D-GLUCOPYRANOSIDE		[3162-96-7]	282.29	C <sub>14</sub> H <sub>16</sub> O <sub>6</sub>	
12.154.	7-METHYL-6-MERCAPTOPYRINE		[3324-79-6]	166.21	C <sub>6</sub> N <sub>6</sub> N <sub>4</sub> S	
12.155.	9-METHYL-6-MERCAPTOPYRINE		[2382-14-1]	166.21	C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> S	
12.156.	4-METHYL-7-ETHOXYCOUMARIN		[87-05-8]	204.23	C <sub>12</sub> H <sub>12</sub> O <sub>3</sub>	
12.157.	1-METHYL-7-ISOPROPYLPHENANTHRENE	Retene	[483-65-8]	234.32	C <sub>18</sub> H <sub>18</sub>	Merck Index 11,8162
12.158.	4-METHYL-7-METHOXYCOUMARIN		[25555-28-4]	190.20	C <sub>11</sub> H <sub>10</sub> O <sub>3</sub>	
12.256.	5-METHYL-7-METHOXYISOFLAVONE			266.3	C <sub>17</sub> H <sub>14</sub> O <sub>3</sub>	
12.159.	METHYL-α-D-GALACTOPYRANOSIDE Monohydrate		[3396-99-4]	212.20	C <sub>7</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	
12.160.	3-O-METHYL-α-D-GLUCOPYRANOSE	α-Methyl-D-glucoside	[13224-94-7]	194.18	C <sub>7</sub> H <sub>14</sub> O <sub>6</sub>	Anal.Biochem.,68,537(1975).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.161.	METHYL-a-D-MANNOPYRANOSIDE		[617-04-9]	194.20	C7H14O6	
12.162.	METHYL-a-L-RHAMNOPYRANOSIDE	Methyl 6-deoxy-a-L-mannopyranoside	[14917-55-6]	178.18	C7H14O5	
12.163.	METHYLANDROSTANDIOL	5a-Androstan-17a-methyl-3 $\beta$ ,17 $\beta$ -diol		306.49	C20H34O2	
12.164.	METHYLANDROSTENEDIOL	5-Androsten-17a-methyl-3 $\beta$ ,17 $\beta$ -diol; Methandriol	[521-10-8]	304.47	C20H32O2	
12.165.	2-METHYLANTHRAQUINONE	Tectoquinone	[84-54-8]	222.23	C15H10O2	Merck Index 11,5943
12.229.	16-O-METHYLCAFESTOL			376.57	C24H40O3	
12.166.	3-METHYLCATECHOL	2,3-Dihydroxytoluene	[488-17-15]	124.14	C7H8O2	
12.167.	4-METHYLCATECHOL	3,4-Dihydroxytoluene	[452-86-8]	124.14	C7H8O2	
12.168.	METHYLCHOLATE	Cholic acid methyl ester	[1448-36-8]	422.62	C25H42O5	
12.169.	3-METHYLCHRYSAZINE	Chrysophanic acid; 1,8-Dihydroxy-3-methylanthraquinone	[481-74-3]	254.25	C15H10O4	Merck Index 11,2263
12.225.	METHYLCICHORIENSÄURE					
12.170.	METHYLCOBALAMIN		[13422-55-4]	1344.44	C63H91CoN13O14P	Merck Index 11,9921
12.171.	6-METHYLCOUMARIN		[92-48-8]	160.18	C10H8O2	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.172.	7-METHYLCOUMARIN		[2445-83-2]	160.18	C10H8O2	
12.173.	9-O-METHYLCOUMESTROL	7-Hydroxy-12-methoxycoumestan; 3-Hydroxy-9-methoxycoumestan				
12.252.	2-METHYLCYCLOHEXANONE		[583-60-8]	112.18	C7H12O	
12.174.	METHYLDEOXYCHOLATE	5 $\beta$ -Cholanic acid-3a,12a-diol methyl ester	[3245-38-3]	406.61	C25H42O4	
12.175.	6-O-METHYL-D-GALACTOPYRANOSE	6-O-Methyl-D-galactose	[6779-91-5]	194.18	C7H14O6	
12.176.	6-METHYLDIOSGENIN ACETATE	6a-Methyl-5-spirosten-3 $\beta$ -ol acetate	[6877-73-2]	470.71	C30H46O4	
12.226.	METHYLENDIPHENOXYPHENYLACETICACID		[2861 - 28 -1]	180.16	C9 H8 O4	
12.177.	3,4-METHYLENEDIOXYPHENOL	Sesamol	[533-31-3]	138.13	C7H6O3	
12.178.	6-METHYLFLAVONE		[29976-75-8]	248.29	C17H12O2	
12.179.	3-METHYLFLAVONE-8-CARBOXYLIC ACID	8-Carboxy-3-methylflavone	[3468-01-7]	280.29	C17H12O4	
12.253.	METHYLGALLATE		[99-24-1]	184.15	C8H8O5	
12.254.	3-O-METHYLGALLIC ACID		[3934-84-7]	184.15	C8H8O5	
12.231.	METHYLHESPERIDIN					Kikuchi K. Hirata M. Imai Y. Jpn J Pharmacol 16:224-5 (1966)



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.180.	L-1-METHYLHISTIDINE		[15507-76-3]	169.19	C <sub>7</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub>	
12.181.	L-3-METHYLHISTIDINE		[368-16-1]	169.19	C <sub>7</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub>	
12.223.	METHYLJASMONATE	Methyl-3-oxo-2-pent-2enylcyclopentylacetat	[1211 - 29 - 6]	224.30	C <sub>13</sub> H <sub>20</sub> O <sub>3</sub>	
12.232.	16-O-METHYLKAHWEOL			372.54	C <sub>24</sub> H <sub>36</sub> O <sub>3</sub>	
12.182.	N-α-METHYL-L-TRYPTOPHAN	L-Abrine	[526-31-8]	218.26	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,5
12.183.	DL-α-METHYL-m-TYROSINE	α-MMT	[62-25-9]	195.22	C <sub>10</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub>	
12.257.	METHYLNONYLKETONE		[112-12-9]	170.3	C <sub>11</sub> H <sub>22</sub> O	
12.184.	METHYL-OLEATE	Oleic acid methyl ester	[112-62-9]	296.50	C <sub>19</sub> H <sub>36</sub> O <sub>2</sub>	
12.233.	METHYLPREDNISOLONE		[83-43-2]	374.47	C <sub>22</sub> H <sub>30</sub> O <sub>5</sub>	Wang J, Lia H, Chen C, Chung Hua et al. Chinese journal of Internal Medicine 36:79-82 (1997)
12.185.	7-METHYLQUERCETIN; 3,3',4',5-Tetrahydroxy-7-methoxyflavone	Quercetin-7-methyl ether; Rhamnetin	[90-19-7]	316.27	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170
12.219.	METHYLSALICYLATE	Methyl-o-hydroxybenzoate	[119-36-8]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	
12.186.	METHYL-β-D-ARABINOPYRANOSIDE		[5328-63-2]	164.16	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.187.	METHYL- $\beta$ -D-CELLOBIOSIDE			356.33	C <sub>13</sub> H <sub>24</sub> O <sub>11</sub>	
12.188.	METHYL- $\beta$ -D-GALACTOPYRANOSIDE	Methyl- $\beta$ -D-galactoside	[1824-94-8]	194.19	C <sub>7</sub> H <sub>14</sub> O <sub>6</sub>	
12.189.	METHYL- $\beta$ -D-GLUCOPYRANOSIDE		[7000-27-3]	203.19	C <sub>7</sub> H <sub>14</sub> O <sub>6</sub> .5H <sub>2</sub> O	
12.190.	METHYL- $\beta$ -D-THIOGALACTOPYRANOSIDE	Methyl- $\beta$ -D-Thiogalactopyranoside	[155-30-6]	210.25	C <sub>7</sub> H <sub>14</sub> O <sub>5</sub> S	
12.002.	4-METHYLUMBELLIFERONE	7-Hydroxy-4-methylcoumarin	[90-33-5]	176.18	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	Merck Index 11,4792
12.193.	4-METHYLUMBELLIFERYL ACETATE	7-Acetoxy-4-methylcoumarin	[2747-05-9]	218.22	C <sub>12</sub> H <sub>10</sub> O <sub>4</sub>	Anal.Biochem., 21,279(1967).
12.194.	4-METHYLUMBELLIFERYL BUTYRATE		[17695-46-4]	246.26	C <sub>14</sub> H <sub>14</sub> O <sub>4</sub>	Anal. Biocem. 21, 279 (1967),
12.195.	4-METHYLUMBELLIFERYL CASEIN					
12.196.	4-METHYLUMBELLIFERYL ELAIDATE		[69003-01-6]	440.53	C <sub>28</sub> H <sub>40</sub> O <sub>4</sub>	
12.197.	4-METHYLUMBELLIFERYL HEPTANOATE		[18319-92-1]	288.35	C <sub>17</sub> H <sub>20</sub> O <sub>4</sub>	
12.198.	4-METHYLUMBELLIFERYL LAURATE	4-Methylumbelliferyl-dodecanoate	[66185-71-5]	351.42	C <sub>22</sub> H <sub>30</sub> O <sub>4</sub>	
12.199.	4-METHYLUMBELLIFERYL LIGNOCERATE	4-Methylumbelliferyl tetracosanate		526.80	C <sub>34</sub> H <sub>54</sub> O <sub>4</sub>	
12.200.	4-METHYLUMBELLIFERYL NONANOATE	4-Methylumbelliferyl pelargonate		316.40	C <sub>19</sub> H <sub>24</sub> O <sub>4</sub>	
12.201.	4-METHYLUMBELLIFERYL OLEATE		[18323-58-5]	440.53	C <sub>28</sub> H <sub>40</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.202.	4-METHYLUMBELLIFERYL PALMITATE		[17695-48-6]	414.59	C <sub>26</sub> H <sub>38</sub> O <sub>4</sub>	
12.203.	4-METHYLUMBELLIFERYL PHOSPHATE (free acid)	4-MUP	[3368-06-5]	256.15	C <sub>10</sub> H <sub>9</sub> O <sub>6</sub> P	Anal. Biochem., 155,103(1986).
12.204.	4-METHYLUMBELLIFERYL PROPIONATE		[3361-13-5]	232.24	C <sub>13</sub> H <sub>12</sub> O <sub>4</sub>	Ann. Hum. Genet. 39 (1975).
12.205.	4-METHYLUMBELLIFERYL PYROPHOSPHATE DIESTER disodium salt			538.25	C <sub>20</sub> H <sub>14</sub> Na <sub>2</sub> O <sub>11</sub> P <sub>2</sub>	
12.206.	4-METHYLUMBELLIFERYL SULPHATE Potassium Salt		[15220-11-8]	294.32	C <sub>10</sub> H <sub>7</sub> KO <sub>6</sub> S	Biochem.J., 102,905(1967).
12.207.	bis-(4-METHYLUMBELLIFERYL) PHOSPHATE			414.31	C <sub>20</sub> H <sub>15</sub> O <sub>8</sub> P	
12.208.	4-METHYLUMBELLIFERYL-2-ACETAMIDO-2-DEOXY-β-D-GALACTOPYRANOSIDE	4-Methylumbelliferyl-N-acetyl-β-D-galactosaminide	[36476-29-6]	379.37	C <sub>18</sub> H <sub>21</sub> NO <sub>8</sub>	
12.209.	4-METHYLUMBELLIFERYL-2-ACETAMIDO-2-DEOXY-β-D-GLUCOPYRANOSIDE	4-Methylumbelliferyl-N-acetyl-β-D-glucosaminide	[37067-30-4]	379.37	C <sub>18</sub> H <sub>21</sub> NO <sub>8</sub>	Biochem.J., 78,151,(1961). Anal. Biochem., 148,50(1985).
12.210.	4-METHYLUMBELLIFERYL-4-GUANIDINO BENZOATE HCl	MUGB; 4-Guanidinobenzoic acid 4-Methylumbelliferyl hydrochloride	[34197-46-1]	391.82	C <sub>18</sub> H <sub>15</sub> N <sub>3</sub> O <sub>4</sub> .HCl.H <sub>2</sub> O	Biochem.J., 131,107(1973).
12.211.	4-METHYLUMBELLIFERYL-6-SULPHO-2-ACETAMIDO-2-DEOXY-β-D-GLUCOPYRANOSIDE sodium salt					

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.212.	4-METHYLUMBELLIFERYL-a-D-GALACTOPYRANOSIDE	4-Methylumbelliferyl-a-D-galactoside	[38597-12-5]	338.31	C16H18O8	Science., 67,1268(1970).
12.213.	4-METHYLUMBELLIFERYL-a-D-GLUCOPYRANOSIDE	4-MU-a-D-glucoside	[17833-43-1]	338.30	C16H18O8	Clin.Chem. Acta., 40,199(1972) & 78,335(1977)
12.214.	4-METHYLUMBELLIFERYL-a-D-MANNOPYRANOSIDE	4-Methylumbelliferyl-a-D-mannoside	[28541-83-5]	338.31	C16H18O8	Clin.Chem.Acta., 23,479(1969).
12.215.	4-METHYLUMBELLIFERYL-a-L-ARABINOPYRANOSIDE		[69414-26-2]	208.29	C15H16O7	
12.216.	4-METHYLUMBELLIFERYL-a-L-FUCOPYRANOSIDE	4-Methylumbelliferyl-a-L-fucoside	[54322-38-2]	322.32	C16H18O7	
12.063.	4-METHYLUMBELLIFERYL-a-L-IDURONIDE cyclohexyl ammonium salt			451.60	C22H29NO9	
12.259.	4-METHYLUMBELLIFERYL-b-D-XYLOSIDE		[6734-33-4]	308.3	C15H16O7	
12.077.	4-METHYLUMBELLIFERYL-N-ACETYL-a-D-NEURAMINIDE Ammonium salt	4-Methylumbelliferyl-NANA; 4-MU-NANA		556.52	C12H28N2O11.4H2O	
12.258.	4-METHYLUMBELLIFERYL-N-ACETYL-b-D-GLUCOSAMINIDE		[37067-30-4]	379.38	C18H21NO8	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.191.	4-METHYLUMBELLIFERYL- $\beta$ -D-CELLOBIOPYRANOSIDE Monohydrate	4-Methylumbelliferyl- $\beta$ -D-cellobioside monohydrate	[72626-61-0]	518.47	C <sub>22</sub> H <sub>28</sub> O <sub>13</sub> .H <sub>2</sub> O	
12.192.	4-METHYLUMBELLIFERYL- $\beta$ -D-FUCOPYRANOSIDE	4-Methylumbelliferyl- $\beta$ -D-fucoside	[55487-93-9]	322.32	C <sub>16</sub> H <sub>18</sub> O <sub>7</sub>	
12.004.	4-METHYLUMBELLIFERYL- $\beta$ -D-GALACTOPYRANOSIDE	4-Methylumbelliferyl- $\beta$ -D-galactoside	[6160-78-7]	338.31	C <sub>16</sub> H <sub>18</sub> O <sub>8</sub>	Biochem., J. 78,22 (1961)
12.005.	4-METHYLUMBELLIFERYL- $\beta$ -D-GALACTOSIDE-6-SULPHATE sodium salt	MUGAL				
12.006.	4-METHYLUMBELLIFERYL- $\beta$ -D-GLUCOPYRANOSIDE	4-Methylumbelliferyl- $\beta$ -D-glucoside	[18997-57-4]	338.31	C <sub>16</sub> H <sub>18</sub> O <sub>8</sub>	Biochem., J.63,39(1956)
12.007.	4-METHYLUMBELLIFERYL- $\beta$ -D-GLUCOPYRANONIDE Trihydrate	MUG	[6160-80-1]	352.30	C <sub>16</sub> H <sub>16</sub> O <sub>9</sub>	Biochem.J., 61,569(1955).
12.008.	4-METHYLUMBELLIFERYL- $\beta$ -D-XYLOPYRANOSIDE	4-Methylumbelliferyl- $\beta$ -D-xyloside	[6734-33-4]	308.29	C <sub>15</sub> H <sub>16</sub> O <sub>7</sub>	Naturwissenschaften., 52,661 (1965).
12.009.	4-METHYLUMBELLIFERYL- $\beta$ -L-FUCOPYRANOSIDE	4-Umbelliferyl- $\beta$ -L-fucoside	[72601-82-2]	322.32	C <sub>16</sub> H <sub>18</sub> O <sub>7</sub>	
12.010.	6-METHYLURACIL	2,4-Dihydroxy-6-methylpyrimidine	[626-48-2]	126.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,6051
12.217.	METHYSTICINE	Kavatin	[495-85-2]	274.1	C <sub>15</sub> H <sub>14</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.003.	DL-MEVALONIC ACID LACTONE	DL-β-hydroxy-β-methyl g-valerolactone	[674-26-0]	130.14	C <sub>6</sub> H <sub>10</sub> O <sub>3</sub>	Merck Index 11,6087
12.011.	MEVASTATIN		[73573-88-3]	390.51	C <sub>23</sub> H <sub>34</sub> O <sub>5</sub>	Endo, A. J.Lipid Res., 33:1569-1583 (1992).
12.012.	MICONAZOLE		[22916-47-8]	430.15	C <sub>19</sub> H <sub>16</sub> Cl <sub>4</sub> N <sub>2</sub> O	Lubert, R.A., Steele, V.E., Etyo, I., et al. Int. J. Cancer, 72:95-101 (1997).
12.013.	L-MIMOSINE	Leucenol	[500-44-7]	198.18	C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub>	Merck Index 11,6118
12.014.	MITHRAMYCIN A	Aureolic acid	[18378-89-7]	1085.15	C <sub>52</sub> H <sub>76</sub> O <sub>24</sub>	Merck Index 11,7510
12.015.	MITOMYCIN C		[50-07-7]	334.3	C <sub>15</sub> H <sub>18</sub> N <sub>4</sub> O <sub>5</sub>	Tomasz, M., et al. Science, 235:1204 (1995).
12.016.	MITRAGYNINE PICRATE	ex <i>Mitragyna speciosa</i>	[4098-40-2]			Merck Index 11,6136
12.234.	MONENSIN SODIUM SALT		[17090-79-8]	670.87	C <sub>35</sub> H <sub>62</sub> O <sub>11</sub>	Zhu WH, Loh TT. Biochem Biophys Acta 1269:122-8 (1995)
12.260.	MONOCROTALIN		[315-22-0]	325.37	C <sub>16</sub> H <sub>23</sub> N <sub>3</sub> O <sub>6</sub>	
12.017.	MORIN Dihydrate	2',3,4',5,7-Pentahydroxyflavone	[480-16-0]	302.25	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> .2H <sub>2</sub> O	Merck Index 11,6179
12.018.	trans,trans-MUCONIC ACID	2,4-Hexadiene-1,6-dioic acid	[3588-17-8]	142.11	C <sub>6</sub> H <sub>6</sub> O <sub>4</sub>	Merck Index 11,5210

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.019.	(+)-MURAMIC ACID	2-Amino-3-O-[1-carboxyethyl]-2-deoxy-D-glucose	[1114-41-6]	251.24	C <sub>9</sub> H <sub>17</sub> NO <sub>7</sub>	Merck Index 11,6213
12.020.	MURAMIC ACID	2-Amino-3-O-[1-carboxyethyl]-2-deoxy-D-glucose	[1114-41-6]	251.24	C <sub>9</sub> H <sub>17</sub> NO <sub>7</sub>	Merck Index 11,6213
12.021.	MYOSMINE	(3-[1-Pyrrolin-2-yl]-pyridine	[532-12-7]	146.20	C <sub>9</sub> H <sub>10</sub> N <sub>2</sub>	
12.261.	MYRCENE		[123-35-3]	136.24	C <sub>10</sub> H <sub>16</sub>	
12.262.	(+/-)-MYRICANOL			358.44	C <sub>21</sub> H <sub>26</sub> O <sub>5</sub>	
12.022.	MYRICETIN	Cannabiscetin; 3,3',4',5,5',7-Hexahydroxyflavone	[529-44-2]	318.25	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	Merck Index 11,6244
12.023.	MYRICETIN TRIMETHYL ETHER	3,3,7-Trihydroxy-3',4',5'-trimethoxyflavone		360.33	C <sub>18</sub> H <sub>16</sub> O <sub>8</sub>	
12.024.	MYRICETIN-3-RHAMNOSIDE	Myricitrin	[17912-87-7]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,6244
12.025.	MYRICITRIN Dihydrate	Myricetin-3-rhamnoside	[17912-87-7]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,6244
12.026.	MYRISTICIN		[607-91-0]	192.21	C <sub>11</sub> H <sub>12</sub> O <sub>3</sub>	Zheng, G.-q., Kenney, P.M., and Lam, L.K.T. J. Agri. Food Chem., 40:107-110 (1992).
12.027.	MYRISTICIN ALDEHYDE	3-Methoxypiperonal	[5780-07-4]	180.16	C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>	
12.028.	MYRISTOYL CHOLINE CHLORIDE		[4277-89-8]	350.00	C <sub>19</sub> H <sub>40</sub> ClNO <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
12.029.	MYRISTOYL CHOLINE IODIDE		[72742-04-2]	441.45	C <sub>19</sub> H <sub>40</sub> INO <sub>2</sub>	
12.263.	(-)-CIS-MYRTANOL		[51152-12-6]	154.25	C <sub>10</sub> H <sub>18</sub> O	
12.264.	(-)-TRANS-MYRTANOL		[53369-17-8]	154.25	C <sub>10</sub> H <sub>18</sub> O	
12.265.	(-)-MYRTENOL		[19894-97-4]	152.24	C <sub>10</sub> H <sub>16</sub> O	
12.266.	MYRTILLIN CHLORIDE		[6906-38-3]	500.9	C <sub>21</sub> H <sub>21</sub> O <sub>12</sub> Cl	
13.116.	N-(1-NAPHTYL)- ETHYLENDIAMINEDIHYDROCHLORIDE		[1465-25-4]	259.17	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> Cl	
01.243.	N-ACETYL-D-GALACTOSAMIN		[1811-31-0]	221.22	C <sub>18</sub> H <sub>15</sub> NO <sub>6</sub>	
13.030.	a-NAPHTHOFLAVANOL			288.31	C <sub>19</sub> H <sub>12</sub> O <sub>3</sub>	
13.031.	b-NAPHTHOFLAVANOL			288.31	C <sub>19</sub> H <sub>12</sub> O <sub>3</sub>	
13.032.	a-NAPHTHOFLAVANONE			274.33	C <sub>19</sub> H <sub>14</sub> O <sub>2</sub>	
13.033.	b-NAPHTHOFLAVANONE			274.33	C <sub>19</sub> H <sub>14</sub> O <sub>2</sub>	
13.034.	a-NAPHTHOFLAVONE	7,8-Benzoflavone	[604-59-1]	272.31	C <sub>19</sub> H <sub>12</sub> O <sub>2</sub>	Cancer Res. 34,10 (1974).
13.035.	β-NAPHTHOFLAVONE	5,6-Benzoflavone	[6051-87-2]	272.31	C <sub>19</sub> H <sub>12</sub> O <sub>2</sub>	Cancer Res. 32,731, 1329 (1972)



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.036.	NAPHTHOL AS ACETATE	3-Acetoxy-2-naphthanilide	[1163-67-3]	305.34	C <sub>19</sub> H <sub>15</sub> NO <sub>3</sub>	
13.037.	NAPHTHOL AS NONANOATE		[10523-82-7]	403.54	C <sub>26</sub> H <sub>29</sub> NO <sub>3</sub>	
13.038.	NAPHTHOL AS PHOSPHATE		[13989-98-5]	343.28	C <sub>17</sub> H <sub>14</sub> NO <sub>5</sub> P	
13.039.	NAPHTHOL AS SULPHATE POTASSIUM SALT			381.46	C <sub>17</sub> H <sub>12</sub> KNO <sub>5</sub> S	
13.040.	NAPHTHOL AS-BI 2-ACETAMIDO-2-DEOXY-β-D-GLUCOPYRANOSIDE	Naphthol AS-BI N-acetyl-β-D-glucosaminide	[3395-37-7]	575.43	C <sub>26</sub> H <sub>27</sub> BrN <sub>2</sub> O <sub>8</sub>	
13.041.	NAPHTHOL AS-BI PHOSPHATE		[1919-91-1]	452.21	C <sub>18</sub> H <sub>15</sub> BrNO <sub>6</sub> P	
13.042.	NAPHTHOL AS-BI β-D-GALACTOPYRANOSIDE		[51349-63-4]	534.38	C <sub>24</sub> H <sub>24</sub> BrNO <sub>8</sub>	
13.043.	NAPHTHOL AS-BI β-D-GLUCOPYRANOSIDE			534.38	C <sub>24</sub> H <sub>24</sub> BrNO <sub>8</sub>	
13.044.	NAPHTHOL AS-BI β-D-GLUCORONIDE	Naphthol AS-BI β-D-glucuronic acid	[37-87-6]	548.36	C <sub>24</sub> H <sub>22</sub> BrNO <sub>9</sub>	J.Histochem.Cytochem., 12,293 (1964).
13.045.	NAPHTHOL AS-BI β-L-FUCOPYRANOSIDE			518.38	C <sub>24</sub> H <sub>34</sub> BrNO <sub>7</sub>	
13.046.	2-NAPHTHYL CAPRYLATE	2-Naphthyl octanoate	[10251-17-9]	270.38	C <sub>18</sub> H <sub>22</sub> O <sub>2</sub>	
13.047.	2-NAPHTHYL MYRISTATE		[7262-80-8]	354.53	C <sub>24</sub> H <sub>34</sub> O <sub>2</sub>	
13.048.	β-NAPHTHYL PROPIONATE	Propionic acid 2-naphthyl ester	[13080-43-8]	200.24	C <sub>13</sub> H <sub>12</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.049.	1-NAPHTHYL STEARATE		[6343-74-4]	410.64	C <sub>28</sub> H <sub>42</sub> O <sub>2</sub>	
13.051.	2-(1-NAPHTHYL)-5-PHENYL-1,3,4-OXADIAZOLE		[897-18-7]	272.32	C <sub>18</sub> H <sub>12</sub> N <sub>2</sub> O	
13.052.	2-(2-NAPHTHYL)-5-PHENYL-1,3,4-OXADIAZOLE			272.32	C <sub>18</sub> H <sub>12</sub> N <sub>2</sub> O	
13.053.	2-(1-NAPHTHYL)-5-PHENYLOXAZOLE	a-NPO		271.33	C <sub>19</sub> H <sub>13</sub> NO	
13.054.	2-(1-NAPHTHYL-5-(4-BIPHENYLYL)-1,3,4-OXADIAZOLE	a-NBD Scintillation grade		364.42	C <sub>24</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub>	
13.055.	1-NAPHTHYL- $\alpha$ -D-GALACTOPYRANOSIDE		[65174-63-2]	306.31	C <sub>16</sub> H <sub>18</sub> O <sub>5</sub>	
13.056.	1-NAPHTHYL- $\alpha$ -D-MANNOPYRANOSIDE	1-Naphthyl- $\alpha$ -D-mannose		306.31	C <sub>16</sub> H <sub>18</sub> O <sub>6</sub>	
13.057.	2-NAPHTHYL- $\alpha$ -L-FUCOPYRANOSIDE			290.32	C <sub>16</sub> H <sub>18</sub> O <sub>5</sub>	
13.058.	1-NAPHTHYL- $\beta$ -D-GALACTOPYRANOSIDE		[41335-32-4]	306.31	C <sub>16</sub> H <sub>18</sub> O <sub>6</sub>	
13.059.	2-NAPHTHYL- $\beta$ -D-GALACTOPYRANOSIDE Monohydrate		[33993-25-8]	324.33	C <sub>16</sub> H <sub>18</sub> O <sub>6</sub> .H <sub>2</sub> O	
13.060.	2-NAPHTHYL- $\beta$ -D-GLUCOPYRANOSIDE		[6044-30-0]	306.31	C <sub>16</sub> H <sub>18</sub> O <sub>6</sub>	
13.061.	1-NAPHTHYL- $\beta$ -D-GLUCOROIDE SODIUM SALT		[83833-12-9]	342.28	C <sub>16</sub> H <sub>15</sub> NaO <sub>7</sub>	
13.062.	2-NAPHTHYL- $\beta$ -D-GLUCURONIDE SODIUM SALT			342.48	C <sub>16</sub> H <sub>15</sub> NaO <sub>7</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.063.	1-NAPHTHYL-β-D-XYLOSE					
13.003.	NAPHTOL					
13.064.	1-NAPHTHYL-β-D-GLUCOPYRANOSIDE			306.31	C <sub>16</sub> H <sub>18</sub> O <sub>6</sub>	
13.065.	NAPROXEN		[22204-53-1]	230.26	C <sub>14</sub> H <sub>14</sub> O <sub>3</sub>	Bouchard, L., Castonguay, A. Drug Metab. Disp., 21:293-298 (1993).
13.066.	NARCEINE Trihydrate		[131-28-2]	499.50	C <sub>23</sub> H <sub>27</sub> NO <sub>8</sub> ·3H <sub>2</sub> O	Merck Index 11,6341
13.067.	NARCISSIN	Isorhamnetin-3-rutinoside	[604-80-8]	624.57	C <sub>28</sub> H <sub>32</sub> O <sub>16</sub>	
13.001.	NARINGENIN	4',5,7-Trihydroxyflavanone	[480-41-1]	272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,6344
13.069.	NARINGENIN CHALCONE	2',4',6',4-Tetrahydroxychalcone; Isosalipurpol		272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
13.070.	NARINGENIN-7-GLUCOSIDE		[529-55-5]	414.35	C <sub>21</sub> H <sub>22</sub> O <sub>10</sub>	
13.117.	NARINGENIN-7-O-GLUCOSIDE		[529-55-5]	434.4	C <sub>21</sub> H <sub>22</sub> O <sub>10</sub>	
13.002.	NARINGIN	Naringenin-7-rhamnoglucoside; Naringenin-7-neohesperidoside	[10236-47-2]	580.55	C <sub>27</sub> H <sub>32</sub> O <sub>14</sub>	Merck Index 11,6345
13.071.	NARINGIN CHALCONE					
13.072.	NARIRUTIN	Naringenin-7-rutinoside	[14259-46-2]	580.61	C <sub>27</sub> H <sub>32</sub> O <sub>14</sub>	Tet.Let.,1968,1635.

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.104.	NATRIUMBENZOAT		[532-32-1]	144.11	C <sub>7</sub> H <sub>5</sub> O <sub>2</sub> Na	Budavari, S. The Merck Index, 12t
13.073.	NEOCUPROINE Hemihydrate	2,9-Dimethyl-1,10-phenanthroline	[484-11-7]	217.27	C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> .1/2H <sub>2</sub> O	Merck Index 11,6364
13.074.	NEOCUPROINE HYDROCHLORIDE Monohydrate	2,9-Dimethyl-1,10-phenanthroline.HCl	[7296-20-0]	262.74	C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> .HCl.H <sub>2</sub> O	Merck Index 11,6364
13.118.	NEODIOSMIN		[38665-01-9]	608.56	C <sub>28</sub> H <sub>32</sub> O <sub>15</sub>	
13.075.	NEOERIOCITRIN	Eriodictyol-7-neohesperidoside	[13241-32-2]	596.54	C <sub>17</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3616
13.076.	NEOHESPERIDIN	Hesperetin-7-Neohesperidoside	[13241-33-3]	610.58	C <sub>28</sub> H <sub>34</sub> O <sub>15</sub>	
13.077.	NEOHESPERIDIN DIHYDROCHALCONE		[20702-77-6]	612.60	C <sub>28</sub> H <sub>36</sub> O <sub>15</sub>	
13.078.	NEOHESPERIDOSE		[17074-02-1]	326.31	C <sub>12</sub> H <sub>22</sub> O <sub>10</sub>	
13.079.	NEOHESPERIDOSE HEPTAACETATE		[19949-47-4]	620.58	C <sub>26</sub> H <sub>36</sub> O <sub>17</sub>	
13.119.	(+)-NEOMENTHOL		[2216-52-6]	156.27	C <sub>10</sub> H <sub>20</sub> O	
13.120.	(+/-)-NEOMENTHOL		[3623-51-6]	156.27	C <sub>10</sub> H <sub>20</sub> O	
13.121.	(-)-NEOMENTHOL		[20747-49-3]	156.27	C <sub>10</sub> H <sub>20</sub> O	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.110.	NEOMYCIN SULFATE		[1405-10-3]	908.9	C <sub>23</sub> H <sub>46</sub> N <sub>6</sub> O <sub>13</sub> x3H <sub>2</sub> SO <sub>4</sub>	Taborsky I, Nezval J, Smekal E, Janisch R. J Hyg Epidemiol Microbiol Immunol. 11:359-67 (1967)
13.122.	NEOMYCIN SULFATE		[1405-10-3]			
13.080.	NEONICOTINE	DL-Anabasine	[13078-04-1]	162.24	C <sub>10</sub> H <sub>14</sub> N <sub>2</sub>	Merck Index 11,655
13.081.	NEOPONCIRIN	Didymine; Isosakuranetin-7-rutinoside	[14259-47-3]	594.58	C <sub>28</sub> H <sub>34</sub> O <sub>14</sub>	
13.123.	NEORUSCOGENIN		[17676-33-4]	428.62	C <sub>27</sub> H <sub>40</sub> O <sub>4</sub>	
13.082.	NEOSTIGMINE BROMIDE		[114-80-7]	303.21	C <sub>12</sub> H <sub>19</sub> BrN <sub>2</sub> O <sub>2</sub>	Merck Index 11,6380
13.083.	NEOSTIGMINE METHYL SULPHATE		[51-60-5]	334.39	C <sub>13</sub> H <sub>22</sub> N <sub>2</sub> O <sub>6</sub> S	Merck Index 11,6380
13.084.	NEPETIN	6-Methoxy Luteolin; Eupafolin		316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,5483
13.124.	NERIIFOLIN		[466-07-9]	534.07	C <sub>30</sub> H <sub>46</sub> O <sub>8</sub>	
13.085.	NERIINE	Connessine; Roquessine; Wrightine	[546-06-5]	336.32	C <sub>24</sub> H <sub>40</sub> N <sub>2</sub>	Merck Index 11,2492
13.125.	NEROL		[106-25-2]	154.25	C <sub>10</sub> H <sub>18</sub> O	
13.126.	(CIS+TRANS)-NEROLIDOL		[7212-44-4]	222.38	C <sub>15</sub> H <sub>26</sub> O	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.127.	CIS-NEROLIDOL		[3790-78-1]	222.38	C <sub>15</sub> H <sub>26</sub> O	
13.128.	TRANS-NEROLIDOL		[40716-66-3]	222.38	C <sub>15</sub> H <sub>26</sub> O	
13.086.	NERVONIC ACID (cis)	15-Tetracosenoic Acid	[506-37-6]	366.58	C <sub>24</sub> H <sub>46</sub> O <sub>2</sub>	
13.111.	NIGRIN b					Gribes T et al. Plant Mol. Biol. 22, 1181 (1993)
13.087.	NIMBIN		[5945-86-8]	540.63	C <sub>30</sub> H <sub>36</sub> O <sub>9</sub>	Merck Index 11,6462
13.112.	NIMESULIDE			308.31	C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> O <sub>5</sub> S	Huskinson EC. Clin Exp Rheumatol. 19:S21-5 (2001)
13.088.	4-NITROPHENYL ACETATE		[830-03-5]	181.15	C <sub>8</sub> H <sub>7</sub> NO <sub>4</sub>	Biochem., 18,37,69(1979).
13.089.	4-NITROPHENYL LAURATE		[1956-11-2]	321.40	C <sub>18</sub> H <sub>27</sub> NO <sub>4</sub>	
13.090.	4-NITROPHENYL MYRISTATE	Tetradecanoic acid 4-nitrophenyl ester	[14617-85-7]	349.48	C <sub>20</sub> H <sub>31</sub> NO <sub>4</sub>	
13.091.	4-NITROPHENYL PALMITATE	Hexadecanoic acid 4-nitrophenyl ester	[1492-30-4]	377.54	C <sub>22</sub> H <sub>35</sub> NO <sub>4</sub>	
13.092.	4-NITROPHENYL PHOSPHATE Disodium Salt Hexahydrate	PNPP	[4264-83-9]	263.06	C <sub>6</sub> H <sub>4</sub> NNa <sub>2</sub> O <sub>6</sub> P	
13.093.	p-NITROPHENYL SULPHATE potassium salt		[6217-68-1]	257.27	C <sub>6</sub> H <sub>4</sub> O <sub>6</sub> SK	Methods Biochem.Anal. 4,246 (1957).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.094.	bis-(4-NITROPHENYL) PHOSPHATE sodium Salt		[4043-96-3]	362.17	C <sub>12</sub> H <sub>8</sub> O <sub>8</sub> N <sub>2</sub> PNa	J.Biol.Chem., 198,293(1952)
13.095.	DL-β-(4-NITROPHENYL)-ALANINE		[2922-40-9]	210.19	C <sub>9</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub>	
13.096.	L-β-(4-NITROPHENYL)-ALANINE monohydrate		[949-99-5]	228.21	C <sub>9</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub> .H <sub>2</sub> O	
13.097.	4-NITROPHENYL-2-ACETAMIDO-2-DEOXY-α-D-GALACTOPYRANOSIDE		[10139-02-3]	342.30	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub>	
13.098.	2-NITROPHENYL-2-ACETAMIDO-2-DEOXY-α-D-GLUCOPYRANOSIDE			342.30	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub>	
13.099.	3-NITROPHENYL-2-ACETAMIDO-2-DEOXY-α-D-GLUCOPYRANOSIDE					
13.100.	4-NITROPHENYL-2-ACETAMIDO-2-DEOXY-α-D-GLUCOPYRANOSIDE	4-Nitrophenyl-N-acetyl-α-D-glucosaminide	[10139-02-3]	342.30	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub>	Biochem.Biophys.Acta., 482,138 (1977).
13.101.	4-NITROPHENYL-2-ACETAMIDO-2-DEOXY-β-D-GALACTOPYRANOSIDE		[14948-96-0]	360.32	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub> .H <sub>2</sub> O	
13.102.	3-NITROPHENYL-2-ACETAMIDO-2-DEOXY-β-D-GLUCOPYRANOSIDE	3-Nitrophenyl-N-Acetyl-β-D-glucosaminide		342.30	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub>	
13.103.	4-NITROPHENYL-2-ACETAMIDO-2-DEOXY-β-D-GLUCOPYRANOSIDE	4-Nitrophenyl-N-acetyl-β-D-glucosaminide	[3459-18-5]	342.30	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>8</sub>	Biochem., 6,207(1967).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.104.	4-NITROPHENYL- $\alpha$ -D-GALACTOPYRANOSIDE	4-Nitrophenyl- $\alpha$ -D-galactoside	[7493-95-0]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	Anal.Biochem., 104,182(1980).
13.105.	4-NITROPHENYL- $\alpha$ -D-GLUCOPYRANOSIDE		[3767-28-0]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	Anal.Biochem., 113,118(1981).
13.106.	4-NITROPHENYL- $\alpha$ -D-MANNOPYRANOSIDE	4-Nitrophenyl- $\alpha$ -D-mannoside	[10357-27-4]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	Methods Enzymol., 8,571(1966).
13.107.	4-NITROPHENYL- $\alpha$ -D-XYLOPYRANOSIDE			271.23	C <sub>11</sub> H <sub>13</sub> NO <sub>7</sub>	
13.050.	4-NITROPHENYL- $\alpha$ -L-FUCOPYRANOSIDE		[10231-84-2]	285.30	C <sub>12</sub> H <sub>15</sub> NO <sub>7</sub>	
13.129.	4-NITROPHENYL-ALPHA-L-ARABINOPYRANOSIDE		[1223-07-0]	271.23	C <sub>11</sub> H <sub>13</sub> NO <sub>7</sub>	
13.131.	4-NITROPHENYL-ALPHA-L-RHAMNOSIDE		[18918-31-5]	285.26	C <sub>12</sub> H <sub>15</sub> NO <sub>7</sub>	
13.130.	4-NITROPHENYL-BETA-D-GALACTOPYRANOSIDE		[3150-24-1]	301.26	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	
13.132.	4-NITROPHENYL-BETA-D-XYLOPYRANOSIDE		[2001-96-9]	271.23	C <sub>11</sub> H <sub>13</sub> NO <sub>7</sub>	
13.068.	4-NITROPHENYL- $\beta$ -D-CELLOBIOPYRANOSIDE		[3482-57-3]	463.41	C <sub>18</sub> H <sub>25</sub> NO <sub>13</sub>	
13.004.	2-NITROPHENYL- $\beta$ -D-GALACTOPYRANOSIDE	ONPG; 2-Nitrophenyl- $\beta$ -D-galactoside	[369-07-3]	301.26	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	J.Am.chem.Soc., 75,891(1953).
13.005.	3-NITROPHENYL- $\beta$ -D-GALACTOPYRANOSIDE	3-Nitrophenyl- $\beta$ -D-galactoside		301.25	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	
13.006.	4-NITROPHENYL- $\beta$ -D-GALACTOPYRANOSIDE	4-Nitrophenyl- $\beta$ -D-galactoside	[3150-24-1]	301.25	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	Biochem., Z.333.377(1960).



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.007.	2-NITROPHENYL- $\beta$ -D-GALACTOPYRANOSIDE-6-PHOSPHATE DICYCLOHEXYL	Ammonium salt	[25405-62-3]	381.24	C <sub>12</sub> H <sub>16</sub> NO <sub>11</sub> P	Biochem.Z., 58, 247 (1967).
13.008.	2-NITROPHENYL- $\beta$ -D-GLUCOPYRANOSIDE	2-Nitrophenyl- $\beta$ -D-glucoside	[2816-24-2]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	J.Biol.Chem., 233,1113(1958).
13.009.	3-NITROPHENYL- $\beta$ -D-GLUCOPYRANOSIDE		[2816-24-2]	301.25	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	
13.010.	4-NITROPHENYL- $\beta$ -D-GLUCOPYRANOSIDE		[2492-87-7]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	J. Biol. Chem. 255, 9030 (1980).
13.011.	4-NITROPHENYL- $\beta$ -D-GLUCOPYRANOSIDURONIC ACID	p-Nitrophenyl $\beta$ -D-glucuronide	[10344-94-2]		C <sub>12</sub> H <sub>13</sub> NO <sub>9</sub>	
13.012.	4-NITROPHENYL- $\beta$ -D-GLUCORONIDE		[10344-94-2]	315.20	C <sub>12</sub> H <sub>13</sub> NO <sub>9</sub>	Chem.Pharm.Bull., 8,239(1960).
13.013.	4-NITROPHENYL- $\beta$ -D-MANNOPYRANOSIDE	4-Nitrophenyl- $\beta$ -D-Mannoside	[35599-02-1]	301.30	C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>	
13.014.	O-NITROPHENYL- $\beta$ -D-THIOGALACTOPARANOSIDE		[1158-17-4]	317.32	C <sub>12</sub> H <sub>15</sub> NO <sub>7</sub> S	
13.015.	2-NITROPHENYL- $\beta$ -D-XYLOPYRANOSIDE		[10238-27-4]	271.23	C <sub>11</sub> H <sub>13</sub> NO <sub>7</sub>	
13.016.	4-NITROPHENYL- $\beta$ -D-XYLOPYRANOSIDE		[2001-96-9]	271.23	C <sub>11</sub> H <sub>13</sub> NO <sub>7</sub>	
13.017.	4-NITROPHENYL- $\beta$ -L-FUCOPYRANOSIDE		[22153-71-5]	285.30	C <sub>12</sub> H <sub>15</sub> NO <sub>7</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.018.	NITROSO(ACETOXY-METHYL)METHYLAMINE		[56856-83-8]	132.12	C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>	Frank, N., Janzowski, C., Wiessler, M. Biochem. Pharm., 29:383-7 (1980).
14.053.	n-OCTYGALLATE		[1034-01-1]	298.35	C <sub>15</sub> H <sub>22</sub> O <sub>6</sub>	
13.019.	NOMILIN		[1063-77-0]	514.59	C <sub>28</sub> H <sub>34</sub> O <sub>9</sub>	Merck Index 11,6593
13.113.	NOMILIN		[1063-77-0]	514.3	C <sub>28</sub> H <sub>34</sub> O <sub>9</sub>	Lam LKT, Hasegawa S. Nutr. Cancer. 12:43-47 (1989)
13.133.	NONADECANOIC ACID METHYLESTER		[1731-94-8]	312.54	C <sub>20</sub> H <sub>40</sub> O <sub>2</sub>	
13.134.	GAMMA-NONALACTONE		[104-61-0]	156.23	C <sub>9</sub> H <sub>16</sub> O <sub>2</sub>	
13.135.	2-NONANOL		[628-99-9]	144.26	C <sub>9</sub> H <sub>20</sub> O	
13.109.	NONIVAMIDE	Nonylic Acid Vanillyl Amide, Capsaicin synth.	[2444-46-4]	293.4	C <sub>17</sub> H <sub>27</sub> O <sub>3</sub> N	
13.136.	NOOTKATONE		[4674-50-4]	218.35	C <sub>15</sub> H <sub>22</sub> O	
13.137.	NORCAMPHOR		[497-38-1]	110.16	C <sub>7</sub> H <sub>10</sub> O	
13.020.	NORDALBERGIN		[482-82-6]	254.25	C <sub>15</sub> H <sub>10</sub> O <sub>4</sub>	Mukerjee, S.K., et.al., Tetr. 27,799 (1971)
13.021.	Nor-DESOXYCHOLIC ACID	3,12-Dihydroxy-norcholanic acid				

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
13.114.	NORDIHYDROGUAIARETIC ACID		[500-38-9]	302.26	C <sub>18</sub> H <sub>22</sub> O <sub>4</sub>	Nakadate T, Yamamoto S, Iseki H et al. Gann 73:841-843 (1982)
13.022.	NORDIHYDROGUAIARETIC ACID		[500-38-9]	302.36	C <sub>18</sub> H <sub>22</sub> O <sub>4</sub>	Nakadate, T., Yamamoto, S., Iseki, H., et al. Gann., 73:841-843 (1982).
13.138.	NORHARMAN		[244-63-3]	168.19	C <sub>11</sub> H <sub>8</sub> N <sub>2</sub>	
13.023.	DL-NORLEUCINE	2-Aminohexanoic acid	[616-06-8]	131.18	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	Merck Index 11,6624
13.024.	D-NORLEUCINE	D-a-Amino-n-caproic acid	[327-56-0]	131.18	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	
13.025.	L-NORLEUCINE	L-a-amino-n-caproic acid	[327-57-1]	131.18	C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>	Merck Index 11,6624
13.026.	DL-NORNICOTINE	(2-[3-Pyridyl]pyrrolidine)	[494-97-3]	148.20	C <sub>9</sub> H <sub>12</sub> N <sub>2</sub>	Merck Index 11,6631
13.027.	19-NORTESTOSTERONE		[434-22-0]	274.41	C <sub>18</sub> H <sub>26</sub> O <sub>2</sub>	
13.028.	DL-NORVALINE	2-aminopentanoic acid	[760-78-1]	117.15	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>	Merck Index 11,6636
13.029.	L-NORVALINE		[6600-40-4]	117.15	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>	Merck Index 11,6636
13.115.	NOTOGINSENSIDE R1			917.13	C <sub>47</sub> H <sub>80</sub> O <sub>17</sub>	Zhang W, Wojta J, Binder BR. Arterio Throm 14:1040-1046
01.240.	O-ACETYLCOLUMBIANETIN		[23180-65-6]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
14.030.	OBACUNONE					
14.031.	OBTUSASTYRENE	4-Cinnamylphenol	[24126-82-7]	210.28	C <sub>15</sub> H <sub>14</sub> O	
14.032.	OCHRATOXIN A		[303-47-9]	403.81	C <sub>20</sub> H <sub>18</sub> ClNO <sub>6</sub>	Meisner, H., Chan, S. Biochemistry, 13:2795-2800 (1974).
14.033.	2-n-OCTADECYLFURAN			320.56	C <sub>22</sub> H <sub>40</sub> O	
14.034.	n-OCTYL-β-D-GLUCOPYRANOSIDE	n-Octyl-β-D-glucoside	[29836-26-8]	292.38	C <sub>14</sub> H <sub>28</sub> O <sub>6</sub>	Acta., 382,276(1975).
14.035.	2-n-OCTYLTHIOPHENE		[880-36-4]	196.35	C <sub>12</sub> H <sub>20</sub> S	Lam. L.K., Zhang, J. Carcinogenesis, 12:2311-2315 (1991).
14.036.	ODORIGENIN B	Uzarigenin	[466-09-1]	374.53	C <sub>23</sub> H <sub>34</sub> O <sub>4</sub>	Merck Index 11,9809
14.037.	OENIN	Malvidin-3-glucoside		510.46	C <sub>23</sub> H <sub>26</sub> O <sub>13</sub>	
14.038.	OENIN CHLORIDE	Malvidin-3-glucoside chloride		528.91	C <sub>23</sub> H <sub>25</sub> ClO <sub>12</sub>	Merck Index 11,5596
14.039.	OIL, ANGELICA ROOT		[8015-64-3]			
14.040.	OIL, CAMOMILE					
14.041.	OIL, CARAWAY		[68917-82-8]			

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
14.042.	OIL, CELERY SEED		[8015-90-5]			
14.043.	OIL, DILLWEED					
14.044.	OIL, FENNEL		[8006-84-6]			
14.045.	OIL, GALANGA ROOT					
14.046.	OIL, GINGER		[8007-08-7]			
14.047.	OIL, LEMON		[8008-56-8]			
14.002.	OIL, LEMONGRASS					
14.003.	OIL, ORANGE		[8008-57-9]			
14.004.	OIL, ORIGANUM					
14.005.	OIL, PARSLEY		[8000-68-8]			
14.006.	OIL, SWEET BASIL					
14.007.	OIL, THYME		[68917-64-6]			
14.050.	OKADAIC ACID		[78111-17-8]	805.00	C <sub>44</sub> H <sub>68</sub> O <sub>13</sub>	Suganuma M et al. Proc. Natl Acad Sci USA 85:1768-1771 (1988)

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
14.051.	OKADAIC ACID AMMONIUM SALT		[155716-06-6]	822.04	C <sub>44</sub> H <sub>67</sub> O <sub>13</sub> xNH <sub>4</sub>	
14.052.	OKADAIC ACID SODIUM SALT			827.0	C <sub>44</sub> H <sub>67</sub> O <sub>13</sub> xNa	
14.008.	OKANIN	2',3',4',4,4,-Pentahydroxychalcone	[484-76-4]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825.
14.009.	OKANIN-4'-o-GLUCOSIDE	Marein	[595-96-6]	450.40	C <sub>15</sub> H <sub>22</sub> O <sub>11</sub>	
14.048.	OLEADRIGENIN	Monoacetylgitoxigenin	[465-15-6]	432.556	C <sub>25</sub> H <sub>36</sub> O <sub>6</sub>	
14.010.	OLEAN-12-EN-3b-OL	b-Amyrin	[559-70-6]	426.73	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,654
14.011.	OLEANDRIN	Folinerin	[465-16-7]	576.75	C <sub>32</sub> H <sub>48</sub> O <sub>9</sub>	Merck Index 11,6786
14.012.	OLEANOLIC ACID	Caryophyllin; Oleanol	[508-02-1]	456.73	C <sub>30</sub> H <sub>48</sub> O <sub>3</sub>	Merck Index 11,6787
14.013.	OLEANOLIC ACID METHYL ESTER		[1724-17-0]	470.75	C <sub>31</sub> H <sub>50</sub> O <sub>3</sub>	Merck Index 11,6787
14.014.	OLEUROPEIN		[32619-42-4]	540.53	C <sub>25</sub> H <sub>32</sub> O <sub>13</sub>	Merck Index 11,6790
14.015.	OLIGOMYCIN A		[579-13-5]	791.07	C <sub>45</sub> H <sub>74</sub> O <sub>11</sub>	Merck Index 11,6793
14.016.	OLIGOMYCIN ABC	Mix	[1404-19-9]			
14.017.	OLIGOMYCIN B		[11050-94-5]	805.06	C <sub>45</sub> H <sub>72</sub> O <sub>12</sub>	Merck Index 11,6793
14.018.	OLIGOMYCIN C		[11052-72-5]	775.10	C <sub>45</sub> H <sub>74</sub> O <sub>10</sub>	Merck Index 11,6793

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
14.019.	OMBIUN; Quercetin-7,4'-dimethylether	4',7-Dimethoxy-3,3',5-trihydroxyflavone	[529-40-8]	330.29	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
14.001.	ONONIN	Glucosyl-7-O-Formononetin	[486-62-4]	430.42	C <sub>22</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,4157
14.020.	ORIENTINE	Luteolin-8-C-Glucoside	[60485-60-1]	448.39	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	
14.021.	ORIENTOSIDE	Vitexin; Apigenin-8-C-glucoside	[3681-93-4]	432.36	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
14.022.	OSAJIN		[482-53-1]	404.44	C <sub>25</sub> H <sub>24</sub> O <sub>5</sub>	Merck Index 11,6842
14.023.	OSAJIN 4'-METHYLEETHER			418.50	C <sub>26</sub> H <sub>26</sub> O <sub>5</sub>	Merck Index 11,6842
14.024.	OSTHOLE	8-(3-Methyl-2-butenyl)herniarin	[484-12-8]	244.30	C <sub>15</sub> H <sub>16</sub> O <sub>3</sub>	Merck Index 11,6849
14.049.	OXALIC ACID	Ethaenedioic acid	[144-62-7]	90.04	C <sub>2</sub> H <sub>2</sub> O <sub>4</sub>	
14.025.	16-OXOCAFESTOL		[108664-98-8]	284.40	C <sub>19</sub> H <sub>24</sub> O <sub>2</sub>	
14.026.	16-OXOKAHWEOL		[108664-99-9]	282.39	C <sub>19</sub> H <sub>22</sub> O <sub>2</sub>	
14.054.	OXYACANTHINE HYDROCHLORIDE		[15352-74-6]	681.64	C <sub>37</sub> H <sub>40</sub> N <sub>2</sub> O <sub>6</sub> x2HCl	
14.055.	OXYACANTHINE SULFATE		[6183-91-1]	706.79	C <sub>37</sub> H <sub>40</sub> N <sub>2</sub> O <sub>6</sub> xH <sub>2</sub> SO <sub>4</sub>	
14.027.	OXYBERBERIN	Berlambine	[549-21-3]	351.37	C <sub>20</sub> H <sub>17</sub> O <sub>5</sub> N	
14.028.	OXYCHELIDONINE			367.37	C <sub>20</sub> H <sub>17</sub> NO <sub>6</sub>	Merck Index 11,2043

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
14.029.	OXYPEUCEDANIN	Stereoisomer of Prangolarin		286.29	C16H14O5	Ber.,1939(52)
15.030.	PACLITAXEL, (TAXOL)		[33069-62-4]	853.9	C47H51NO14	Rowinsky, E.K., Cazenave, L.A., Donehower, R.C.J. Natl. Cancer Inst., 82:1247 (1990).
15.166.	PAENOL		[552-41-0]	166.17	C9H10O3	Harada M, Yamashita A, Aburada M. J Pharm Soc Japan 92:750-756 (1972)
15.031.	PAEONIFLORIN		[23180-57-6]	480.48	C23H28O11	
15.032.	PAEONOL	2-Hydroxy-4-methoxyacetophenone	[552-41-0]	166.18	C9H10O3	
15.033.	PALATINOSE	6-O-a-D-Glucopyranosyl-D-fructofuranose; Isomaltulose	[13718-94-0]	342.31	C12H22O11	
15.034.	PALMATINE CHLORIDE	2,3,9,10-Tetramethoxyprotoberberinchloride	[3486-67-7]	387.86	C21H22ClNO4	Merck Index 11,6945
15.177.	PALMITIC ACID		[57-10-3]	256.44	C16H32O2	
15.167.	PANAXADIOL			460.73	C30H52O3	
15.168.	PANAXATRIOL			476.73	C30H52O4	
15.035.	PARMELIN	Usnarin; Atranorin	[479-20-9]	374.36	C19H18O8	Merck Index 11,885



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.001.	PARTHENOLIDE		[20554-81-1]	248.33	C <sub>15</sub> H <sub>20</sub> O <sub>3</sub>	Merck Index 11,6996
15.169.	PEGANINE		[6159-55-3]	188.23	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O	Tuliganov N, Sadritdinov FS, Suleimanova GA. Farmakol Toksikol. 49:37-40 (1986)
15.178.	PELARGONALDEHYDE		[124-19-6]	142.24	C <sub>9</sub> H <sub>18</sub> O	
15.036.	PELARGONIC ACID VANILLYLAMIDE	Capsaicin; Nonanoic acid vanillylamide	[2444-46-4]	293.41	C <sub>17</sub> H <sub>27</sub> NO <sub>3</sub>	Merck Index 11,1767
15.037.	PELARGONIDIN CHLORIDE	3,4',5,7-Tetrahydroxyflavylium chloride	[134-04-3]	306.71	C <sub>15</sub> H <sub>11</sub> ClO <sub>5</sub>	Merck Index 11,7014
15.038.	PELARGONIDIN-3,5-DIGLUCOSIDE	Pelargonin chloride	[17334-58-6]	631.00	C <sub>27</sub> H <sub>31</sub> ClO <sub>15</sub>	Merck Index 11,7014
15.039.	PELARGONIDIN-3-GLUCOSIDE CHLORIDE	Callistephin-3,5-diglucoside	[18466-51-8]	468.86	C <sub>21</sub> H <sub>21</sub> ClO <sub>10</sub>	
15.040.	PELARGONIN CHLORIDE	Pelargonidin-3,5-diglucoside, Monardin, Salvinin, Punicin	[17334-58-6]	631.00	C <sub>27</sub> H <sub>31</sub> ClO <sub>15</sub>	
15.041.	PELTATOSIDE	Quercetin-3-arabinoglucoside	[23284-18-6]	596.51	C <sub>27</sub> H <sub>28</sub> O <sub>16</sub>	
15.042.	DL-PENICILLAMINE	DL-2-Amino-3-mercapto-3-methylbutanoic acid; DL-β-mercaptovaline	[52-66-4]	149.21	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S	Merck Index 11,7029
15.043.	D-PENICILLAMINE		[52-67-5]	749.79	C <sub>55</sub> H <sub>11</sub> NO <sub>2</sub> S	Merck Index 11,7029

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.004.	PENTAGALLOYLGLUCOSE		[14937-32-7]	940	C <sub>41</sub> H <sub>32</sub> O <sub>26</sub>	Tanaka, et.al. Chem.Pharm.Bull. 32,1984, 2676-2686
15.044.	3,3',4',5,7-PENTAHYDROXY-8-O-GLUCOSYL FLAVONE	Gossypin	[652-78-8]	648.50	C <sub>28</sub> H <sub>14</sub> O <sub>18</sub>	Proc.Ind.Acad.Sci., 1936(4a)54.
15.045.	2,3',4,4',6-PENTAHYDROXYBENZOPHENONE	Maclurin	[519-34-6]	262.23	C <sub>13</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5519
15.046.	2',3,4',3,4-PENTAHYDROXYCHALCONE	Okanin	[484-76-4]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825.
15.047.	2',4',6',3,4-PENTAHYDROXYCHALCONE	Eriodictyol chalcone	[73692-51-0]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	
15.048.	2',3',4',3,4-PENTAHYDROXYDIHYDROCHALCONE	Dihydro-okanin		290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825.
15.049.	2',4',6',3,4-PENTAHYDROXYDIHYDROCHALCONE	Eriodictyol dihydrochalcone	[47765-66-9]	290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	
15.050.	3,3',4',5,7-PENTAHYDROXYFLAVANE	(-)-Epicatechin	[490-46-0]	290.28	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub>	
15.051.	3,5,7,3',4'-PENTAHYDROXYFLAVANE Hydrate	(-)-Catechin	[154-23-4]	308.30	C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,1908
15.052.	3,3',4',5,7-PENTAHYDROXYFLAVANONE	Taxifolin; 2,4-Dihydroquercetin	[480-18-2]	304.26	C <sub>15</sub> H <sub>12</sub> O <sub>7</sub>	
15.053.	3,3',4',5',7-PENTAHYDROXYFLAVONE	Robinetin; 5-Hydroxyfisetin	[490-31-3]	302.25	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub>	
15.054.	2',3,4',5,7-PENTAHYDROXYFLAVONE Dihydrate	Morin	[480-16-0]	302.25	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> .2H <sub>2</sub> O	Merck Index 11,6179

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.055.	3,3',4',5,7-PENTAHYDROXYFLAVONE Dihydrate	Quercetin	[117-39-5]	338.28	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> ·2H <sub>2</sub> O	Merck Index 11,8034
15.056.	3,3',4',5,7-PENTAHYDROXYFLAVONE-3-GLUCOSIDE	Isoquercitrin; Quercetin-3-O-b-D-glucopyranose	[21637-25-2]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,5109
15.058.	4',5,6,7,8-PENTAMETHOXYFLAVONE	Tangeretin	[481-53-8]	372.39	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
15.059.	5,6,7,3',4'-PENTAMETHOXYFLAVONE	Sinensetin	[2306-27-6]	372.39	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
15.165.	3',4',5',5,7-PENTAMETHOXYFLAVONE			372.39	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
15.060.	1,2,3,4,6-PENTA-O-ACETYL- $\alpha$ -D-GALACTOPYRANOSIDE	$\alpha$ -D-Galactose pentaacetate	[4163-559-1]	390.35	C <sub>16</sub> H <sub>22</sub> O <sub>11</sub>	
15.061.	1,2,3,4,6-PENTA-O-ACETYL- $\beta$ -D-GALACTOPYRANOSE	$\beta$ -D-Galactose pentaacetate	[4163-60-4]	390.35	C <sub>16</sub> H <sub>22</sub> O <sub>11</sub>	
15.062.	PEONIDIN CHLORIDE	3,5,7,4'-Tetrahydroxy-3'-methoxyflavylium chloride	[134-01-0]	336.74	C <sub>16</sub> H <sub>13</sub> ClO <sub>6</sub>	Merck Index 11,7099
15.063.	PEONIDIN-3,5-DIGLUCOSIDE CHLORIDE	Peonin chloride		661.03	C <sub>28</sub> H <sub>33</sub> ClO <sub>16</sub>	Merck Index 11,7099
15.064.	PEONIDIN-3-GLUCOSIDE CHLORIDE			498.88	C <sub>22</sub> H <sub>23</sub> ClO <sub>11</sub>	
15.065.	PEONIN CHLORIDE	Peonidin-3,5-diglucoside Chloride		661.03	C <sub>28</sub> H <sub>33</sub> ClO <sub>16</sub>	Merck Index 11,7099
15.066.	(-)-PERILLALDEHYDE		[18031-40-8]	150.23	C <sub>10</sub> H <sub>14</sub> O <sub>3</sub>	Merck Index 11,7119

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.067.	(-)-PERILLYL ALCOHOL	(-)-p-Mentha-1,8-diene-7-ol	[536-59-4]	152.24	C <sub>10</sub> H <sub>16</sub> O	
15.068.	PERILLYL ALCOHOL		[20376-0100]	152.23	C <sub>10</sub> H <sub>16</sub> O	Gould, M.N. Environ Health Perspect., 105(Suppl4):977-979 (1997).
15.179.	PERUVOSIDE		[1182-87-2]	548.67	C <sub>30</sub> H <sub>44</sub> O <sub>9</sub>	
15.157.	PETASIN		[64236 - 38 -0]	316.42	C <sub>20</sub> H <sub>28</sub> O <sub>3</sub>	
15.180.	PETROSELINIC ACID		[593-39-5]	282.47	C <sub>18</sub> H <sub>34</sub> O <sub>2</sub>	
15.153.	PETUNIDIN CHLORIDE		[1429-30-7]	352.73	C <sub>16</sub> H <sub>13</sub> ClO <sub>7</sub>	
15.181.	R-(-)-ALPHA-PHELLANDRENE		[4221-98-1]	136.24	C <sub>10</sub> H <sub>16</sub>	
15.154.	PHENAMICIDE		[31031-74-0]	257.76	C <sub>13</sub> H <sub>20</sub> Cl N O <sub>2</sub>	
15.069.	9,10-PHENANTHRAQUINONE	9,10-Phenanthrenequinone	[84-11-7]	208.22	C <sub>14</sub> H <sub>8</sub> O <sub>2</sub>	
15.070.	1,10-PHENANTHROLINE Hydrate		[5144-89-8]	198.23	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,7169
15.071.	PHENETHYL CAFFEATE		[104594-70-9]	284.31	C <sub>17</sub> H <sub>16</sub> O <sub>4</sub>	Rao, C.V., et.al.Chem. Biol. Interactions, 84:277-290 (1992).
15.072.	PHENETHYL DIMETHYL CAFFEATE		[14551-14-0]	312.37	C <sub>19</sub> H <sub>20</sub> O <sub>4</sub>	Rao, C.V., et.al.Chem. Biol. Interactions, 84:277-290 (1992).

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.073.	PHENETHYL GLUCOSINOLATE POTASSIUM SALT		[499-30-9]	460.55	C15H19NO9S2K	
15.074.	PHENETHYL ISOTHIOCYANATE	2-Isothiocyanatoethylbenzene	[2257-09-2]	163.24	C9H9NS	Jiao, D., et al. Carcinogenesis, 11:2143-2147 (1997).
15.075.	PHENOLPHTHALEIN DISULPHATE TRIPOTASSIUM SALT		[62625-16-5]	610.76	C20H13O11S2K3	
15.076.	PHENOLPHTHALEIN- $\beta$ -D-GLUCURONIDE sodium salt		[6820-54-8]	516.45	C26H21O10Na	
15.077.	PHENYL ISOTHIOCYANATE	Phenyl mustard oil, PITC	[103-72-0]	135.19	C7H5NS	Jiao, D., Smith, T.J., Yang, D.S., Pitman, B., Desai, D., Amin, S., Chung, F.L. Carcinogenesis, 11:2143-2147 (1997).
15.078.	PHENYL LAURATE	Lauric acid phenyl ester	[4228-00-6]	276.43	C18H28O2	
15.079.	2-PHENYL-1,2-INDANDIONE	Phenindone	[83-12-5]	222.25	C15H10O2	Merck Index 11,7196
15.080.	PHENYL-2-ACETAMIDO-2-DEOXY- $\alpha$ -D-GALACTOPYRANOSIDE	Phenyl-N-acetyl- $\alpha$ -D-galactosaminide	[13089-18-4]	297.32	C14H19NO6	
15.081.	2-PHENYL-5-(2-FURYL)-1,3,4-OXADIAZOLE			212.21	C12H8N2O2	
15.182.	PHENYLACETIC ACID ETHYLESTER		[101-97-3]	164.21	C10H12O2	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.082.	DL-β-PHENYLALANINE	DL-2-Amino-3-phenylpropanoic acid	[150-30-1]	165.20	C9H11NO2	Merck Index 11,7242
15.185.	PHENYL-BETA-D-GALACTOPYRANOSIDE		[2818-58-8]	256.26	C12H16O6	
15.084.	4-PHENYLBUTYLISOTHIOCYANATE		[61499-10-3]	191.30	C11H13NS	Wilkinson, J.T., Morse, M.A., Kresty, L.A. and Stoner, G.D. Carcinogenesis, 16:1011-1015 (1995).
15.085.	2-PHENYLCHROMONE	Flavone	[525-82-6]	222.25	C15H10O2	Merck Index 11,4030
15.183.	1-PHENYLETHANOL		[13323-81-4]	122.17	C8H10O	
15.184.	2-PHENYLETHANOL		[60-12-8]	122.17	C8H10O	
15.170.	PHENYLETHYL 3-METHYLCAFFEATE		[71835-85-3]	298.33	C18H18O4	Rao CV, Desai O, Rivenson A et al. Cancer Res. 55:2310-5 1 (1995)
15.171.	PHENYLETHYL 3-METHYLCAFFEATE			298.33	C18H18O4	
15.172.	6-PHENYL-HEXA-3,5-DIEN-2-ONE			172.22	C12H12O	
15.186.	ALPHA-PHENYLINDOL		[948-65-2]	193.25	C14H11N	
15.187.	N-PHENYLMORPHOLINE		[92-53-5]	163.22	C10H13NO	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.086.	3-PHENYLPROPYL ISOTHIOCYANATE		[2627-27-2]	177.27	C <sub>10</sub> H <sub>11</sub> NS	Wilkinson, J.T., Morse, M.A., Kresty, L.A. and Stoner, G.D. Carcinogenesis, 16:1011-1015 (1995).
15.087.	S-(N-3-PHENYLPROPYLTHIOCARBAMOYL)-L-CYSTEINE			298.42	C <sub>13</sub> H <sub>18</sub> N <sub>2</sub> O <sub>2</sub> S <sub>2</sub>	
15.088.	PHENYLPYRUVIC ACID SODIUM SALT		[114-76-1]	204.16	C <sub>9</sub> H <sub>7</sub> NaO <sub>3</sub> .H <sub>2</sub> O	
15.089.	PHENYL-β-D-GALACTOPYRANOSIDE		[2818-58-8]	256.26	C <sub>12</sub> H <sub>16</sub> O <sub>6</sub>	
15.090.	PHENYL-β-D-GLUCOPYRANOSIDE	Phenyl-β-D-glucoside	[1464-44-4]	256.26	C <sub>12</sub> H <sub>16</sub> O <sub>6</sub>	C.K.DeBruyne., Eur.J.Biochem., 102,257(1979).
15.091.	PHENYL-β-D-GLUCURONIDE Monohydrate		[17685-05-1]	288.26	C <sub>12</sub> H <sub>14</sub> O <sub>7</sub> .H <sub>2</sub> O	
15.092.	PHLORETIC ACID	3-(4-Hydroxyphenyl)propionic acid; 4-Hydroxyhydrocinnamic acid	[501-97-3]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	
15.093.	PHLORETIN	2',4',6',4-Tetrahydroxydihydrochalcone	[60-82-2]	274.28	C <sub>15</sub> H <sub>14</sub> O <sub>5</sub>	Merck Index 11,7299
15.094.	PHLORETIN-4,4'-DIMETHYLETHER	2',6'-Dihydroxy-4,4',dimethoxydihydrochalcone		302.33	C <sub>17</sub> H <sub>18</sub> O <sub>5</sub>	
15.095.	PHLORETIN-4-METHYL ETHER	4-Methoxy-2',4',6'-Trihydroxydihydrochalcone	[76171-68-4]	288.31	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	
15.188.	PHLORIDIZIN		[60-81-1]	436.41	C <sub>21</sub> H <sub>24</sub> O <sub>10</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.096.	PHLORIDZIN Dihydrate	2'-O-Glucosyl-4',6',4-trihydroxydihydrochalcone	[60-81-1]	436.00	C <sub>21</sub> H <sub>24</sub> O <sub>10</sub> .2H <sub>2</sub> O	Merck Index 11,7300
15.189.	PHLOROGLUCINOL		[6099-90-7]	126.12	C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>	
15.097.	4-alpha-PHORBOL, 12-MYRISTATE-13-ACETATE	4-a-12-Tetradecanoyl phorbol-13-acetate	[63597-44-4]	616.83	C <sub>36</sub> H <sub>56</sub> O <sub>8</sub>	Van Duuren, B.L., Tseng, S.S., Segal, A., Smith, A.C., Melchionne, S., Seidman, I. Cancer Res., 39:2644-2646 (1979).
15.098.	PHORBOL-12-MYRISTATE-13-ACETATE	12-Tetradecanoyl phorbol-13-acetate, TPA	[16561-29-8]	616.83	C <sub>36</sub> H <sub>56</sub> O <sub>8</sub>	Blumberg, P.M. Crit. Rev. Toxicol., 8:153-197 (1980).
15.099.	PHOSPHATIDYL INOSITOL	Fettsäure, Zusammensetzung je nach Quelle				
15.100.	L-3-PHOSPHATIDYLETHANOLAMINE	L-a-Kephalin	[39382-08-6]	691.99	C <sub>37</sub> H <sub>74</sub> N <sub>0</sub> O <sub>8</sub> P	
15.102.	PHOSPHO(ENOL)PYRUVATE mono (cyclohexylammonium) salt (PEP)		[10526-80-4]	267.22	C <sub>3</sub> H <sub>4</sub> O <sub>6</sub> P.C <sub>6</sub> H <sub>14</sub> N	
15.103.	D(-)-3-PHOSPHOGLYCERIC ACID BARIUM SALT		[86879-11-0]	357.41	C <sub>3</sub> H <sub>5</sub> BaO <sub>7</sub> P.2H <sub>2</sub> O	
15.104.	D(-)-3-PHOSPHOGLYCERIC ACID CALCIUM SALT		[108347-88-2]	260.15	C <sub>3</sub> H <sub>5</sub> CaO <sub>7</sub> P.2H <sub>2</sub> O	
15.105.	DL-O-PHOSPHOSERINE	DL-2-Amino-3-hydroxypropanoic acid 3-phosphate	[17885-08-4]	185.08	C <sub>3</sub> H <sub>8</sub> N <sub>0</sub> O <sub>6</sub> P	
15.149.	PHYLLANTIN			418	C <sub>24</sub> H <sub>34</sub> O <sub>6</sub>	Merck Indes 12 7989



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.106.	PHYLLOPORPHYRIN			508.68	C <sub>32</sub> H <sub>36</sub> N <sub>4</sub> O <sub>2</sub>	
15.107.	PHYSALIEN		[144-67-2]	1045.75	C <sub>72</sub> H <sub>116</sub> O <sub>4</sub>	
15.190.	PHYSCION		[521-61-9]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
15.108.	PHYSCION; Emodin 3-methyl ether	1,8-Dihydroxy-3-methoxy-6-methylantraquinone	[521-62-0]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,3518
15.109.	PHYTIC ACID	Inositol hexaphosphate	[83-86-3]	660.04	C <sub>6</sub> H <sub>18</sub> O <sub>24</sub> P <sub>6</sub>	Merck Index 12,7542
15.191.	PHYTOL			296.54	C <sub>20</sub> H <sub>40</sub> O	
15.057.	PICEID	4'5-Dihydroxystilbene 3-O Beta -D-Glucosid; Resveratrol glucoside	[27208-80-06]	390,4	C <sub>20</sub> H <sub>22</sub> O <sub>8</sub>	
15.110.	L-PICEIN	4-Hydroxyacetophenone-b-D-Glucoside	[530-14-3]	298.30	C <sub>14</sub> H <sub>18</sub> O <sub>7</sub>	Merck Index 11,7367
15.161.	PICLORAM	4-Amino-3,5,6-trichloro-2-pyridinecarboxylic acid		241.46	C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> N <sub>2</sub> O <sub>2</sub>	Budavari, S. The Merck Index, 12t
15.111.	PICROSIDE II	6'-Vanilloyl catalpol	[39012-20-9]	512.48	C <sub>23</sub> H <sub>28</sub> O <sub>13</sub>	
15.112.	PICROTOXIN	Cocculin	[124-87-8]	602.61	C <sub>30</sub> H <sub>34</sub> O <sub>13</sub>	Merck Index 11,7388
15.156.	PICROTOXININE		[17617-45-7]	292.3	C <sub>15</sub> H <sub>16</sub> O <sub>6</sub>	
15.192.	PILOCARPINE		[92-13-7]	208.26	C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.193.	PILOCARPINE HYDROCHLORIDE		[54-71-7]	244.72	C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> xHCl	
15.194.	PILOCARPINE NITRATE		[148-72-1]	271.28	C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> O <sub>5</sub>	
15.195.	(+)-ALPHA-PINENE		[7785-70-8]	136.24	C <sub>10</sub> H <sub>16</sub>	
15.196.	(-)-ALPHA-PINENE		[7785-26-4]	136.24	C <sub>10</sub> H <sub>16</sub>	
15.197.	(-/+)-ALPHA-PINENE		[2437-95-8]	136.24	C <sub>10</sub> H <sub>16</sub>	
15.198.	(-)-BETA-PINENE		[18172-67-3]	136.24	C <sub>10</sub> H <sub>16</sub>	
15.199.	ALPHA-PINENE OXIDE		[1686-14-2]	152.24	C <sub>10</sub> H <sub>16</sub> O	
15.113.	PINOCEMBRIN	5,7-Dihydroxyflavanone	[51876-18-7]	256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
15.114.	PINOCEMBRIN-7-METHYL ETHER	5-Hydroxy-7-methoxyflavanone; Pinostrobin	[480-37-5]	270.29	C <sub>16</sub> H <sub>14</sub> O <sub>4</sub>	
15.115.	PINONIC ACID		[473-72-3]	184.24	C <sub>10</sub> H <sub>16</sub> O <sub>3</sub>	
15.116.	PIPERINE	1-Piperoylpiperidine	[94-62-2]	285.35	C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> O	Merck Index 11,7442
15.200.	PIPERITONE		[89-81-6]	152.24	C <sub>10</sub> H <sub>16</sub> O	
15.117.	PIPERLONGUMIN		[20069-09-0]	317.35	C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.118.	PIROXICAM		[36322-90-4]	317.32	C <sub>14</sub> H <sub>11</sub> N <sub>3</sub> O <sub>4</sub> S	Reddy, B.S. Prev.Med., 25:48-50 (1996).
15.119.	PISATIN			314.30	C <sub>17</sub> H <sub>14</sub> O <sub>6</sub>	Tet.Let., 1962,673.
15.120.	PISCODONE	6'-Methoxy-2'-prenyl- 5,7,3',4'-tetrahydroxyisoflavone		384.40	C <sub>21</sub> H <sub>20</sub> O <sub>7</sub>	
15.121.	PLUMBAGIN	5-Hydroxy-2-methyl-1,4-naphthoquinone	[481-42-5]	188.19	C <sub>11</sub> H <sub>8</sub> O <sub>3</sub>	Merck Index 11,7511
15.122.	PODOCARPIC ACID (ex Rimu Resin)	12-Hydroxypodocarpa-8,11,13-trien-16-oic acid	[5947-49-9]	274.35	C <sub>17</sub> H <sub>22</sub> O <sub>3</sub>	Merck Index 11,7516
15.201.	PODOPHYLLIN		[9000-55-9]			
15.123.	PODOPHYLLOTOXIN		[581-28-5]	414.42	C <sub>22</sub> H <sub>22</sub> O <sub>8</sub>	Merck Index 11,7520
15.124.	POLYGALACTURONIC ACID techn.	Pektinic Acid	[25990-10-7]		(C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> ) <sub>n</sub>	
15.125.	POLYINOSINIC ACID TRIPOTASSIUM SALT		[26936-41-4]			Merck Index 11,4882
15.126.	POMIFERIN			420.48	C <sub>25</sub> H <sub>24</sub> O <sub>6</sub>	J.Chem.Soc., 1951,3104.
15.127.	POMIFERIN-3',4'-DIMETHYLETHER			448.53	C <sub>27</sub> H <sub>28</sub> O <sub>6</sub>	
15.128.	PONCIRIN	Isosakuranetin-7-neohesperidoside	[14941-08-3]	594.58	C <sub>28</sub> H <sub>34</sub> O <sub>14</sub>	Tet.Lett., 1968,1635. Compt.Rendu., 1946(223)45.

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.129.	PONGAMOL		[484-33-3]	294.32	C <sub>18</sub> H <sub>14</sub> O <sub>4</sub>	
15.130.	POTASSIUM MYRONATE Monohydrate	Sinigrin; Sinogroside	[3952-98-5]	415.49	C <sub>10</sub> H <sub>16</sub> NO <sub>9</sub> S <sub>2</sub> K.H <sub>2</sub> O	Merck Index 11,8495
15.131.	PRATOL	7-Hydroxy-4'-methoxyflavone	[487-24-1]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	
15.132.	PREDNISOLONE	1-Dehydrocortisol; Dehydrohydrocortisone	[50-24-8]	360.46	C <sub>21</sub> H <sub>28</sub> O <sub>5</sub>	
15.133.	PREDNISON ACETATE	1,4-Pregnadiene-17a,21-diol-3,11,20-trione 21-acetate		400.48	C <sub>23</sub> H <sub>28</sub> O <sub>6</sub>	Merck Index 11,7727
15.134.	5β-PREGNAN-3a,11a,20β-TRIOL			336.53	C <sub>21</sub> H <sub>36</sub> O <sub>3</sub>	
15.135.	5β-PREGNAN-3a,21-DIOL-11,20-DIONE		[566-03-0]	348.49	C <sub>21</sub> H <sub>32</sub> O <sub>4</sub>	
15.136.	5β-PREGNAN-3a,6a-DIOL-20-ONE	6a-Hydroxypregnanolone	[570-78-5]	334.51	C <sub>21</sub> H <sub>34</sub> O <sub>3</sub>	
15.137.	5β-PREGNAN-3a-17a-DIOL-11,20-DIONE		[641-78-1]	348.49	C <sub>21</sub> H <sub>32</sub> O <sub>4</sub>	
15.138.	5β-PREGNAN-3β,17a,21-TRIOL-20-ONE		[601-03-6]	350.51	C <sub>21</sub> H <sub>34</sub> O <sub>4</sub>	
15.139.	5a-PREGNAN-3β,17a-DIOL-20-ONE		[387-79-1]	334.51	C <sub>21</sub> H <sub>34</sub> O <sub>3</sub>	
15.140.	PREGNANDIOL	5β-Pregnan-3a,20a-diol	[80-92-2]	320.53	C <sub>21</sub> H <sub>36</sub> O <sub>2</sub>	
15.141.	PREGNANDIOL DIACETATE	5β-Pregnan-3a,20a-diol-diacetate	[1174-69-2]	404.60	C <sub>25</sub> H <sub>40</sub> O <sub>4</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.142.	PREGNANEDIOL	5 $\beta$ -Pregnane-3a,20a-diol	[80-92-2]	320.53	C <sub>21</sub> H <sub>36</sub> O <sub>2</sub>	
15.143.	PREGNANTRIOL	5 $\beta$ -Pregnan-3a,17a,20a-triol	[1098-45-9]	336.53	C <sub>21</sub> H <sub>36</sub> O <sub>3</sub>	
15.144.	4-PREGNEN-17a,20a,21-TRIOL-3-ONE		[3946-10-9]	348.49	C <sub>21</sub> H <sub>32</sub> O <sub>4</sub>	
15.145.	4-PREGNEN-20a-OL-3-ONE		[145-14-2]	316.50	C <sub>21</sub> H <sub>32</sub> O <sub>2</sub>	
15.146.	4-PREGNEN-20 $\beta$ -OL-3-ONE		[145-15-3]	316.50	C <sub>21</sub> H <sub>32</sub> O <sub>2</sub>	
15.147.	5-PREGNEN-3 $\beta$ ,20 $\beta$ -DIOL	20 $\beta$ -Dihydropregnenolone	[901-57-5]	381.51	C <sub>21</sub> H <sub>34</sub> O <sub>2</sub>	
15.083.	PREGNENOLONE	5-Pregnen-3 $\beta$ -ol-20-one	[145-13-1]	316.50	C <sub>21</sub> H <sub>32</sub> O <sub>2</sub>	Merck Index 11,7739
15.101.	PREGNENOLONE ACETATE	5-Pregnen-3 $\beta$ -ol-20-one acetate	[1778-02-5]		C <sub>23</sub> H <sub>34</sub> O <sub>3</sub>	Merck Index 11,7739
15.155.	6-PRENYLNARINGENIN			340.4	C <sub>20</sub> H <sub>20</sub> O <sub>5</sub>	
15.151.	8-PRENYLNARINGENIN			340.4	C <sub>20</sub> H <sub>20</sub> O <sub>5</sub>	
15.164.	PRIMULAVERIN	5-Methoxy-salicylic acid methylester-2-O-primveroside	[154-61-0]	476.44	C <sub>20</sub> H <sub>28</sub> O <sub>13</sub>	Budavari, S. The Merck Index, 12th 7930 1996
15.002.	PRIMULETIN	5-Hydroxyflavone	[491-78-1]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	
15.008.	5-HYDROXYFLAVONE	Primuletin	[491-78-1]	238.25	C <sub>15</sub> H <sub>10</sub> O <sub>3</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.009.	PRIMULIN	Malvidin-3-galactoside chloride		528.91	C <sub>23</sub> H <sub>25</sub> ClO <sub>12</sub>	
15.163.	PRIMVERIN	4-Methoxy-salicylic acid methylester-2-O-primveroside	[154-60-9]	476.44	C <sub>20</sub> H <sub>28</sub> O <sub>13</sub>	Budavari, S. The Merck Index, 12t
15.202.	PRISTANE		[1921-70-6]	268.53	C <sub>19</sub> H <sub>40</sub>	
15.203.	PROCAINE HYDROCHLORIDE		[51-05-8]	272.78	C <sub>13</sub> H <sub>21</sub> N <sub>2</sub> O <sub>2</sub> Cl	
15.204.	PROCYANIDIN B1		[20315-25-7]	578.53	C <sub>30</sub> H <sub>26</sub> O <sub>12</sub>	
15.205.	PROCYANIDIN B2		[29106-49-8]	578.53	C <sub>30</sub> H <sub>26</sub> O <sub>12</sub>	
15.005.	PROFLAVIN		[92-62-6]	209.25	C <sub>13</sub> H <sub>11</sub> N <sub>3</sub>	Merck Index 12,7953
15.010.	PROGESTERONE	4-Pregnen-3,20-dione	[57-83-0]	314.48	C <sub>21</sub> H <sub>30</sub> O <sub>2</sub>	Merck Index 11,7783
15.162.	2-PROPANOL		[67-63-0]	60.10	C <sub>3</sub> H <sub>8</sub> O	
15.148.	PROPANTHELINE BROMID			448.40	C <sub>23</sub> H <sub>30</sub> BrNO <sub>3</sub>	
15.173.	S-PROPENYL-L-CYSTEINE-S-OXIDE	Isoalliin		177.22	C <sub>6</sub> H <sub>11</sub> NO <sub>3</sub> S	
15.011.	PROPIONYL CHOLINE CHLORIDE		[2365-13-1]	195.69	C <sub>8</sub> H <sub>18</sub> NO <sub>2</sub> Cl	
15.012.	PROPIONYL CHOLINE IODIDE		[2494-55-5]	287.15	C <sub>8</sub> H <sub>18</sub> NO <sub>2</sub> I	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.013.	S-PROPIONYLTHIOCHOLINE CHLORIDE		[70496-34-3]	211.76	C <sub>8</sub> H <sub>18</sub> CINOS	Clin.Chem., 19,1309(1973).
15.014.	PROPIONYLTHIOCHOLINE IODIDE		[1866-73-5]	303.21	C <sub>8</sub> H <sub>18</sub> NOSI	
15.174.	S-PROPYL-L-CYSTEINE-S-OXIDE	An analogue of alliin		179.24	C <sub>6</sub> H <sub>13</sub> NO <sub>3</sub> S	
15.015.	2-N-PROPYLPYRIDINE	Conyryn	[622-39-9]	121.19	C <sub>8</sub> H <sub>11</sub> N	
15.206.	PROSCILLARIDIN A		[466-06-8]	530.67	C <sub>30</sub> H <sub>42</sub> O <sub>8</sub>	
15.207.	PROTocatechualdehyde		[139-85-5]	138.13	C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>	
15.016.	PROTocatechuic acid	3,4-Dihydroxybenzoic acid	[99-50-3]	154.12	C <sub>7</sub> H <sub>6</sub> O <sub>4</sub>	Tanaka, T., Kojima, T., Kawamori, T., Mori, H. Cancer, 75:1433-1439 (1995).
15.006.	PROTOPINE	Fumarine; Macleyine	[130-86-9]	353.36	C <sub>20</sub> H <sub>19</sub> NO <sub>5</sub>	Merck Index 11,7912
15.159.	PROTOPINE HYDROCHLORID	Fumarine ; Macleyine; Biflorin; Corydinine; 4, 6, 7, 14-Terahydro-5-Methyl-bis(1,3)benzodioxolo(4,5-C:5', 6'-G) azein-13 85H9-one;	[6164 - 47 - 2]	389.84	C <sub>20</sub> H <sub>19</sub> N O <sub>5</sub> HCl	
15.208.	PROTOVERATINE A		[143-57-7]	793.95	C <sub>41</sub> H <sub>63</sub> NO <sub>14</sub>	
15.210.	PROTOVERATINE AB					
15.209.	PROTOVERATINE B		[124-97-0]	809.95	C <sub>41</sub> H <sub>63</sub> NO <sub>15</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.211.	PRUNASIN		[99-18-3]	295.3	C <sub>14</sub> H <sub>17</sub> NO <sub>6</sub>	
15.017.	PRUNETIN	4',5-Dihydroxy-7-methoxyisoflavone	[522-59-0]	284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,7923
15.148.	PSEUDO METHYSTICIN					
15.018.	PSEUDO BAPTIGENIN	7-Hydroxy-3',4'-(methylenedioxy)-isoflavone	[90-29-9]	282.26	C <sub>16</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,7925
15.019.	PSEUDO CHELERYTHRINE	Sanguinarin	[2447-54-3]	349.35	C <sub>20</sub> H <sub>15</sub> NO <sub>5</sub>	Merck Index 11,8320
15.175.	PSEUDO GINSENOSE F11			963.15	C <sub>48</sub> H <sub>82</sub> O <sub>19</sub>	Li Z, Gou YY, Wu CF, Li X, Wang JH. J Pharm Pharmacol. 51:435-40 (1999)
15.003.	PSEUDO HYPERICIN		[55954-61-5]	520.45	C <sub>30</sub> H <sub>16</sub> O <sub>9</sub>	Freytag, Dtsch.Apoth.Ztg. 124(46) 1984, 2383 ff.
15.212.	PSEUDO PELLETIERINE		[28861-13-4]	153.23	C <sub>9</sub> H <sub>15</sub> NO	
15.213.	PSEUDO PELLETIERINE HYDROCHLORIDE		[6164-62-1]		C <sub>9</sub> H <sub>15</sub> NOxHCl	
15.020.	PSORALEN	7H-Furo[3,2-g][1]benzopyran-7-one	[66-97-7]	186.17	C <sub>11</sub> H <sub>6</sub> O <sub>3</sub>	Merck Index 11,7944
15.021.	PSYCHOSIN	1-b-D-Galactosylsphingosine	[2238-90-6]	477.65	C <sub>24</sub> H <sub>47</sub> NO <sub>8</sub>	Merck Index 11,8703
15.007.	PUERARIN			272.26	C <sub>12</sub> H <sub>16</sub> O <sub>7</sub>	Chem.Pharm.Bull., 1959,134.



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.176.	PUERARIN 99%			432.38	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
15.022.	PUKATEINE	1,2-Methylenedioxy-11-hydroxyaporphin	[81-67-4]	295.35	C <sub>18</sub> H <sub>17</sub> NO <sub>3</sub>	Merck Index 11,7954
15.023.	R-(+)-PULEGONE	2-Isopropylidene-5-methylcyclohexanone	[89-82-7]	152.24	C <sub>10</sub> H <sub>16</sub> O	Merck Index 11,7955
15.214.	S-(-)-PULEGONE		[3391-90-0]	152.24	C <sub>10</sub> H <sub>16</sub> O	
15.024.	PULVIC ANHYDRIDE			290.28	C <sub>18</sub> H <sub>10</sub> O <sub>4</sub>	J.Chem.Soc., 1952,1345
15.025.	PURINE RIBOSIDE		[550-33-4]	252.24	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>4</sub>	
15.026.	PUROMYCIN		[58-58-2]	580.46	C <sub>22</sub> H <sub>29</sub> N <sub>7</sub> O <sub>5</sub> ·2HCl·xH <sub>2</sub> O	Merck Index 11,7960
15.027.	PURPURIN		[81-54-9]	256.21	C <sub>14</sub> H <sub>8</sub> O <sub>5</sub>	Sheu, S.Y., Chiang, H.C. Anticancer Res., 17:3293-3297 (1997).
15.215.	PURPUROGALLIN		[569-77-7]	220.18	C <sub>11</sub> H <sub>8</sub> O <sub>5</sub>	
15.150.	PYRENE	Benzo-phenanthrene	[129-00-0]	202.26	C <sub>16</sub> H <sub>10</sub>	
15.158.	PYROGALLOL	1, 2, 3- Benzenetriol; Pyrogallic acid	[87 - 66 - 1]	126.1	C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>	Budavari, S The Merck Index 12th
15.028.	DL-PYROGLUTAMIC ACID	DL-2-Pyrrolidone-5-carboxylic acid	[149-87-1]	129.12	C <sub>5</sub> H <sub>7</sub> NO <sub>3</sub>	
15.029.	L-PYROGLUTAMIC ACID	L-2-Pyrrolidine-5-carboxylic acid	[98-79-3]	129.12	C <sub>5</sub> H <sub>7</sub> NO <sub>3</sub>	Merck Index 11,8012

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
15.216.	PYRUVIC ACID SODIUM SALT		[113-24-6]	101.06	C <sub>3</sub> H <sub>3</sub> O <sub>3</sub> Na	
16.001.	QUASSIN	Isomeric mixtur of isoquassin, neoquassin & quassin	[76-78-8]	388.47	C <sub>22</sub> H <sub>28</sub> O <sub>6</sub>	Merck Index 11,8037 Pflanzengifte., 3,973,1988.
16.003.	QUERCETAGETIN	3,3',4',5,6,7-Hexahydroxyflavone	[90-18-6]	318.23	C <sub>15</sub> H <sub>10</sub> O <sub>8</sub>	Merck Index 11,8403
16.002.	QUERCETIN Dihydrate	3,3',4',5,7-Pentahydroxyflavone	[117-39-5]	338.28	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> .2H <sub>2</sub> O	Merck Index 11,8034
16.024.	QUERCETIN-3,5,7,3',4'-PENTAMETHYLETHER		[1247-97-8]	372.38	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
16.004.	QUERCETIN-3,7,3',4'-TETRAMETHYL ETHER	Retusin	[1245-15-4]	358.35	C <sub>19</sub> H <sub>18</sub> O <sub>7</sub>	
16.005.	QUERCETIN-3,7-DIMETHYL ETHER			330.00	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
16.006.	QUERCETIN-3-ARABINOGLUCOSIDE	Peltatoside	[23284-18-6]	596.51	C <sub>26</sub> H <sub>28</sub> O <sub>16</sub>	
16.007.	QUERCETIN-3-ARABINOSIDE	Avicularin	[572-30-5]	434.37	C <sub>20</sub> H <sub>18</sub> O <sub>11</sub>	
16.008.	QUERCETIN-3-GALACTOSIDE	Hyperoside	[482-36-0]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,8044
16.009.	QUERCETIN-3-GLUCOSIDE	3,3',4',5,7-Pentahydroxyflavone-3-glucoside; Isoquercitrin, Trifoliin; Quercetin-3-O-b-D-glucopyranose	[21637-25-2]	464.39	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	Merck Index 11,5109
16.010.	QUERCETIN-3-O-b-D-GLUCOPYRANOSYL-6"-ACETATE		[1245-14-4]	506.43	C <sub>23</sub> H <sub>22</sub> O <sub>13</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
16.011.	QUERCETIN-3-RHAMNOSIDE	Quercitrin	[522-12-3]	448.37	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	Merck Index 11,8047
16.012.	QUERCETIN-4'-METHYL ETHER	Tamarixetin; 4'-Methoxy-3,3',5,7-tetrahydroxyflavone	[603-61-2]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
16.013.	QUERCETIN-7,4'-DIMETHYL ETHER	Ombuin; 4',7-Dimethoxy-3,3',5-trihydroxyflavone	[529-40-8]	330.29	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
16.014.	QUERCETIN-7-METHYL ETHER	3,3',4',5-Tetrahydroxy-7-methoxyflavone; 7-Methylquercetin; Rhamnetin	[90-19-7]	316.27	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170
16.015.	QUERCETIN-3-RUTINOSIDE	Rutin; Vitamin P	[153-18-4]	610.54	C <sub>27</sub> H <sub>30</sub> O <sub>16</sub>	Merck index 11,8276
16.023.	QUERCETIN-3-O-GLUCOSIDE		[482-35-9]	464.384	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	
16.016.	QUERCITRIN Dihydrate	Quercetin-3-Rhamnoside	[522-12-3]	448.37	C <sub>21</sub> H <sub>20</sub> O <sub>11</sub>	Merck Index 11,8047
16.025.	QUINIC ACID		[77-95-2]	192.18	C <sub>7</sub> H <sub>12</sub> O <sub>6</sub>	
16.026.	QUINIDIN SULFATE		[6591-63-5]	746.93	(C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ) <sub>2</sub> xH <sub>2</sub> SO <sub>4</sub>	
16.017.	α-QUINIDINE	Cinchonidine (ex Cinchoria bark)	[485-71-2]	294.41	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O	Merck Index 11,2288
16.027.	QUININE HYDROCHLORIDE		[130-89-2]	360.88	C <sub>20</sub> H <sub>25</sub> CIN <sub>2</sub> O <sub>2</sub>	
16.028.	QUININE SULFATE		[6119-70-6]	746.93	(C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ) <sub>2</sub> xH <sub>2</sub> SO <sub>4</sub>	
16.018.	QUINIZARIN	1,4-Dihydroxyanthraquinone	[81-64-1]	240.22	C <sub>14</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8094

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.030.	D-RAFFINOSE		[17629-30-0]	594.53	C <sub>18</sub> H <sub>32</sub> O <sub>16</sub> .5H <sub>2</sub> O	Merck Index 11,8120
17.053.	D-(+)-RAFFINOSE UNDECAACETATE		[6424-12-0]	966.85	C <sub>40</sub> H <sub>54</sub> O <sub>27</sub>	
17.031.	RAPANONE		[573-40-0]	322.46	C <sub>19</sub> H <sub>30</sub> O <sub>4</sub>	J.Am.Chem.Soc., 1948,71.
17.032.	RAPHANIN	Sulforaphene	[592-95-0]	178.30	C <sub>6</sub> H <sub>12</sub> NOS <sub>2</sub>	Merck Index 11,1416
17.033.	RAUBASIN	d-Yohimbin; Ajmalicine	[483-04-5]	352.54	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,8129
17.054.	RAUWOLSCINE HYDROCHLORIDE		[6211-32-1]	390.89	C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub> xHCl	
17.034.	RESCINNAMINE	Methyl 3,4,5-trimethoxycinnamoyl reserpate	[24815-24-5]	634.75	C <sub>35</sub> H <sub>42</sub> N <sub>2</sub> O <sub>9</sub>	Merck Index 11,8146
17.055.	RESERPIC ACID HYDROCHLORIDE			436.91	C <sub>22</sub> H <sub>28</sub> N <sub>2</sub> O <sub>5</sub> xHCl	
17.047.	RESERPIN	(3b,16b,17a,18b,20a)-11,17-Dimethoxy-18-[(3,4,5	[50 - 55 - 5]	608.69	C <sub>33</sub> H <sub>40</sub> N <sub>2</sub> O <sub>9</sub>	Budavari, S. The Merck Index, 12t
17.035.	RESINIFERATOXIN		[57444-62-9]	628.73	C <sub>37</sub> H <sub>40</sub> O <sub>9</sub>	Dray, A. Biochem, Pharm., 44:611-615 (1992).
17.036.	RESINIFERONOL-9,13,14-ORTHOPHENYL ACETATE	(ROPA)	[57852-42-3]	464.56	C <sub>28</sub> H <sub>32</sub> O <sub>6</sub>	
17.037.	RESOKAEMPFEROL	3,7,4'-Trihydroxyflavone; 5-Deoxykaempferol	[2034-65-3]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Biochem.J., 87(2), 439(1963).

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.007.	RESVERATROL		[501-36-0]	228.24	C <sub>14</sub> H <sub>12</sub> O <sub>3</sub>	Jang, M., Cai, L., Udeani, G.O., et al. Science, 275:218-220 (1997).
17.038.	RETENE	1-Methyl-7-isopropylphenanthrene	[483-65-8]	234.32	C <sub>18</sub> H <sub>18</sub>	Merck Index 11,8162
17.039.	13-CIS-RETINOIC ACID		[4759-48-2]	300.44	C <sub>20</sub> H <sub>28</sub> O <sub>2</sub>	Kelloff, G.J., Crowell, J.A., Hawk, E.T., et al. J. Cell. Biochem. Suppl., 26:54-71 (1996).
17.040.	9-CIS-RETINOIC ACID		[5300-03-8]	300.44	C <sub>20</sub> H <sub>28</sub> O <sub>2</sub>	Zheng, Y., Kramer, P.M., Olson, G., et al. Carcinogenesis 18:2119-2125 (1997).
17.041.	RETINOL	Vitamin A	[11103-57-4]	286.45	C <sub>20</sub> H <sub>30</sub> O	Kelloff, G.J., Boone, C.W., Crowell, J.A., et al. Cancer Epidemiol. Biomarkers Prev., 3:85-98 (1994).
17.042.	RETINYL ACETATE.		[127-47-9]	328.49	C <sub>22</sub> H <sub>32</sub> O <sub>2</sub>	Grubbs, C.J., Eto, I., Juliana, M.M., Hardin, J.M., Whitaker, L.M. Anticancer Res., 10:661-666 (1990).
17.043.	RETINYL PALMITATE.		[79-81-2]	524.86	C <sub>36</sub> H <sub>60</sub> O <sub>2</sub>	Pastorino, u., Soresi, E., Clerici, M., et al, Acta Oncol., 27:773-782 (1988).
17.044.	RETUSIN	Quercetin-3,7,3',4'-Tetramethyl ether	[1245-15-4]	358.35	C <sub>19</sub> H <sub>18</sub> O <sub>7</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.045.	RETUSINE	7,8-Dihydroxy-4'-methoxyisoflavone		284.28	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
17.048.	REYNOUSTRIN					
17.008.	REZAZURIN Sodium Salt	Diazoesorcinol; Resazoin	[550-82-3]	251.18	C <sub>12</sub> H <sub>6</sub> NNaO <sub>4</sub>	Merck Index 11,8144
17.009.	RHAMNAZIN	3',7-Dimethoxy-3,4',5-trihydroxyflavone; 7-Methoxyisorhamnetin; Quercetin-3',7-dimethylether		330.00	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	J.Chem.Soc., 1946,771.
17.001.	RHAMNETIN	Quercetin-7-methyl ether; 3,3', 4',5-Tetrahydroxy-7-methoxyflavone	[90-19-7]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170
17.010.	α-L-RHAMNOSE Monohydrate	6-Deoxy-L-mannose; Isodulcitol	[10030-85-0]	182.18	C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> .H <sub>2</sub> O	Merck Index 11,8171
17.004.	RHAPONTICIN	4'-Methoxy-3,3',5-stilbenetriol-3-glucoside; haphontin	[155-58-8]	420.42	C <sub>21</sub> H <sub>24</sub> O <sub>9</sub>	Merck Index 11,8173
17.056.	RHAPONTIN		[155-58-8]	420.41	C <sub>21</sub> H <sub>24</sub> O <sub>9</sub>	
17.002.	RHEIN	1,8-Dihydroxyanthraquinone-3-carboxylic acid	[478-43-3]	284.23	C <sub>15</sub> H <sub>8</sub> O <sub>6</sub>	Merck Index 11,8175
17.011.	RHINANTHIN	Aucubin; Aucuboside	[479-98-1]	346.34	C <sub>15</sub> H <sub>22</sub> O <sub>9</sub>	Merck Index 11,894
17.012.	RHIZOCARPIC ACID			469.51	C <sub>28</sub> H <sub>23</sub> NO <sub>6</sub>	J.Amer.Chem.Soc., 1950(4454)
17.013.	RHODIZONIC ACID Dihydrate		[118-76-3]	206.11	C <sub>6</sub> H <sub>2</sub> O <sub>6</sub> .2H <sub>2</sub> O	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.014.	RHOEADINE		[2718-25-4]	383.39	C <sub>21</sub> H <sub>21</sub> NO <sub>6</sub>	Merck Index 11,8174
17.057.	RHOEADINE		[2718-25-4]	383.41	C <sub>21</sub> H <sub>21</sub> O <sub>6</sub> N	
17.015.	RHOIFOLIN	Apigenin-7-neohesperidoside; Apigenin-7-rhamnoglucoside	[17306-46-6]	578.554	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
17.049.	RIBOFLAVIN		[83-88-5]	376.4	C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub>	Webster RP, Gawde MD, Bhattacharya RK. Cancer Lett. 98:129-35 (1996)
17.016.	D-(+)-RIBONIC ACID-Gamma-LACTONE	D(+)-Ribono-1,4-lactone	[5336-08-3]	148.12	C <sub>5</sub> H <sub>8</sub> O <sub>5</sub>	
17.058.	RICINOLEIC ACID		[141-22-0]	298.47	C <sub>18</sub> H <sub>34</sub> O <sub>3</sub>	
17.017.	RIFAMPICIN	Rifampin	[13292-46-1]	822.96	C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub>	Merck Index 11,8215
17.018.	RISTOMYCIN monosulphate	Ristocetin sulphate	[11006-74-9]	2166.02	C <sub>95</sub> H <sub>110</sub> N <sub>8</sub> O <sub>44</sub> .H <sub>2</sub> SO <sub>4</sub>	Merck Index 11,8227
17.019.	ROBINETIN	3,3',4',5',7-Pentahydroxyflavone; 5-Hydroxyfisetin	[490-31-3]	302.25	C <sub>15</sub> H <sub>10</sub> O <sub>7</sub>	
17.020.	ROBINETIN TRIMETHYL ETHER	3,7-Dihydroxy-3',4',5'-trimethylflavone		344.33	C <sub>18</sub> H <sub>16</sub> O <sub>7</sub>	
17.021.	ROBINETINIDIN CHLORIDE		[3020-09-5]	306.71	C <sub>15</sub> H <sub>11</sub> O <sub>5</sub> Cl	
17.022.	ROBININ	Kaempferol 3-O-robinoside 7-rhamnoside	[301-19-9]	740.68	C <sub>33</sub> H <sub>40</sub> O <sub>19</sub>	Merck Index 11,8230

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.023.	ROQUESSINE	Neriine; Conessine; Wrightine	[546-06-5]	336.32	C <sub>24</sub> H <sub>40</sub> N <sub>2</sub>	Merck Index 11,2492
17.003.	ROSMARINIC ACID		[20283-92-5]	360.33	C <sub>18</sub> H <sub>16</sub> O <sub>8</sub>	Ric.Sci., 1958(28)2329
17.024.	ROTTLERIN	Mallotoxin	[82-08-6]	516.50	C <sub>30</sub> H <sub>28</sub> O <sub>8</sub>	Merck Index 11,8250 J.Chem.Soc., 1948,113.
17.050.	ROXITHROMICIN		[80214-83-1]	837.05	C <sub>41</sub> H <sub>76</sub> N <sub>2</sub> O <sub>15</sub>	Yatsunami J, Tsuruta N, Fukuno Y et al. Clin Exp Metastasis 17:119-24 (1999)
17.006.	RUBERYTHRIC ACID	b-2-Alizarin primeveroside; Rubian; Rubianic acid	[152-84-1]	534.46	C <sub>25</sub> H <sub>26</sub> O <sub>13</sub>	Merck Index 11,8257
17.051.	RUBESCENSIN A			364.43	C <sub>20</sub> H <sub>28</sub> O <sub>6</sub>	Li XT, Lin C, Li PY, Chinese J Oncology 8:184-186 (1986)
17.025.	RUBIXANTHIN		[3763-55-1]	552.91	C <sub>40</sub> H <sub>56</sub> O	Merck Index 11,8265
17.026.	RUBROCYANIN	1,1'-Diethyl-4,4'-carbocyaniniodide	[4727-50-8]	480.40	C <sub>25</sub> H <sub>25</sub> N <sub>2</sub> I	
17.046.	RUSCOGENIN		[472-11-7]	430.64	C <sub>27</sub> H <sub>42</sub> O <sub>4</sub>	
17.052.	RUTAECARPINE		[106017-08-7]	287.32	C <sub>18</sub> H <sub>13</sub> N <sub>3</sub> O	Chiou WF, Chou CJ, Liao JF et al. Europ J Pharm 257:59-66 (1994)
17.027.	RUTAEVIN					



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
17.005.	RUTIN	Vitamin P; Quercetin-3-rutinoside	[153-18-4]	610.54	C <sub>27</sub> H <sub>30</sub> O <sub>16</sub>	Merck Index 11,8276
17.028.	RUTIN HYDRATE		[153-18-4]	664.58	C <sub>27</sub> H <sub>30</sub> O <sub>16</sub> .3H <sub>2</sub> O	Elangovan, V., Sekar, N., Govindasamy, S. Cancer Let. 87:107-113 (1994).
17.029.	RYANODINE	Ryanodol-3-(1H-pyrrole-2-carboxylate)	[15662-33-6]	493.50	C <sub>25</sub> H <sub>35</sub> NO <sub>9</sub>	Merck Index 11,8279
18.121.	(-)-SABINENE		[10408-16-9]	136.24	C <sub>10</sub> H <sub>16</sub>	
18.122.	D-(+)-SACCHAROSE		[57-50-1]	342.3	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	
18.030.	SAIKOSAPONIN a		[20736-09-8]	780.99	C <sub>42</sub> H <sub>68</sub> O <sub>13</sub>	
18.102.	SAIKOSAPONIN A		[20874-52-6]	780.98	C <sub>42</sub> H <sub>68</sub> O <sub>13</sub>	Zong Z, Fujikawa-Ymamoto K, Ota T et al Cell Struct Funct. 23:265-272 (1998)
18.105.	SAIKOSAPONIN B1			780.98	C <sub>42</sub> H <sub>68</sub> O <sub>13</sub>	Kyo R, Nakahata N, Kodama Y et al Biol Pharm Bull. 22:1385-7 (1999)
18.106.	SAIKOSAPONIN B2			780.98	C <sub>42</sub> H <sub>68</sub> O <sub>13</sub>	Zong Z, Fujikawa-Yamamoto K, Tanino M et al. Biochem Biophys Res Commun. 219:480-5 (1996)
18.031.	SAIKOSAPONIN c		[20736-08-7]	927.13	C <sub>48</sub> H <sub>78</sub> O <sub>17</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.032.	SAIKOSAPONIN d		[20874-52-6]	780.99	C <sub>42</sub> H <sub>68</sub> O <sub>13</sub>	
18.033.	SAKURANETIN	4',5-Dihydroxy-7-methoxyflavanone	[2957-21-3]	286.29	C <sub>16</sub> H <sub>14</sub> O <sub>5</sub>	Merck Index 11,8289
18.001.	D-SALICIN	[2-(Hydroxymethyl)phenyl-β-D-glucopyranoside	[138-52-3]	286.29	C <sub>13</sub> H <sub>18</sub> O <sub>7</sub>	Merck Index 11,8293
18.035.	SALICYLALDEHYDE-β-D-GLUCOPYRANOSIDE	Helicin; 2-(β-D-Glucopyranosyloxy)benzaldehyde	[618-65-5]	284.27	C <sub>13</sub> H <sub>16</sub> O <sub>7</sub>	Merck Index 11,4544
18.097.	SALIDROSIDE			300	C <sub>14</sub> H <sub>20</sub> O <sub>7</sub>	
18.108.	SALSOLIDINE		[493-48-1]	207.27	C <sub>12</sub> H <sub>17</sub> NO <sub>2</sub>	Bembenek ME, Abell CW, Chrisey LA et al. J Med Chem. 33:147-52 (1990)
18.123.	SALSOLIDINE HYDROCHLORIDE			234.72	C <sub>12</sub> H <sub>17</sub> NO <sub>2</sub> xHCl	
18.107.	SALSOLINE		[101467-40-7]	193.24	C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub>	Sallstrom Baum S, Hill R, Kiamma K, Rommelspacher H. Alcohol. 1:165-9 (1999)
18.124.	SALSOLINOL HYDROBROMIDE			260.11	C <sub>10</sub> H <sub>17</sub> NO <sub>2</sub> xHBr	
18.036.	SANGUINARIN NITRATE			394.35	C <sub>20</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub>	Merck Index 11,8320
18.023.	SANGUINARINE	Pseudochelerythrine	[2447-54-3]	349.35	C <sub>20</sub> H <sub>15</sub> NO <sub>5</sub>	Merck Index 11,8320

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.037.	SANGUINARINE HCl		[5578-73-4]	367.79	(C <sub>20</sub> H <sub>14</sub> NO <sub>4</sub> )+HCl	Merck Index 11,8320
18.125.	SANGUINARINE NITRATE		[4752-86-7]	394.34	C <sub>20</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub>	
18.002.	α-SANTONIN		[481-06-1]	246.31	C <sub>15</sub> H <sub>18</sub> O <sub>3</sub>	Merck Index 12,8509
18.038.	SAPOGENIN	Diosgenin; 5,20a,22a,25D-Spirosten-3b-ol	[512-04-9]	414.62	C <sub>27</sub> H <sub>42</sub> O <sub>3</sub>	Merck Index 11,3289
18.126.	SAPONARIN		[20310-89-8]	594.52	C <sub>27</sub> H <sub>30</sub> O <sub>15</sub>	
18.003.	SAPONIN	Detergent				
18.039.	SARPAGINE		[482-68-8]	310.41	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,8336
18.127.	SARSAPOGENINE		[126-19-2]	416.65	C <sub>27</sub> H <sub>44</sub> O <sub>3</sub>	
18.040.	S-BUTYRYLTHIOCHOLINE CHLORIDE		[22026-63-7]	225.78	C <sub>9</sub> H <sub>20</sub> CINOS	
18.109.	S(-)-SCHISANDRIN B		[61281-37-6]	400.46	C <sub>23</sub> H <sub>28</sub> O <sub>6</sub>	Lee IS, Lee HK, Dat NT. Planta Med. 69:63-4 (2003)
18.110.	SCHISANTHERIN A			536.57	C <sub>30</sub> H <sub>32</sub> O <sub>9</sub>	Liu CS, Fang SD, Huang MF. Sci Sin 21:483-502 (1978)
18.099.	SCHIZANDROL A			432	C <sub>24</sub> H <sub>32</sub> O <sub>7</sub>	
18.098.	SCHIZANDROL B			416	C <sub>23</sub> H <sub>28</sub> O <sub>7</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.100.	SCHIZANDROL C		[61301-33-5]	384.44	C <sub>22</sub> H <sub>24</sub> O <sub>6</sub>	
18.041.	SCIADOPITYSIN	Amentoflavone-7,4',4''trimethylether	[521-34-6]	580.50	C <sub>33</sub> H <sub>24</sub> O <sub>10</sub>	
18.128.	SCLAREOL		[515-03-7]	308.51	C <sub>20</sub> H <sub>36</sub> O <sub>2</sub>	
18.129.	(3aR)-(+)-SCLAREOLIDE		[564-20-5]	250.39	C <sub>16</sub> H <sub>26</sub> O <sub>2</sub>	
18.042.	SCOPARONE	6,7-Dimethoxycoumarin; Esculetin dimethyl ether	[120-08-1]	206.20	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,8359
18.111.	SCOPOLAMINE N-BUTYLBROMIDE		[149-64-4]	440.38	C <sub>21</sub> H <sub>30</sub> BrNO <sub>4</sub>	Ayre-Smith G. Acta Radiol Diagn (Stockh). 17:701-13 (1976)
18.004.	SCOPOLETIN	Chrysotropic acid, 7-Hydroxy-6-Methoxycoumarin	[92-61-5]	192.18	C <sub>10</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,8363
18.130.	SCOULERIN		[6451-73-6]	327.39	C <sub>19</sub> H <sub>21</sub> NO <sub>4</sub>	
18.005.	SCUTELLAREIN	4',5,6,7-Tetrahydroxyflavone	[529-53-3]	286.00	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
18.131.	SCUTELLAREIN TETRAMETHYLETHER		[1168-42-9]	342.35	C <sub>19</sub> H <sub>18</sub> O <sub>6</sub>	
18.132.	SCYTALONE			194.19	C <sub>10</sub> H <sub>10</sub> O <sub>4</sub>	
18.022.	SECOLOGANIN			388.41	C <sub>17</sub> H <sub>24</sub> O <sub>10</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.043.	SEDANOLIDE	(3-Butyl-3a,4,5,6-tetrahydro-1(3H)-isobenzofuranone)	[6414-59-4]	194.13	C <sub>12</sub> H <sub>18</sub> O <sub>2</sub>	Zheng, G-q., Kenney, P.M., Lam, L.K.T. Nutr. Cancer, 19:77-86 (1993).
18.044.	D-SEDOHEPTULOSAN Monohydrate	2,7-Anhydro-b-D-altro-heptulopyranose	[460-90-9]	210.18	C <sub>7</sub> H <sub>12</sub> O <sub>6</sub> .H <sub>2</sub> O	
18.014.	SELAGIN = HUPERZIN A					
18.045.	L-(+)-SELENOMETHIONINE	2-Amino-4-(methylseleno)butanoic acid	[3211-76-5]	196.11	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> Se	Mukherjee, B., Ghosh, S., Chatterjee, M.J. Exp. Ther. Oncol., 14:209-217 (1996).
18.046.	SE-METHYLSELENO-L-CYSTEINE	2-Amino-4-methylselenyl propionic acid	[26046-90-2]	182.08	C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> Se	Ip, C., Ganther, H.E. Carcinogenesis, 7:1167-1170 (1992).
18.047.	SEMPERVIRINE NITRATE		[549-92-8]	371.39	C <sub>19</sub> H <sub>16</sub> N <sub>2</sub> .HNO <sub>3</sub> .2H <sub>2</sub> O	Merck Index 11,8398
18.019.	SENECIONIN		[130-01-8]	335.40	C <sub>18</sub> H <sub>25</sub> NO <sub>5</sub>	Merck Index 12,8595
18.133.	SENECIONINE		[130-01-8]	335.41	C <sub>18</sub> H <sub>25</sub> NO <sub>5</sub>	
18.034.	SENECIPHYLLIN		[480-81-9]	333.38	C <sub>18</sub> H <sub>23</sub> NO <sub>5</sub>	Merck Index 12,8596
18.048.	SENNIDINE A		[641-12-3]	538.46	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	Plant medica., 40,225-236,1980
18.049.	SENNIDINE B		[517-44-2]	538.46	C <sub>30</sub> H <sub>18</sub> O <sub>10</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.006.	SENNOSIDE A	Glycennid; Pursennid	[81-27-6]	862.75	C <sub>42</sub> H <sub>38</sub> O <sub>20</sub>	Merck Index 11,8407
18.007.	SENNOSIDE B		[128-57-4]	862.72	C <sub>42</sub> H <sub>38</sub> O <sub>20</sub>	Merck Index 11,8407
18.050.	SEROTONIN BIMALEATE	5-Hydroxytryptamine bimaleate	[18525-25-2]	292.30	C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>5</sub>	Merck Index 11,8413
18.051.	SEROTONIN CREATINE SULPHATE	5-Hydroxytryptamine creatinine sulphate	[61-47-2]	405.43	C <sub>14</sub> H <sub>19</sub> N <sub>5</sub> O <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub>	Merck Index 11,8413
18.052.	SEROTONIN CREATININE SULPHATE	5-Hydroxytryptamine creatinine sulphate	[61-47-2]	405.43	C <sub>14</sub> H <sub>19</sub> N <sub>5</sub> O <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub>	Merck Index 11,8413
18.053.	SEROTONIN HYDROGEN ACETATE	5-Hydroxytryptamine hydrogenacetate	[50-67-9]	236.28	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O.CH <sub>3</sub> COOH	Merck Index 11,8413
18.054.	SEROTONIN HYDROGEN ACETATE		[50-67-9]	236.28	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O.CH <sub>3</sub> COOH	Merck Index 11,8413
18.055.	SERPENTINE HYDROGEN TARTRATE		[18786-24-8]	498.49	C <sub>25</sub> H <sub>26</sub> N <sub>2</sub> O <sub>9</sub>	Merck Index 11,8415
18.056.	SESAMOL	3,4-Methyleedioxyphenol	[533-31-3]	138.13	C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>	
18.057.	SHANZHISIDE METHYL ESTER		[64421-28-9]	406.40	C <sub>17</sub> H <sub>26</sub> O <sub>11</sub>	
18.058.	SHIKIMIC ACID	3,4,5-Trihydroxy-1-cyclohexene-1-carboxylic acid	[138-59-0]	174.15	C <sub>7</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,8428
18.059.	SHIKONIN		[517-89-5]	288.30	C <sub>16</sub> H <sub>16</sub> O <sub>5</sub>	Merck Index 11,243
18.021.	SILANDRIN			466.46	C <sub>25</sub> H <sub>22</sub> O <sub>9</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.008.	SILIDIANIN			466.46	C <sub>24</sub> H <sub>18</sub> O <sub>10</sub>	
18.009.	SILYBIN Mix	Silymarin I	[22888-70-6]	482.46	C <sub>25</sub> H <sub>22</sub> O <sub>10</sub>	Merck Index 11,8484
18.016.	SILYBIN A			482.46	C <sub>25</sub> H <sub>22</sub> O <sub>10</sub>	
18.017.	SILYBIN B			482.46	C <sub>25</sub> H <sub>22</sub> O <sub>10</sub>	
18.020.	SILYCHRISTIN			486.46	C <sub>25</sub> H <sub>26</sub> O <sub>10</sub>	
18.009.	SILYMARIN I	Silybin	[22888-70-6]	482.46	C <sub>25</sub> H <sub>22</sub> O <sub>10</sub>	Merck Index 11,8484
18.101.	SILYMARIN MIX		[65666-07-1]			
18.018.	SILYMONIN					
18.061.	SINAPALEHYDE			208.22	C <sub>11</sub> H <sub>12</sub> O <sub>4</sub>	
18.134.	SINAPIC ACID		[530-59-6]	224.22	C <sub>11</sub> H <sub>12</sub> O <sub>5</sub>	
18.062.	SINAPINIC ACID	3,5-Dimethoxy-4-hydroxycinnamic Acid	[530-59-6]	224.22	C <sub>11</sub> H <sub>12</sub> O <sub>5</sub>	
18.010.	SINENSETIN	3',4',5,6,7-Pentamethoxyflavone	[2306-27-6]	372.39	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
18.063.	SINIGRIN	Sinogroside; Potassium Myronate	[3952-98-5]	415.49	C <sub>10</sub> H <sub>16</sub> NO <sub>9</sub> S <sub>2</sub> K.H <sub>2</sub> O	Merck Index 11,8495
18.064.	SINOGRSIDE	Sinigrin; Potassium Myronate	[3952-98-5]	415.49	C <sub>10</sub> H <sub>16</sub> NO <sub>9</sub> S <sub>2</sub> K.H <sub>2</sub> O	Merck Index 11,8495

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.112.	SINOMENINE		[115-53-7]	329.39	C <sub>19</sub> H <sub>23</sub> NO <sub>4</sub>	Viergge B, Resch K, Kaever V. Planta Med. 65:80-82 (1999)
18.065.	SISSOTRIN	Biochanin A-7-O-glucoside	[5928-26-7]	446.42	C <sub>22</sub> H <sub>22</sub> O <sub>10</sub>	Phytochem., 1965,89. Tet.Lett., 1965,3191
18.011.	β-SITOSTEROL	α-Phytosterol, Cinchol	[83-46-5]	414.72	C <sub>29</sub> H <sub>50</sub> O	Merck Index 12,8697
18.135.	SKATOLE		[83-34-1]	131.18	C <sub>9</sub> H <sub>9</sub> N	
18.066.	SKIMMIN	Umbelliferone glucoside; 7-Hydroxycoumarin glucoside	[93-39-0]	324.30	C <sub>15</sub> H <sub>16</sub> O <sub>8</sub>	Merck Index 11,8506
18.136.	SMILAGENIN		[126-18-1]	416.65	C <sub>27</sub> H <sub>44</sub> O <sub>3</sub>	
18.067.	SODIUM-1-NAPHTHYLPHOSPHATE		[81012-89-7]	246.14	C <sub>10</sub> H <sub>8</sub> NaO <sub>4</sub> P	
18.068.	SODIUM-2-NAPHTHYLPHOSPHATE		[14463-68-4]	246.14	C <sub>10</sub> H <sub>8</sub> NaO <sub>4</sub> P	
18.137.	SOLANIDINE		[80-78-4]	397.65	C <sub>27</sub> H <sub>43</sub> NO	
18.069.	SOLANIN D	Demissidine	[474-08-8]	399.68	C <sub>27</sub> H <sub>45</sub> NO	
18.070.	α-SOLANINE	Solatunin	[20562-02-1]	868.10	C <sub>45</sub> H <sub>73</sub> NO <sub>15</sub>	Merck Index 11,8661
18.071.	SOLASONINE	Solancarpin; Purapurin	[19121-58-5]	884.10	C <sub>45</sub> H <sub>73</sub> NO <sub>16</sub>	Merck Index 11,8666



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.072.	SOLATUNIN	a-Solanine	[20562-02-1]	868.10	C <sub>45</sub> H <sub>73</sub> NO <sub>15</sub>	Merck Index 11,8661
18.073.	a-D-SOPHOROSE Monohydrate	2-O-β-D-Glucopyranosyl-a-D-glucopyranose	[20880-64-2]	360.32	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .H <sub>2</sub> O	Merck Index 11,8676
18.138.	SORBIC ACID		[110-44-1]	112.13	C <sub>6</sub> H <sub>8</sub> O <sub>2</sub>	
18.074.	SOYASAPOGENOL A					
18.075.	SOYASAPOGENOL B					
18.139.	SPARTEINE		[90-39-1]	234.39	C <sub>15</sub> H <sub>26</sub> N <sub>2</sub>	
18.103.	SPARTEINSULFAT	[7S-(7a, 7aa, 14 a, 14aβ)]Dodecahydro-7,14-methano-2H, 6H-dipyrido[1, 2-a:l', 2'-e][1, 5] diazocine sulfate penta-hydrate;Depasan; Tocosamine; Lupinidine-sulfate pentahydrate;	[6160-12-9]	234.38 + 98.0	C <sub>15</sub> H <sub>26</sub> N <sub>2</sub> xH <sub>2</sub> SO <sub>4</sub> x 5 H <sub>2</sub> O	Budavari, S. The Merck Index, 12t
18.113.	SPECTINOMYCIN HYDROCHLORIDE		[22189-32-8]	495.25	C <sub>14</sub> H <sub>24</sub> N <sub>2</sub> O <sub>7</sub> x2HClx5H <sub>2</sub> O	Singh YN, Marshall IG, Harvey AL. Clin Exp Pharmacol Physiol. 6:159-65 (1979)
18.114.	D-SPHINGOSINE		[123-78-4]	299.5	C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub>	Souktani R, Berdeaux A, Ghaleh B et al. Am J Physiol cell Physiol. 2797:C158-65 (2000)
18.116.	SPHINGOSINE 1-PHOSPHATE		[26993-30-6]	379.47	C <sub>18</sub> H <sub>38</sub> NO <sub>5</sub> P	Spiegel S, Milstien S. Biochem Soc trans. 31:1216-9 (2003)

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.115.	SPHINGOSINE, N,N-DIMETHYL		[119567-63-4]	327.5	C <sub>20</sub> H <sub>41</sub> NO <sub>2</sub>	Igarashi Y et al. J Biol Chem 265:5385 (1990)
18.012.	SPIRAEOSID					
18.140.	SPIRAEOSIDE		[20229-56-5]	464.38	C <sub>21</sub> H <sub>20</sub> O <sub>12</sub>	
18.117.	SPIRONOLACTONE		[52-01-7]	416.57	C <sub>24</sub> H <sub>32</sub> O <sub>4</sub> S	Cheng SC, Suzuki K, Sadee W et al. Endocrinology. 99:1097-106 (1976)
18.141.	SPIRONOLACTONE		[52-01-7]	416.58	C <sub>24</sub> H <sub>32</sub> O <sub>4</sub> S	
18.076.	5,20a,22a,25D-SPIROSTEN-3b-OL	Sapogenin; Diosgenin	[512-04-9]	414.62	C <sub>27</sub> H <sub>42</sub> O <sub>3</sub>	Merck Index 11,3289
18.077.	SPIRPSOLAN-3-OL-(3b,5a,22b,25d) tlc	Tomatidine	[77-59-8]	415.67	C <sub>27</sub> H <sub>45</sub> NO <sub>2</sub>	Merck Index 11,9470
18.142.	SQUALANE		[111-01-3]	422.83	C <sub>30</sub> H <sub>62</sub>	
18.143.	SQUALENE		[111-02-4]	410.73	C <sub>30</sub> H <sub>50</sub>	
18.144.	STACHYDRINE HYDROCHLORIDE		[4136-37-2]	179.64	C <sub>7</sub> H <sub>13</sub> NO <sub>2</sub> xHCl	
18.145.	STACHYOSE		[470-55-3]	666.59	C <sub>24</sub> H <sub>42</sub> O <sub>21</sub>	
18.146.	STEARIC ACID		[57-11-4]	284.49	C <sub>18</sub> H <sub>36</sub> O <sub>2</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.147.	STEARYL ALCOHOL		[112-92-5]	270.5	C18H38O	
18.148.	STEVIOSIDE		[57817-89-7]	804.89	C38H60O18	
18.078.	STIGMASTEROL		[83-48-7]	412.72	C29H48O	
18.151.	G-STROPHANTIN		[630-60-4]	584.66	C29H44O12	
18.118.	STREPTOMYCIN SULFATE		[3810-74-0]	1457.39	(C21H39N7O12)2x3H2SO4	Kornder JD. Med Hypothesen. 58:34-46 (2002)
18.079.	STROBOPININ	5,7-Dihydroxy-6-methylflavanone		270.29	C16H14O4	
18.080.	STROPHANTHIDIN a-L-RHAMNOPYRANOSIDE	Convallatoxin; Corglykon	[508-75-8]	550.65	C29H42O10	Merck Index 11,2508
18.081.	STROPHANTHIDOL-DIGITOXOSID	Helveticosol	[18695-02-8]	536.68	C29H44O9	Merck Index 11,4551
18.150.	STROPHANTHIN		[66-28-4]	404.51	C23H32O6	
18.082.	K-STROPHANTHIN-a	Cymarine	[508-77-0]	548.69	C30H44O9	Merck Index 11,2768
18.083.	STYLOPHORIN	(+)-Chelidonine	[476-32-4]	353.36	C20H19NO5	Merck Index 11,2043
18.024.	STYLOPIN	(+/-)-Stylopin		323.33	C19H17NO4	Merck Index 11,8827
18.084.	(-)-STYLOPINE	Tetrahydrocoptisine	[7461-02-1]	323.33	C19H17NO4	Merck Index 11,8827

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.085.	(+)-STYLOPINE		[7461-02-1]	323.33	C <sub>19</sub> H <sub>17</sub> NO <sub>4</sub>	Merck Index 11,8827
18.086.	SUCCINYL CHOLINE IODIDE		[541-19-5]	544.22	C <sub>14</sub> H <sub>30</sub> I <sub>2</sub> N <sub>2</sub> O <sub>4</sub>	
18.119.	SULFASALAZINE		[599-79-1]	398.39	C <sub>18</sub> H <sub>14</sub> N <sub>4</sub> O <sub>5</sub> S	Pruzabski W, Stefanski E, Vadas P, Ramamurthy NS. Biochem Pharm. 53:1901-1907 (1997)
18.087.	D, L-SULFORAPHANE	1-Isothiocyanato-4-(methylsulfiyl)-butane	[4478-93-7]	177.29	C <sub>6</sub> H <sub>11</sub> NOS <sub>2</sub>	Zhang, Y., Kensler, T.W., Cho, C-G., Posner, G.H., and Talalay, P. Proc. Natl. Acad. Sci., USA 91:3147-3150 (1994).
18.088.	D-SULFORAPHANE	(+)-1-Isothiocyanate-4R(methylsulfinyl)-butane		177.29	C <sub>6</sub> H <sub>11</sub> NOS <sub>2</sub>	
18.089.	L-SULFORAPHANE	(-)-1-Isothiocyanato-4R-(methylsulfinyl)-butane	[4478-93-7]	177.29	C <sub>6</sub> H <sub>11</sub> NOS <sub>2</sub>	Zhang, Y., Talalay, P., Cho, C-G., Posner, G.H. Proc. Natl. Acad. Sci. USA, 89-2399-2403 (1992).
18.090.	SULFORAPHANE	(-)-1-Isothiocyanato-(4R)-(methylsulfinyl)butane		178.30	C <sub>6</sub> H <sub>12</sub> NOS <sub>2</sub>	Merck Index 11,1416
18.091.	L-SULFORAPHENE	(-)-4-Isothiocyanato-4R-(methylsulfinyl)-1-butene	[592-95-0]	175.27	C <sub>6</sub> H <sub>9</sub> NOS <sub>2</sub>	
18.092.	SULFURETIN	3',4',6-Trihydroxyaurone	[120-05-8]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,8951

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.093.	SULINDAC		[38194-50-2]	342.39	C <sub>19</sub> H <sub>15</sub> FO <sub>3</sub> S	Kelloff, G.J., Boone, C.W., Crowell, J.A., et al. Cancer Epidemiol. Biomarkers Prev., 3:85-98 (1994).
18.094.	SULINDAC SULFONE		[59864-04-9]	358.38	C <sub>19</sub> H <sub>15</sub> FO <sub>4</sub> S	Thompson, H.J., Jiang, C., Lu, J., et al. Cancer Res., 57:267-271 (1997).
18.095.	SURAMIN HEXASODIUM SALT		[129-46-4]	1429.19	C <sub>51</sub> H <sub>34</sub> N <sub>6</sub> O <sub>23</sub> S <sub>6</sub> Na <sub>6</sub>	Nakajima, M., DeChavigny, A., Johnson, C.E., et al. J. BiolChem., 266:9661-9666 (1991).
18.096.	SWAINSONINE	8a,b-Indolizidine-1,2a,8b-triol	[72741-87-8]	173.21	C <sub>8</sub> H <sub>15</sub> NO <sub>3</sub>	
18.013.	SWEROSID			358.10	C <sub>16</sub> H <sub>22</sub> O <sub>9</sub>	DAB 10
18.025.	SWERTIAMARIN		[1738-39-5]	374.34	C <sub>16</sub> H <sub>22</sub> O <sub>10</sub>	Merck Index 11,8991
18.026.	p-SYMPATOL TARTRATE	1-(4-Hydroxyphenyl)-2-methylaminoethanol	[94-07-5]	481.51	C <sub>22</sub> H <sub>32</sub> N <sub>2</sub> O <sub>10</sub>	Merck Index 11,8994
18.120.	SYNEPHRINE	1-[4Hydroxyphenyl]-2-[methyl-amino]ethanol	[94-07-5]	167.21	C <sub>9</sub> H <sub>13</sub> NO <sub>2</sub>	Hurlbut JA, Carr JR, Singleton ER et al. J Aoac Int. 81:1121-1127 (1998)
18.153.	SYRANGALDEHYDE		[134-96-3]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
18.027.	SYRINGETIN	3',5'-Dimethoxy-3,4',5,7-tetrahydroxyflavone	[4423-37-4]	346.30	C <sub>17</sub> H <sub>14</sub> O <sub>8</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.154.	SYRINGETIN-3-O-GALACTOSIDE		[55025-56-4]	508.43	C <sub>23</sub> H <sub>24</sub> O <sub>13</sub>	
18.155.	SYRINGETIN-3-O-GLUCOSIDE		[40039-49-4]	508.43	C <sub>23</sub> H <sub>24</sub> O <sub>13</sub>	
18.156.	SYRINGIC ACID		[530-57-4]	198.18	C <sub>9</sub> H <sub>10</sub> O <sub>5</sub>	
18.028.	SYRINGIN	Syringoside; Lilacin; Methoxyconiferine	[118-34-3]	372.36	C <sub>17</sub> H <sub>24</sub> O <sub>9</sub>	Merck Index 11,8997
18.029.	SYROSINGOPINE		[84-36-6]	666.74	C <sub>35</sub> H <sub>42</sub> N <sub>2</sub> O <sub>11</sub>	Merck Index 11,8998
19.030.	D(-)-TAGATOSE		[87-81-0]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,9005
19.031.	D-TAGTOSE		[87-81-0]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,9005
19.032.	α-D-TALOSE		[2595-98-4]	180.16	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	
19.033.	TAMARIXETIN	Quercetin-4'-methylether; 4'-Methoxy-3,3',5,7-tetrahydroxyflavone	[603-61-2]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
19.034.	TAMARIXETIN-7-RUTINOSIDE			624.57	C <sub>28</sub> H <sub>32</sub> O <sub>16</sub>	
19.035.	TAMOXIFEN CITRATE		[54965-24-1]	563.6	C <sub>26</sub> H <sub>29</sub> NO <sub>5</sub> .S <sub>6</sub> H <sub>8</sub> O <sub>7</sub>	
19.036.	TANGERETIN	4',5,6,7,8-Pentamethoxyflavone	[481-53-8]	372.39	C <sub>20</sub> H <sub>20</sub> O <sub>7</sub>	
19.037.	TANNIN ALBUMINATE		[9006-52-4]			

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.176.	TANSHINONES 1			276.29	C <sub>18</sub> H <sub>12</sub> O <sub>3</sub>	Li ZT, Yang BJ, Ma GE, Acta Pharm Sinica 26:209-213 (1991)
19.177.	TANSHINONES IIA		[568-73-0]	294.34	C <sub>19</sub> H <sub>18</sub> O <sub>3</sub>	Sato M, Sato T, Ose Y et al. Mutation. Res. 265:149-154 (1992)
19.038.	D(-)-TARTARIC ACID	D(-)-2,3-Dihydroxybutanedionic Acid	[147-71-7]	150.09	C <sub>4</sub> H <sub>6</sub> O <sub>6</sub>	Merck Index 11,9037
19.039.	meso-TARTARIC ACID Monohydrate	2,3-Dihydroxydutanedioic acid	[147-73-9]	168.11	C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> .H <sub>2</sub> O	Merck Index 11,9038
19.040.	TAURINE	2-Aminoethanesulfonic acid	[107-35-7]	125.14	C <sub>2</sub> H <sub>7</sub> NO <sub>3</sub> S	Okamoto, K., Sugie, S, Ohnishi, M., Makita, H., Kawamori, T., Tanaka, T., Mori, H. Jpn. J. Cancer Res., 87:30-36 (1996).
19.186.	TAUROCHOLIC ACID SODIUM SALT		[145-42-6]	537.69	C <sub>26</sub> H <sub>44</sub> NO <sub>7</sub> SNa	
19.041.	(+)-TAXIFOLIN		[480-18-2]	304.26	C <sub>15</sub> H <sub>12</sub> O <sub>7</sub>	
19.042.	(+/-)-TAXIFOLIN	(+/-)-Dihydroquercetin; 3,3',4',5,7-Pentahydroxyflavanone	[480-18-2]	304.26	C <sub>15</sub> H <sub>12</sub> O <sub>7</sub>	
19.043.	TAXOL (90%)		[33069-62-4]	853.95	C <sub>47</sub> H <sub>51</sub> NO <sub>14</sub>	Merck Index 11,9049
19.044.	TAXOL C					
19.045.	TAXOL-SIDE CHAIN DIOL					

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.046.	TAXOL-SIDE CHAIN METHYL ESTER					
19.047.	TECTOCHRYSIN	Methylchrysin; 5-Hydroxy-7-Methoxyflavone	[520-28-5]	268.28	C <sub>16</sub> H <sub>12</sub> O <sub>4</sub>	Merck Index 11,2261
19.048.	TECTOQUINONE	2-Methylantraquinone	[84-54-8]	222.23	C <sub>15</sub> H <sub>10</sub> O <sub>2</sub>	Merck Index 11,5943
19.178.	TENIPOSIDE		[29767-20-2]	656.65	C <sub>32</sub> H <sub>32</sub> O <sub>13</sub> S	Ross W, Rowe T, Glisson B, Yalowich J, Liu L. Cancer Res. 44:5857-60 (1984)
19.049.	p-TERPHENYL	1,4-Diphenylbenzene; PTP	[92-94-4]	230.32	C <sub>18</sub> H <sub>14</sub>	
19.008.	(+)-TERPINEN-4-ol	p-Menth-1-en-4-ol	[562.74-3]	154.25	C <sub>10</sub> H <sub>18</sub> O	
19.009.	(-)-TERPINEN-4-ol	p-Menth-1-en-4-ol		154.25	C <sub>10</sub> H <sub>18</sub> O	
19.050.	a-TERPINENE		[99-86-5]	136.24	C <sub>10</sub> H <sub>16</sub>	Merck Index 11,9315
19.051.	gamma-TERPINENE		[99-85-4]	136.24	C <sub>10</sub> H <sub>16</sub>	Merck Index 11,9315
19.052.	a-TERPINEOL	p-Menth-1-en-8-ol	[98-55-5]	154.26	C <sub>10</sub> H <sub>18</sub> O	Merck Index 11,9316
19.187.	TERPINYL ACETATE		[80-26-2]	196.29	C <sub>12</sub> H <sub>20</sub> O <sub>2</sub>	
19.053.	TESTOSTERONE	4-Androstene-17 $\beta$ -ol-3-one	[58-22-0]	288.44	C <sub>19</sub> H <sub>28</sub> O <sub>2</sub>	Merck Index 11,9109
19.054.	TESTOSTERONE ACETATE	4-Androsten-17 $\beta$ -ol-3-one acetate	[1045-69-8]	330.48	C <sub>21</sub> H <sub>30</sub> O <sub>3</sub>	



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.055.	TESTOSTERONE BENZOATE	4-Androsten-17 $\beta$ -ol-3-one 17-benzoate	[2088-71-3]	392.55	C <sub>26</sub> H <sub>32</sub> O <sub>3</sub>	
19.056.	TETRACOSANE		[646-31-1]	338.67	C <sub>24</sub> H <sub>50</sub>	Beilstein 1,IV,578
19.188.	TETRAHYDROALSTONINE		[6474-90-4]	352.43	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub>	
19.057.	TETRAHYDROBERBERINE	DL-Canadine	[522-97-4]	339.40	C <sub>20</sub> H <sub>21</sub> NO <sub>4</sub>	Merck Index 11,1744
19.058.	TETRAHYDROCORTICOSTERONE	5 $\beta$ -Pregnane-3 $\alpha$ ,11 $\beta$ ,21-triol-20-one	[68-42-8]	350.51	C <sub>21</sub> H <sub>34</sub> O <sub>4</sub>	
19.059.	TETRAHYDROCORTISONE-3 $\alpha$ -17 $\alpha$ ,21-triol-11,20-dione-3 $\beta$ ,21-diacetate		[28439-40-9]	448.57	C <sub>25</sub> H <sub>33</sub> O <sub>7</sub>	
19.060.	TETRAHYDROHARMAN			186.26	C <sub>12</sub> H <sub>14</sub> N <sub>2</sub>	Merck Index 11,4530
19.189.	TETRAHYDROLINALOOL		[78-69-3]	158.29	C <sub>10</sub> H <sub>22</sub> O	
19.179.	L-TETRAHYDROPALMATINE HCl		[10097-84-4]	391.89	C <sub>21</sub> H <sub>25</sub> N <sub>2</sub> O <sub>8</sub> xHCl	Liu Gq, Algeri S, Garattini S. Arch Int Pharmacodyn Ther. 258:39-50 (1982)
19.180.	D,L-TETRAHYDROPALMATINE SULFATE			453.50	C <sub>21</sub> H <sub>25</sub> NO <sub>4</sub> xH <sub>2</sub> SO <sub>4</sub>	Liu Gq, Algeri S, Garattini S. Arch Int Pharmacodyn Ther. 258:39-50 (1982)
19.061.	1,4,5,8-TETRAHYDROXY-2-METHYLANTHRAQUINONE	Cynodontin		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.062.	1,4,6,8-TETRAHYDROXY-3-METHYLANTHRAQUINONE	Catenarin	[476-46-0]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
19.063.	2',4',6',3-TETRAHYDROXY-4-METHOXYCHALCONE	Hesperitin chalcone		302.20	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	
19.064.	3,3',4',7-TETRAHYDROXY-5-METHOXYFLAVONE	Azaleatin	[529-51-1]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	
19.065.	5,7,2',4'-TETRAHYDROXY-6-PRENYLISOFLAVONE	Luteone	[41743-56-0]	354.37	C <sub>20</sub> H <sub>18</sub> O <sub>6</sub>	
19.066.	3,3',4',5-TETRAHYDROXY-7-METHOXYFLAVONE	Rhamnetin; Quercetin-7-methyl ether	[90-19-7]	316.28	C <sub>16</sub> H <sub>12</sub> O <sub>7</sub>	Merck Index 11,8170
19.067.	3',4',6,7-TETRAHYDROXYAURONE	Maritimetin		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1956,825.
19.068.	4,6,3',4'-TETRAHYDROXYAURONE	Aureusidin		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
19.069.	2',4',2,3-TETRAHYDROXYCHALCONE			272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
19.070.	2',4',3,4-TETRAHYDROXYCHALCONE	Butein	[21849-70-7]	272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
19.071.	2',4',6',4-TETRAHYDROXYCHALCONE	Naringenin chalcone; Isosalipurpol		272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	
19.072.	2',4',6',4-TETRAHYDROXYDIHYDROCHALCONE	Phloretin	[60-82-2]	274.28	C <sub>15</sub> H <sub>14</sub> O <sub>5</sub>	Merck Index 11,7299

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.073.	3,3',4',7-TETRAHYDROXYFLAVANONE	Fustin; 2,3-Dihydrofisetin	[20725-03-5]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,4232
19.074.	3',4',5,7-TETRAHYDROXYFLAVANONE	Eriodictyol	[552-58-9]	288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	Merck Index 11,3616
19.075.	3,5,7,4'-TETRAHYDROXYFLAVANONE	Dihydrokaempferol; Aromadendrin		288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	J.Amer.Chem.Soc., 1957,1738
19.076.	4',5,7,8-TETRAHYDROXYFLAVANONE	Carthamidin		288.26	C <sub>15</sub> H <sub>12</sub> O <sub>6</sub>	
19.077.	2',3,5,7-TETRAHYDROXYFLAVONE	Datiscetin	[480-15-9]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,2822
19.078.	3,3',4',7-TETRAHYDROXYFLAVONE	Fisetin	[528-48-3]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,4026
19.079.	3,4',5,7-TETRAHYDROXYFLAVONE	Kaempferol	[520-18-3]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5156
19.080.	3',4',5,7-TETRAHYDROXYFLAVONE	Luteolin	[491-70-3]	286.23	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	Merck Index 11,5843
19.081.	3',4',7,8-TETRAHYDROXYFLAVONE			286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
19.082.	4',5,6,7-TETRAHYDROXYFLAVONE	Scutellarein	[529-53-3]	286.00	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
19.190.	3',4',7,8,-TETRAHYDROXYFLAVONE		[3440-24-2]	286.25	C <sub>15</sub> H <sub>10</sub> O <sub>6</sub>	
19.083.	3,4',5,7-TETRAHYDROXYFLAVYLIUM CHLORIDE	Pelargonidin Chloride	[134-04-3]	306.71	C <sub>15</sub> H <sub>11</sub> ClO <sub>5</sub>	
19.084.	5,7,2',4'-TETRAHYDROXYISOFLAVONE	2'-Hydroxygenistein		286.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.085.	1,6,7,8-TETRAHYDROXYOCTAHYDROINDOLIZINE	Castanospermine	[79831-76-8]	189.22	C <sub>8</sub> H <sub>15</sub> NO <sub>4</sub>	Merck Index 11,1902
19.086.	TETRAHYDROXY-p-BENZOQUINONE Indicator		[319-89-1]	172.10	C <sub>6</sub> H <sub>4</sub> O <sub>6</sub>	Merck Index 11,9177
19.087.	1,3,6,7-TETRAHYDROXY-XANTHONE-2-C-GLUCOSIDE	Mangiferin	[4773-96-0]	422.36	C <sub>19</sub> H <sub>18</sub> O <sub>11</sub>	Bull.Chem.Soc.Jap., 1957(30)625
19.088.	1,2,9,10-TETRAMETHOXYAPORPHINE	(+)-Glaucine	[475-81-0]	355.42	C <sub>21</sub> H <sub>25</sub> NO <sub>4</sub>	Merck Index 11,4332
19.089.	3',4',5,7-TETRAMETHOXYFLAVONE	Luteolin tetramethylether	[855-97-0]	342.36	C <sub>19</sub> H <sub>18</sub> O <sub>6</sub>	
19.090.	3',4',7,8-TETRAMETHOXYFLAVONE					
19.091.	5,6,7,3'-TETRAMETHOXYFLAVONE	5-Methoxysalvigenin	[1168-42-9]	342.36	C <sub>19</sub> H <sub>18</sub> O <sub>6</sub>	
19.092.	3,3',5,5'-TETRAMETHYLBENZIDINE		[54827-17-7]	240.36	C <sub>16</sub> H <sub>20</sub> N <sub>2</sub>	R.M.Jaffe et.al., J.Lab.Chim.Med., 93,879,(1979)
19.093.	3,7,3',4'-TETRAMETHYLGOSYPETIN	5,8-Dihydroxy-3,3',4',7-tetramethoxyflavone	[7380-44-1]	374.36	C <sub>19</sub> H <sub>18</sub> O <sub>8</sub>	
19.094.	N,N,N',N'-TETRAMETHYL-L-CYSTINE			296.41	C <sub>10</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>	
19.191.	2,3,5,6-TETRAMETHYLPYRAZIN		[1124-11-4]	136.2	C <sub>8</sub> H <sub>12</sub> N <sub>2</sub>	
19.181.	TETRANDRINE		[518-34-3]	622.75	C <sub>38</sub> H <sub>42</sub> N <sub>2</sub> O <sub>6</sub>	Lai YL, Chen YJ, Wu TY et al. Anticancer Drugs 9:77-81 (1998)

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.095.	1,2,3,4-TETRA-O-ACETYL-6-O-TRIPHENYLMETHYL-β-D-GLUCOPYRANOSE			590.64	C33H34O10	
19.096.	1,2,3,4-TETRA-O-ACETYL-β-D-GLUCOPYRANOSE		[13100-46-4]	348.31	C14H20O10	
19.097.	1,2,3,5-TETRA-O-ACETYL-β-D-RIBOFURANOSE	β-D-Ribofuranose tetraacetate	[13035-61-5]	318.29	C13H18O9	
19.098.	a,β,y,g-TETRAPHENYLPORPHIN	Meso-Tetraphenylporphin; 5,10,15,20-Tetraphenylprophine; TPP	[917-23-7]	614.77	C44H30N4	
19.099.	TETRATRIACONTANE		[14167-59-0]	478.95	C34H70	
19.175.	TETRAZEPAM ABBAUPRODUKT 5	7-chlor-5-(1, 2-epoxycyclohexan-1-yl) 1, 3-dihydro-1-methyl-2H-1, 4-benzodiazepin-2-one		304.77	C16H17ClN2O2	
19.002.	TETRAZEPAM-ABBAUPRODUKT 2					
19.003.	TETRAZEPAM-ABBAUPRODUKT 3					
19.004.	TETRAZEPAM-ABBAUPRODUKT 4					
19.100.	TEXASIN	6,7-Dihydroxy-4'-methoxyisoflavone	[897-46-1]	284.28	C16H12O5	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.101.	THAPSIGARIN		[67526-95-8]	650.75	C <sub>34</sub> H <sub>50</sub> O <sub>12</sub>	Takemura, H., Hughes, A.R., Thastrup, O., Putney, J.W.Jr., J. Biol. Chem., 264:12266-1271 (1989).
19.102.	THAUMATIN	Protein, Talin	[53850-34-3]	ca. 22.000		Merck Index 11,9200 Eur.J.Biochem., 31,221(1972)
19.182.	L-THEANINE		[3081-61-6]	174.20	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub>	Yokogoshi, H, Kat Y, Sagesaka YM et al. Biosci Biotech Biochem. 59.615-618 (1995)
19.168.	THEBAIN (BTM)	(5alpha)-6,7,8,14-Tetrahydro-4,5-epoxy-3,6-dimet	[115-37-7]	311.38	C <sub>19</sub> H <sub>21</sub> NO <sub>3</sub>	Budavari, S The Merck Index 12th
19.103.	THEOPHYLLINE		[58-55-9]	180.16	C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub>	Alexandrov, V.A., et.al.Carcinogenesis, 17:1935-1939 (1996).
19.167.	THIADIAZURON	N-Phenyl-N'-1,2,3-thiadiazol-5-ylurea	[51707-55-2]	220.25	C <sub>9</sub> H <sub>8</sub> N <sub>4</sub> O <sub>S</sub>	
19.104.	DL-6,8-THIOCTAMIDE	a-Lipoic acid amide	[3206-73-3]	205.35	C <sub>8</sub> H <sub>15</sub> NOS <sub>2</sub>	
19.105.	DL-6,8-THIOCTIC ACID	DL-6,8-Dithiooctanoic acid; a-Lipoic acid	[62-46-4]	206.33	C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub>	Merck Index 11,9255
19.106.	1-THIO-β-D-GLUCOSE TETRAACETATE		[19879-84-6]	364.4	C <sub>14</sub> H <sub>20</sub> O <sub>9</sub> S	
19.107.	THIOSTREPTON		[1393-48-2]	1664.88	C <sub>72</sub> H <sub>85</sub> N <sub>19</sub> O <sub>18</sub> S <sub>5</sub>	Merck Index 11,9295

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.108.	4-THIOURIDINE		[13957-31-8]	260.27	C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>5</sub> S	
19.109.	DL-THREONINE (allo-free)	DL-2-Amino-3-hydroxybutyric acid	[80-68-2]	119.12	C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub>	Merck Index 11,9316
19.192.	BETA-THUJAPLICIN		[499-44-5]	164.21	C <sub>10</sub> H <sub>12</sub> O <sub>2</sub>	
19.193.	ALPHA-(-)-THUJONE		[546-80-5]	152.24	C <sub>10</sub> H <sub>16</sub> O	
19.194.	(-)-THUJOPSEN		[470-40-6]	204.36	C <sub>15</sub> H <sub>24</sub>	
19.195.	THYMIN		[65-71-4]	126.12	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub>	
19.165.	THYMOL		[89-83-8]	150.21	C <sub>10</sub> H <sub>14</sub> O	
19.110.	L-THYROXINE SODIUM Pentahydrate	3-[4-(4-Hydroxy-3,5-diodophenoxy)-3,5-diodophenyl]-L-alanine	[6106-07-6]	888.93	C <sub>15</sub> H <sub>10</sub> I <sub>4</sub> NNaO <sub>4</sub> .5H <sub>2</sub> O	Merck Index 11,5351
19.111.	D-THYROXINE SODIUM Salt	3,3',5,5'-Tetraiodo-D-thyronine sodium salt	[137-53-1]	798.85	C <sub>15</sub> H <sub>10</sub> I <sub>4</sub> NaNO <sub>4</sub> .xH <sub>2</sub> O	Merck Index 11,9348
19.112.	TIGLIC ACID	trans-2,3-Dimethylacrylic acid	[80-59-1]	100.12	C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	Merck Index 11,9365
19.001.	TILIROSIDE	Kaempferol-3-(p-coumaryl)glucoside	[20316-62-5]	594.52	C <sub>30</sub> H <sub>26</sub> O <sub>13</sub>	Natwiss., 1959,358.
19.113.	TINYATOXIN (TYX)		[58821-95-7]	598.70	C <sub>36</sub> H <sub>38</sub> O <sub>8</sub>	
19.170.	TOBRAMYCIN	O-3-Amino-3-deoxy-alpha-D-glucopyranosyl-[2,6-diamino-2,3,6-trideoxy-beta-D-ribofuranose]	[32986 - 56 - 4]	467.52	C <sub>18</sub> H <sub>37</sub> N <sub>5</sub> O <sub>9</sub>	Budavari, S. The Merck Index, 12t

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.183.	TOBRAMYCIN SULFATE			1425.45	(C <sub>18</sub> H <sub>37</sub> N <sub>5</sub> O <sub>9</sub> ) <sub>2</sub> x5H <sub>2</sub> SO <sub>4</sub>	Brodgen RN, Pinder RM, Sawyer PR. Drugs. 12:166-200 (1976)
19.171.	TOCAMIN					
19.006.	(a)-TOCOPHEROLACETAT	Vitamin E-Acetat	[7695-91-2]	472.76	C <sub>31</sub> H <sub>52</sub> O <sub>3</sub>	Merck Index 12,10160
19.172.	TOCOTRIENOL					
19.114.	TODDALIN	Chelerythrine chloride	[3895-92-9]	348.36	[C <sub>21</sub> H <sub>18</sub> NO <sub>4</sub> ]+HCl	Merck Index 11,2041
19.115.	N-(O-TOLUOYL)-GLYCINE		[42013-20-7]	193.21	C <sub>10</sub> H <sub>11</sub> NO <sub>3</sub>	
19.116.	N-(P-TOLUOYL)-GLYCINE		[27115-50-0]	193.21	C <sub>10</sub> H <sub>11</sub> NO <sub>3</sub>	
19.117.	TOMATIDINE	Spirpsolan-3-ol-(3b,5a,22b,25c)	[77-59-8]	415.67	C <sub>27</sub> H <sub>45</sub> NO <sub>2</sub>	Merck Index 11,9470
19.118.	TOMATIN	Lycoperiscin	[17406-45-0]	1034.23	C <sub>50</sub> H <sub>83</sub> NO <sub>21</sub>	Merck Index 11,9471
19.119.	Na-p-TOSYL-L-ARGININE METHYL ESTER HCl	TAME HCl	[1784-03-8]	378.90	C <sub>14</sub> H <sub>22</sub> N <sub>4</sub> O <sub>4</sub> S.HCl	
01.248.	TRANS-ACONITIC ACID		[4032-65-8]	174.12	C <sub>6</sub> H <sub>6</sub> O <sub>6</sub>	
03.306.	TRANS-CROCETIN		[27876-94-4]	328.41	C <sub>20</sub> H <sub>24</sub> O <sub>4</sub>	
19.120.	13-TRANSDOCOENOIC ACID	Brassicidic acid	[506-33-2]	338.56	C <sub>22</sub> H <sub>42</sub> O <sub>2</sub>	



High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
18.149.	TRANS-STILBENE		[103-30-0]	180.25	C <sub>14</sub> H <sub>12</sub>	
19.121.	D-α,α-TREHALOSE Dihydrate	α-D-Glucopyranosyl-α-D-glucopyranoside	[6138-23-4]	378.33	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .2H <sub>2</sub> O	Merck Index 11,9496
19.163.	TREMULACINE	Salicortin-benzoate		502	C <sub>26</sub> H <sub>30</sub> O <sub>10</sub>	
19.122.	2',3',4-TRIACETYL-6-AZAURODINE			371.31	C <sub>14</sub> H <sub>17</sub> N <sub>3</sub> O <sub>9</sub>	
19.164.	TRIAMIN	Degradation product of Hexidin			C <sub>x</sub> H <sub>y</sub> O <sub>z</sub>	
19.123.	2,4,5-TRIAMINO-6-HYDROXYPYRIMIDINE SULPHATE		[1603-02-7]	239.20	C <sub>4</sub> H <sub>7</sub> N <sub>5</sub> O.H <sub>2</sub> SO <sub>4</sub>	
19.196.	TRICAPRIN		[621-71-6]	554.86	C <sub>33</sub> H <sub>62</sub> O <sub>6</sub>	
19.197.	TRICAPRYLIN		[538-23-8]	470.7	C <sub>27</sub> H <sub>50</sub> O <sub>6</sub>	
19.198.	TRICETINIDIN CHLORIDE		[65618-21-5]			
19.166.	TRICONACIDMETHYLESTER	n-tricosanoic acid methyl ester		368.62	C <sub>24</sub> H <sub>48</sub> O <sub>2</sub>	
19.199.	n-TRIDECANE		[629-50-5]	184.36	C <sub>13</sub> H <sub>28</sub>	
19.124.	2-TRIFLUOROMETHYL-α- ACETAMIDOCINNAMIC ACID			273.22	C <sub>12</sub> H <sub>10</sub> F <sub>3</sub> NO <sub>3</sub>	
19.169.	TRIFOLHIRICIN	L-Maackianin-β-D-Glucoside	[6807 – 83 – 6]	446	C <sub>22</sub> H <sub>22</sub> O <sub>10</sub>	Yamaguchi Spectral Data of Natura

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.200.	TRIFOLIRHIZIN		[6807-83-6]	446.41	C <sub>22</sub> H <sub>22</sub> O <sub>10</sub>	
19.201.	TRIGONELLINE		[535-83-1]	137.15	C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub>	
19.202.	TRIGONELLINE HYDROCHLORIDE		[6138-41-6]	173.61	C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> xHCl	
19.125.	3,4,5-TRIHYDROXY-1-CYCLOHEXENE-1-CARBOXYLIC ACID	Shikimic acid	[128-59-0]	174.15	C <sub>7</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,8428
19.126.	2',4',6'-TRIHYDROXY-3,4,5-TRIMETHOXYDIHYDROCHALCONE					
19.127.	3,5,7-TRIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE	Myricetin trimethyl ether		360.33	C <sub>18</sub> H <sub>16</sub> O <sub>8</sub>	
19.204.	3',5,7-TRIHYDROXY-3,4'-DIMETHOXYFLAVONE		[33429-83-3]	330.3	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
19.128.	2',4',6'-TRIHYDROXY-3,4-DIMETHOXYDIHYDROCHALCONE					
19.129.	3',5,7-TRIHYDROXY-3,4'-DIMETHOXYFLAVONE		[33429-83-3]	330.29	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
19.130.	2',4',6'-TRIHYDROXY-3,4-METHYLENEDIOXYDIHYDROCHALCONE					
19.131.	2',4',6'-TRIHYDROXY-3,5-DIMETHOXYDIHYDROCHALCONE					

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.132.	1,4,8-TRIHYDROXY-3-METHYLANTHRAQUINONE	Islandicin	[476-56-2]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
19.133.	1,5,8-TRIHYDROXY-3-METHYLANTHRAQUINONE	Helminthosporin		270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
19.134.	2',4',6'-TRIHYDROXY-4-METHOXYDIHYDROCHALCONE					
19.135.	3',5,7-TRIHYDROXY-4'-METHOXYFLAVANONE	Hesperetin	[520-33-2]	302.29	C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>	Merck Index 11,4590
19.136.	3,5,7-TRIHYDROXY-4'-METHOXYFLAVONE	Kaempferide	[491-54-3]	300.28	C <sub>16</sub> H <sub>12</sub> O <sub>6</sub>	
19.137.	3',5,7-TRIHYDROXY-4'-METHOXYFLAVONE 7-RUTINOSIDE	Barosmin; Diosmetin-7-rutinoside; Diosmin	[520-27-4]	608.56	C <sub>28</sub> H <sub>32</sub> O <sub>15</sub>	Merck Index 11,3290
19.203.	3',4',5-TRIHYDROXY-6,7-DIMETHOXYFLAVONE		[34334-69-5]	330.3	C <sub>17</sub> H <sub>14</sub> O <sub>7</sub>	
19.138.	5,7,4'-TRIHYDROXY-6,8-DIMETHYLFLAVANONE	Cyrtopterinetin	[24211-30-1]	300.32	C <sub>17</sub> H <sub>16</sub> O <sub>5</sub>	
19.139.	2',4',3-TRIHYDROXY-6'-METHOXYDIHYDROCHALCONE					
19.140.	1,3,8-TRIHYDROXY-6-METHYLANTHRAQUINONE	Emodin	[518-82-1]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,3518
19.141.	3',4',6-TRIHYDROXYAURONE	Sulfuretin	[120-05-8]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,8951

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.142.	2,2',4'-TRIHYDROXYCHALCONE					
19.143.	2',3,4-TRIHYDROXYCHALCONE			256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
19.144.	2',4',4'-TRIHYDROXYCHALCONE	Isoliquiritigenin		256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
19.145.	4',3,4-TRIHYDROXYCHALCONE		[88191-22-4]	256.27	C <sub>15</sub> H <sub>12</sub> O <sub>4</sub>	
19.146.	2',4',6'-TRIHYDROXYDIHYDROCHALCONE					
19.147.	4',5,7-TRIHYDROXYFLAVANONE	Naringenin	[480-41-1]	272.27	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>	Merck Index 11,6344
19.148.	3',4',7-TRIHYDROXYFLAVONE		[2150-11-0]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
19.149.	3,5,7-TRIHYDROXYFLAVONE	Galangin	[548-83-4]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,4244
19.150.	3,7,4'-TRIHYDROXYFLAVONE	Resokaempferol; 5-Deoxykaempferol	[2034-65-3]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Biochem.J., 87(2), 439(1963).
19.151.	4',5,7-TRIHYDROXYFLAVONE	Apigenin	[520-36-5]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,763
19.152.	4',7,8-TRIHYDROXYFLAVONE					
19.153.	5,6,7-TRIHYDROXYFLAVONE	Baicalein	[491-67-8]	270.25	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	Merck Index 11,954
19.154.	5,7,2'-TRIHYDROXYFLAVONE				C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	
19.155.	5,7,8-TRIHYDROXYFLAVONE		[4443-09-8]	270.24	C <sub>15</sub> H <sub>10</sub> O <sub>5</sub>	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.156.	7,8,4'-TRIHYDROXYFLAVONE					
19.205.	3',4',7-TRIHYDROXYFLAVONE		[2150-11-0]	270.25	C15H10O5	
19.157.	2',4',7-TRIHYDROXYISOFLAVONE	2'-Hydroxydaidzein		270.25	C15H10O5	
19.158.	4',5,7-TRIHYDROXYISOFLAVONE	Genistein	[446-72-0]	270.25	C15H10O5	Merck Index 11,4281
19.159.	4',6,7-TRIHYDROXYISOFLAVONE		[17817-31-1]	270.25	C15H10O5	
19.206.	3',4',7-TRIHYDROXYISOFLAVONE		[485-63-2]	270.25	C15H10O5	
19.160.	2,6,8-TRIHYDROXYPURINE	Uric acid	[69-93-2]	168.11	C5H4N4O3	Merck Index 11,9790
19.207.	TRILAURIN		[538-24-9]	639.02	C39H74O6	
19.161.	2',4',4-TRIMETHOXYCHALCONE			297.34	C18H17O4	
19.162.	2,4,4'-TRIMETHOXYCHALCONE			297.34	C18H17O4	
19.010.	6,7,8-TRIMETHOXYCOUMARIN	o,o-Dimethylfraxetin		236.23	C12H12O5	
19.011.	4',5,7-TRIMETHOXYFLAVONE	Apigenin trimethyl ether		312.32	C18H16O5	
19.012.	5,6,7-TRIMETHOXYFLAVONE	Baicalein trimethylether		312.33	C18H16O5	
19.208.	3',4',7-TRIMETHOXYFLAVONE		[22395-24-0]	312.33	C18H16O5	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.013.	4',6,7-TRIMETHOXYISOFLAVONE		[798-61-8]	312.33	C <sub>18</sub> H <sub>16</sub> O <sub>5</sub>	
19.014.	3,4,6-TRI-O-ACETYL-D-GLUCAL	1,2-dideoxy-3,4,6-tri-O-acetyl-D-arabino-1-hexenopyranose	[2873-29-2]	272.26	C <sub>12</sub> H <sub>16</sub> O <sub>7</sub>	
19.184.	TRIPTOLIDE		[38748-32-2]	360.40	C <sub>20</sub> H <sub>24</sub> O <sub>6</sub>	Wie YS, Adachi I. Chung Kuo Yao Li Hsueh Pao. 12:405-10 (1991)
19.015.	2,4,6-TRIPYRIDYL-s-TRIAZINE	TPTZ	[3682-35-7]	312.34	C <sub>18</sub> H <sub>12</sub> N <sub>6</sub>	Merck Index 11,9664
19.209.	TRIXOSALEN		[3902-71-4]	228.25	C <sub>14</sub> H <sub>12</sub> O <sub>3</sub>	
19.016.	TROCHOL	Betulin	[473-98-3]	442.74	C <sub>30</sub> H <sub>50</sub> O <sub>2</sub>	Merck Index 11,1212
19.007.	TROPIC ACID	Tropaic-Acid	[529-64-6]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	Merck Index 12,9910
19.017.	DL-TROPIC ACID	DL-3-Hydroxy-2-phenylpropionic acid	[529-64-6]	166.18	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>	Merck Index 11,9691
19.005.	TROPICAMIDE	Mydriaticum	[1508-75-4]	284.36	C <sub>17</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 12,9911
19.210.	TROPINE		[120-29-6]	141.22	C <sub>8</sub> H <sub>15</sub> NO	
19.018.	TRYPTAMINE Hydrochloride	3-(2-Aminoethyl)indole HCl	[343-94-2]	196.68	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> .HCl	Merck Index 12,9927
19.019.	DL-TRYPTOPHAN		[54-12-6]	204.23	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 12,9929
19.020.	D-TRYPTOPHAN		[153-94-6]	204.23	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 12,9929

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
19.021.	L-TRYPTOPHAN		[73-22-2]	204.23	C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,9707
19.022.	L-TRYPTOPHAN METHYL ESTER Hydrochloride		[7524-52-9]	254.72	C <sub>12</sub> H <sub>15</sub> CIN <sub>2</sub> O <sub>2</sub>	
19.023.	L-TRYPTOPHAN-b-NAPHTHYLAMIDE		[3326-63-4]	329.41	C <sub>21</sub> H <sub>19</sub> N <sub>3</sub> O	
19.024.	L-TRYPTOPHAN-β-NAPHTHYLAMIDE		[3326-63-4]	329.41	C <sub>21</sub> H <sub>19</sub> N <sub>3</sub> O	
19.025.	TRYPTOPHOL	3-(β-Hydroxyethyl)indole; Indole-3-ethanol	[526-55-6]	161.21	C <sub>10</sub> H <sub>11</sub> NO	Merck Index 11,9708
19.185.	TUBEIMOSIDE I		[12051-73-1]	1319.43	C <sub>63</sub> H <sub>98</sub> O <sub>29</sub>	Yang P, Yu Tx, Ma RD et al. Ai Zheng. 21:346-350 (2002)
19.026.	D-TUBOCURARINE CHLORIDE		[57-94-3]	771.76	C <sub>37</sub> H <sub>42</sub> CIN <sub>2</sub> O <sub>6</sub> .HCl.5H <sub>2</sub> O	Merck Index 11,9717
19.211.	(+)-TUBOCURARINE CHLORIDE		[6989-98-6]	681.65	C <sub>37</sub> H <sub>42</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>6</sub>	
19.027.	TYRAMINE Hydrochloride	Tyrosamine HCl; 2-(4-hydroxyphenyl)ethylamine.HCl	[60-19-5]	173.64	C <sub>8</sub> H <sub>11</sub> NO.HCl	Merck Index 11,9743
19.028.	DL-TYROSINE	DL-3-[4-Hydroxyphenyl]alanine	[556-03-6]	181.20	C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub>	Merck Index 11,9747
19.029.	L-TYROSINE		[60-18-4]	181.20	C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub>	Merck Index 11,9747
19.212.	D-TYROSINE		[556-02-5]	181.2	C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub>	
19.213.	TYROSOL		[501-94-0]	138.17	C <sub>8</sub> H <sub>10</sub> O <sub>2</sub>	

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
20.001.	ULEXINE	Laburnine; Cytisine	[485-35-8]	190.25	C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O	Merck Index 11,2795
20.002.	UMBELLIFERONE	7-Hydroxycoumarin	[93-35-6]	162.14	C <sub>9</sub> H <sub>6</sub> O <sub>3</sub>	Merck Index 11,9758
20.003.	UMBELLIFERONE GLUCOSIDE	Skimmin; 7-Hydroxycoumarin glucoside	[93-39-0]	324.30	C <sub>15</sub> H <sub>16</sub> O <sub>8</sub>	Merck Index 11,8506
20.004.	UMBELLIFERONE METHYLESTER	Herniarin; 7-Methoxycoumarin; Ayapamin	[531-59-9]	176.18	C <sub>10</sub> H <sub>8</sub> O <sub>3</sub>	
20.005.	UMBELLIFERONE-3-CARBOXYLIC ACID	3-Carboxy-7-hydroxycoumarin		206.16	C <sub>10</sub> H <sub>6</sub> O <sub>5</sub>	
20.022.	GAMMA-UNDECALACTONE		[104-67-6]	184.28	C <sub>11</sub> H <sub>20</sub> O <sub>2</sub>	
20.006.	URACIL	2,4-Dihydropyrimidine	[66-22-8]	112.09	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub>	Merck Index 11,9761
20.007.	URACIL-5-CARBOXYLIC ACID Monohydrate	Isocrotic acid; 2,4-Dihydropyrimidine-5-carboxylic acid	[23945-44-0]	174.11	C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> .H <sub>2</sub> O	
20.008.	URIC ACID	2,6,8-Trihydroxypurine	[69-93-2]	168.11	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub>	Merck Index 11,9790
20.009.	UROCANIC ACID Dihydrate	4-Imidazolaecrylic acid	[104-98-3]	174.16	C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> .2H <sub>2</sub> O	Merck Index 11,9691
20.010.	URS-12-EN-3-b-OL	a-Amyrin	[638-95-9]	426.74	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,653
20.011.	URSODEOXYCHOLIC ACID	(6-b)-Cholanic Acid-(3-a)-(7-b)-diol	[128-13-2]	392.59	C <sub>24</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,9801
20.012.	URSODEOXYCHOLIC ACID	6β-Cholanic acid-3a,7β-diol	[128-13-2]	392.59	C <sub>24</sub> H <sub>40</sub> O <sub>4</sub>	Merck Index 11,9801



Nummer	Name	Synonym	CAS	FW	Formel	Literatur
20.013.	URSOLIC ACID	Urson; Prunol; Micromerol; Malol	[77-52-1]	456.73	C30H48O3	Merck Index 11,9802
20.014.	URSOLIC ACID METHYL ESTER	Methyl ursolate	[32208-45-0]	470.75	C31H50O3	Merck Index 11,9802
20.623.	URUSHIOL	Pentadecyl-catechol / heptadecyl-catechol Mixture				Budavari, S. The Merck Index, 12th 10028 1996
20.015.	USNARIN	Parmelin; Atranorin	[479-20-9]	374.36	C16H18O8	Merck Index 11,885
20.016.	(-)-USNIC ACID		[6159-66-6]	344.33	C18H16O7	Merck Index 11,9806
20.017.	(+)-USNIC ACID		[7562-61-0]	344.33	C18H16O7	Merck Index 11,9806
20.018.	UVAOL	3b,28-Dihydroxy-ursa-12-en	[545-46-0]	442.74	C30H50O3	
20.019.	UVASOL	Arbutin; Hydroquinone-b-D-glucopyranoside	[497-76-7]	272.26	C12H16O7	Merck Index 11,799
20.020.	UZARIGENIN	Odorigenin B	[466-09-1]	374.53	C23H34O4	Merck Index 11,9809
20.021.	UZARIN		[20231-81-6]	698.82	C35H54O14	Merck Index 11,9809
21.006.	VACCENIC ACID (cis)	11-Octadecenoic Acid (cis)	[506-17-2]	282.48	C18H34O2	
21.007.	VACCENIC ACID (trans)	11-Octadecenoic Acid (trans)	[693-72-1]	282.48	C18H34O2	Merck Index 11,9810
21.008.	VALENCENE		[4630-07-3]	204.36	C15H24	

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
21.009.	VALERENAL					
21.001.	VALERENIC ACID		[3569-10-6]	234.34	C <sub>15</sub> H <sub>22</sub> O <sub>2</sub>	
21.010.	n-VALERIC ACID BENZYL ESTER		[10361-39-4]	192.26	C <sub>12</sub> H <sub>16</sub> O <sub>2</sub>	
21.011.	VALERIC ACID ETHYL ESTER		[539-82-2]	130.19	C <sub>7</sub> H <sub>14</sub> O <sub>2</sub>	
21.012.	gamma-VALEROLACTONE		[108-29-2]	100.12	C <sub>5</sub> H <sub>8</sub> O <sub>2</sub>	
21.024.	VALTRATE		[18296-44-1 m]	232	C <sub>15</sub> H <sub>22</sub> O <sub>2</sub>	
21.028.	VANILLIN		[121-33-5]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	
21.029.	2-VANILLIN		[148-53-8]	152.15	C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>	
21.013.	6'-VANILLOYL CATALPOL	Picoside II	[39012-20-9]	512.48	C <sub>23</sub> H <sub>28</sub> O <sub>13</sub>	
21.030.	VERATRIC ACID		[93-07-2]	182.18	C <sub>9</sub> H <sub>10</sub> O <sub>4</sub>	
21.031.	VERATRIDINE		[71-62-5]	673.81	C <sub>36</sub> H <sub>51</sub> NO <sub>11</sub>	
21.032.	VERATRINE		[8051-02-3]			
21.023.	VERBASCOSIDE	Acteoside		624.6	C <sub>29</sub> H <sub>36</sub> O <sub>15</sub>	
21.004.	VERBENALIN	Cornin	[548-37-8]	388.38	C <sub>17</sub> H <sub>24</sub> O <sub>10</sub>	Merck Index 11,9861

High pure reference substances  
for research and quality  
management

Phytochem  
Referenzsubstanzen

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
21.033.	(-)-VERBENONE		[80-57-9]	150.22	C <sub>10</sub> H <sub>14</sub> O	
21.014.	VESTITOL	2',7-Dihydroxy-4'-methoxyisoflavan		272.31	C <sub>16</sub> H <sub>16</sub> O <sub>4</sub>	Chem.Comm., 1968,1263.
21.015.	VINBLASTINE SULFATE		[143-67-9]	811.98	C <sub>46</sub> H <sub>60</sub> N <sub>4</sub> O <sub>13</sub> S	Lu, M.C., In "Cancer Chemo.Agents" Foye, W.O., Ed., ACS Prof.Ref., pp. 345-347 (1995).
21.034.	VINCAMINE		[1617-90-9]	354.45	C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub>	
21.016.	VINCRISTINE SULPHATE		[2068-78-2]	923.07	C <sub>46</sub> H <sub>56</sub> N <sub>4</sub> O <sub>10</sub> .H <sub>2</sub> SO <sub>4</sub>	Merck Index 11,9891
21.025.	VINDESINE SULFATE		[59917-39-4]	852.02	C <sub>43</sub> H <sub>55</sub> N <sub>5</sub> O <sub>7</sub> xH <sub>2</sub> SO <sub>4</sub>	Dancey J, Steward WP, Anticancer Drugs. 6:625-636 (1995)
21.026.	VINDOLINE		[2182-14-1]	456.53	C <sub>25</sub> H <sub>32</sub> N <sub>2</sub> O <sub>6</sub>	Fahy J Curr Pharm Des 7:1181-1197 (2001)
21.027.	VINDORELBINE BASE		[71486-22-1]	778.93	C <sub>45</sub> H <sub>54</sub> N <sub>4</sub> O <sub>8</sub>	Brown RE, Hutton J, Burrel A. Pharmacoeconomics. 19:1091-1102 (2001)
21.017.	b-VISCOL	Lupeol; 3b-Hydroxy-20[29]-lupene	[545-47-1]	426.74	C <sub>30</sub> H <sub>50</sub> O	Merck Index 11,5478
21.003.	VISNADIN	Cardin	[477-32-7]	388.40	C <sub>21</sub> H <sub>24</sub> O <sub>7</sub>	Merck Index 11,9915

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
21.018.	VISNAGIN	4-Methoxy-7-methyl-5H-furo(3,2-g)[1]-benzopyran-5-one	[82-57-5]	230.23	C <sub>13</sub> H <sub>10</sub> O <sub>4</sub>	Merck Index 11,9916
21.019.	VITAMIN D2	Calciferol; Ergocalciferol	[50-14-6]	396.67	C <sub>28</sub> H <sub>44</sub> O	Merck Index 11,992
21.020.	VITAMIN E	D, L-a-Tocopherol	[2047-53-5]	430.7	C <sub>29</sub> H <sub>50</sub> O <sub>2</sub>	Wattenberg, L.W. Cancer Res., 45:1-8 (1985).
21.002.	VITEXIN	Orientoside; Apigenin-8-C-glucoside	[3681-93-4]	432.36	C <sub>21</sub> H <sub>20</sub> O <sub>10</sub>	
21.005.	VITEXIN-2"-O-RHAMNOSID	Orientoside-2"-O-Rhamnoside, Apigenin-8-C-glucoside-2"-O-Rhamnoside		578.53	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
21.021.	VITEXIN-4'-RHAMNOSIDE	Apigenin-8-C-glucoside-4-rhamnoside; Vitexin-2"-O-rhamnoside	[64820-99-1]	578,53	C <sub>27</sub> H <sub>30</sub> O <sub>14</sub>	
21.022.	VULPINIC ACID	ex latheria vulpini	[521-52-8]	322.32	C <sub>19</sub> H <sub>14</sub> O <sub>5</sub>	
22.002.	WEDELOLACTONE		[524-12-9]	314.26	C <sub>16</sub> H <sub>10</sub> O <sub>7</sub>	
22.001.	WOGONIN	5,7-Dihydroxy-8-methoxyflavone		284.27	C <sub>16</sub> H <sub>12</sub> O <sub>5</sub>	
23.001.	XANTHOTHUMOL		[6754-58-1]	354.40	C <sub>21</sub> H <sub>22</sub> O <sub>5</sub>	DAB 10
23.012.	XANTHONE		[90-47-1]	196.2	C <sub>13</sub> H <sub>8</sub> O <sub>2</sub>	
23.002.	XANTHOPTERIN Monohydrate	2-Amino-4,6-dihydroxypteridene	[119-44-8]	197.16	C <sub>6</sub> H <sub>5</sub> N <sub>5</sub> O <sub>2</sub> .H <sub>2</sub> O	Merck Index 11,9973

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
23.003.	XANTHOSINE	9-β-D-Ribofuranosylxanthine	[5968-90-1]	284.23	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>6</sub>	Merck Index 11,9974
23.004.	XANTHOSINE 5'-MONOPHOSPHATE DISODIUM		[25899-70-1]	408.18	C <sub>10</sub> H <sub>11</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>9</sub> P	
23.005.	XANTHOSINE 5'-TRIPHOSPHATE DISODIUM SALT		[105931-36-0]	568.14	C <sub>10</sub> H <sub>13</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>15</sub> P <sub>3</sub>	Merck Index 11,9974
23.006.	XANTHOTOXIN	8-Methoxypsoralen; Ammoidin	[298-81-7]	216.20	C <sub>12</sub> H <sub>8</sub> O <sub>4</sub>	Merck Index 11,5911
23.007.	XANTHOTOXOL		[2009-24-7]	202.17	C <sub>11</sub> H <sub>6</sub> O <sub>4</sub>	
23.008.	XANTHURENIC ACID	4,8-Dihydroxyquinaldic acid; 4,8-Dihydroxyquinoline-2-carboxylic acid	[59-00-7]	205.18	C <sub>10</sub> H <sub>7</sub> NO <sub>4</sub>	Merck Index 11,9977
23.013.	XANTHYDROL		[90-46-0]	198.22	C <sub>13</sub> H <sub>10</sub> O <sub>2</sub>	
23.009.	XANTOPHYLL	Lutein	[127-40-2]	568.91	C <sub>40</sub> H <sub>56</sub> O <sub>2</sub>	Merck Index 11,9972
23.014.	XYLAN		[9014-63-5]		(C <sub>5</sub> H <sub>8</sub> O <sub>4</sub> ) <sub>n</sub>	
23.010.	p-XYLENESELENOCYANATE	1,4-Phenylenebismethyleneselenocyanate, p.XSC	[85539-83-9]	314.10	C <sub>10</sub> H <sub>8</sub> N <sub>2</sub> Se <sub>2</sub>	Tanaka, T., et.al.Cancer Res. 57:3644-3648 (1997).
23.015.	XYLITOL		[87-99-0]	152.16	C <sub>5</sub> H <sub>12</sub> O <sub>5</sub>	
23.011.	L-XYLOSE		[609-06-3]	150.13	C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>	
24.002.	YANGONIN		[500-62-9]	258.27	C <sub>15</sub> H <sub>14</sub> O <sub>4</sub>	

High pure reference substances  
for research and quality  
management

**Phytochem  
Referenzsubstanzen**

Hochreine Standardsubstanzen  
für Forschung und  
Qualitätssicherung

Nummer	Name	Synonym	CAS	FW	Formel	Literatur
24.001.	c-YOHIMBIN	Ajmalicine, Raubasin	[483-04-5]	352.54	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub>	Merck Index 11,8129
24.004.	YOHIMBINE HYDROCHLORIDE		[65-19-0]	390.91	C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub> xHCl	
24.003.	YOHMIBIC ACID		[522-87-2]	340.42	C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>3</sub>	
25.001.	ZEARALENONE		[17924-92-4]	318.38	C <sub>18</sub> H <sub>22</sub> O <sub>5</sub>	Merck Index 11,10017
25.002.	ZEAXANTHIN		[144-68-3]	568.91	C <sub>40</sub> H <sub>56</sub> O <sub>2</sub>	Merck Index 11,10019

## **VERKAUFS- UND LIEFERBEDINGUNGEN**

### **I. GELTUNGSBEREICH**

- Geltung nur gegenüber Unternehmen

1. Unsere Verkaufs- und Lieferbedingungen gelten ausschließlich. Sie gelten auch für alle zukünftigen Lieferungen und auch dann, wenn nicht jeweils besonders darauf Bezug genommen wird. Entgegenstehende oder von unseren Lieferbedingungen abweichende Bedingungen des Kunden erkennen wir nicht an, es sei denn, wir hätten ausdrücklich schriftlich ihrer Geltung zugestimmt. Unsere Lieferbedingungen gelten auch dann, wenn wir in Kenntnis entgegenstehender oder von unseren Lieferbedingungen abweichender Bedingungen des Kunden die Lieferung an den Kunden vorbehaltlos ausführen.
2. Alle Vereinbarungen, die zwischen uns und dem Kunden zwecks Ausführung dieses Vertrages getroffen werden, sind in diesem Vertrag schriftlich niederzulegen.
3. Unsere Verkaufsbedingungen gelten nur gegenüber Unternehmern im Sinne des § 310 BGB.

### **2. ANGEBOT – ABWEICHUNGEN DER WARE VON ANGABEN IN PROSPEKTEN, SCHREIBEN, ANGEBOTEN**

1. Unsere Angebote sind freibleibend, sofern sich aus der Auftragsbestätigung nichts anderes ergibt.
2. Bestellungen sind für uns nur verbindlich, soweit wir sie bestätigen oder ihnen durch Übersendung der Ware nachkommen, mündliche Nebenabreden nur, wenn wir sie schriftlich bestätigen.
3. Wir behalten uns geringfügige Abweichungen der Ware oder der Ausführung von den Angaben in unseren Katalogen oder Angeboten vor. Zusicherungen und zugesicherte Eigenschaften liegen nur dann vor, wenn sie ausdrücklich als solche bezeichnet sind. Ansonsten sind Maße, Gewichts-, Leistungs-, Beschaffungsangaben etc. sowie Abbildungen und sonstige technische Angaben – auch solche in Katalogen, Schreiben, Angeboten, Auftragsbestätigungen und Rechnungen – für uns unverbindlich.

### **3. PREISE - PREISANPASSUNG**

1. Unsere Preise verstehen sich ab "ab Werk" ausschließlich Verpackung, sofern sich aus der Auftragsbestätigung nichts anderes ergibt. Versand und Transport erfolgen immer auf Kosten und Gefahr des Kunden.
2. Wir behalten uns das Recht vor, unsere Preise angemessen zu erhöhen, wenn nach Abschluß des Vertrages Kostenerhöhungen, insbesondere aufgrund von Tarifabschlüssen oder Materialpreiserhöhungen eintreten. Diese werden wir dem Kunden auf Verlangen nachweisen. Eine Preis-anpassung findet nicht statt in Fällen, in denen die Lieferung innerhalb von 8 Tagen nach Vertrags-schluß erfolgt.
3. Unsere Preise verstehen sich netto zuzüglich Mehrwertsteuer, die wir in gesetzlicher Höhe am Tag der Rechnungstellung in der Rechnung gesondert ausweisen.

### **4. ZAHLUNGSBEDINGUNGEN - ZAHLUNGSVERZUG**

1. Zur Vermeidung von Fehlbuchungen und daraus resultierenden Fehlmahnungen sind wir darauf angewiesen, beim Zahlungseingang die betreffende Rechnungsnummer, das Rechnungsdatum und die einzelnen Rechnungsbeträge zu erfahren. Diese Daten finden sich auf allen unseren Rechnungen. Wenn der Zahler mit dem Rechnungsempfänger nicht identisch ist, muss bei der Zahlung außerdem angegeben werden, auf wessen Namen die betreffende Rechnung ausgestellt war. Bei Zahlungen, die ohne diese Angaben bei uns eingehen, übernehmen wir keine Gewähr für die richtige Verbuchung.
2. Sofern sich aus der Auftragsbestätigung nichts anderes ergibt, ist der Kaufpreis mit Erhalt der Rechnung bzw. der Ware zur Zahlung fällig. Wir behalten uns insbesondere vor, Neukunden gegen Vorauskasse bzw. Nachnahme zu beliefern.
3. Kommt der Kunde in Zahlungsverzug, so sind wir berechtigt, Verzugszinsen in Höhe von 8 % p. a. über dem jeweiligen Basiszinssatz zu fordern. Können wir einen höheren Verzugs-schaden nachweisen, sind wir berechtigt, diesen geltend zu machen.

4. Bei Zahlungsverzug und begründeten Zweifeln an der Zahlungsfähigkeit oder Kreditwürdigkeit des Kunden sind wir - unbeschadet unserer weiteren Rechte - befugt, Sicherheiten oder Vorauszahlungen für ausstehende Lieferungen zu verlangen und sämtliche Ansprüche aus der Geschäftsverbindung fällig zu stellen.

Die Aufrechnung mit einer Forderung ist ausgeschlossen, sofern es sich nicht um eine unbestrittene oder rechtskräftig festgestellte Forderung handelt.

#### **5. LIEFERZEIT – LIEFERVERZUG**

1. Lieferzeitangaben sind für uns unverbindlich, sofern sie von uns nicht ausdrücklich als verbindlich bezeichnet werden. Die Einhaltung unserer Lieferverpflichtung setzt die rechtzeitige und ordnungsgemäße Erfüllung der Verpflichtungen des Kunden voraus.
2. Wir haften nach den gesetzlichen Bestimmungen, soweit der zugrundeliegende Kaufvertrag ein Fixgeschäft im Sinne von §286 Abs.2 Nr.4 BGB oder §376 HGB ist. Wir haften auch nach den gesetzlichen Bestimmungen, sofern als Folge des von uns zu vertretenden Lieferverzuges der Besteller berechtigt ist, geltend zu machen, dass sein Interesse an der weiteren Vertragserfüllung in Wegfall geraten ist.
3. Wir haften ferner nach den gesetzlichen Bestimmungen, sofern der Lieferverzug auf einer von uns zu vertretenden vorsätzlichen oder grob fahrlässigen Vertragsverletzung beruht. Sofern der Lieferverzug nicht auf einer von uns zu vertretenden vorsätzlichen Vertragsverletzung beruht, ist unsere Schadenersatzhaftung auf den vorhersehbaren typischerweise eintretenden Schaden begrenzt.

Im Übrigen haften wir im Falle des Lieferverzuges in Höhe von max. 15 % des Lieferpreises.

#### **6. TEILLIEFERUNGEN – ANNAHMEVERZUG**

1. Mangels besonderer Vereinbarung können wir Teillieferungen erbringen.
2. Kommt der Kunde in Annahmeverzug oder verletzt er sonstige Mitwirkungspflichten, so sind wir berechtigt, den uns entstehenden Schaden einschließlich etwaiger Mehraufwendungen zu verlangen. In diesem Fall geht auch die Gefahr eines zufälligen Untergangs oder einer zufälligen Verschlechterung der Kaufsache in dem Zeitpunkt auf den Kunden über, in dem dieser in Annahmeverzug gerät.

#### **7. RÜCKSENDUNG VON WAREN**

1. Eine Rücksendung von Waren bedarf unserer ausdrücklichen Zustimmung.
2. Erklären wir uns bereit, neue Ware (sofern in unversehrten Originalverpackungen) zurückzunehmen, so sind wir berechtigt, die Gutschrift bzw. Rückzahlung des Kaufpreises um 30 % zu kürzen. Die Rücksendung erfolgt auf Gefahr und Kosten des Kunden. Bei Warenverpackungen, die nicht mehr original verschlossen sind, behalten wir uns außerdem die Berechnung von Analysenkosten vor.
3. Bei Produkten, die einer speziellen Lagerung unterworfen sind, z. B. unterhalb von Zimmertemperatur, sowie bei Produkten mit Verfalldatum ist die Rücknahme ausgeschlossen. Chemikalien zur Vernichtung zurückzunehmen, ist uns nach den gesetzlichen Vorschriften nicht möglich. Sonderanfertigungen aller Art und Sonderabfüllungen können nicht zur Gutschrift zurückgenommen werden.
4. Vorstehende Regelungen gelten nicht, soweit die Rücksendung auf einem anerkannten Mangel der Lieferung oder auf Verschulden des Lieferers beruht.

#### **8. VERWENDUNGSZWECK DER WAREN – PFLICHTEN DES KUNDEN – HAFTUNG**

1. Soweit wir bei bestimmten Produkten eine Lieferzusage von dem Verwendungszweck abhängig machen müssen, haftet der Kunde für alle etwaigen Nachteile, die uns aus unzutreffenden Angaben erwachsen. Bei Giften und anderen Stoffen, deren Verwendung nur im Rahmen gesetzlicher oder behördlicher Vorschriften erfolgen darf, gilt die Bestellung des Kunden gleichzeitig als Erklärung, daß diese Stoffe für einen erlaubten Zweck im vorstehenden Sinne benutzt werden sollen. Für gewisse Produkte müssen wir vom Käufer eine Endverbleibserklärung verlangen, die die unerlaubte Anwendung der betreffenden Produkte bei Bezug oder Wiederverkauf ausschließt. Die Verbraucher unserer Waren sind gehalten, auf unsere Produkte die Laboratoriumsrichtlinien der Berufsgenossenschaft der Chemischen Industrie anzuwenden. Sie haben die gesetzlichen Vorschriften im Umgang mit den Stoffen zu beachten. Privatpersonen können nicht mit Chemikalien beliefert werden.



2. Unsere Produkte sind für nur für Laborzwecke und für den Einsatz bei der industriellen Fertigung geprüft. Vor ihrer Verwendung für einen anderen Zweck, insbesondere in der Medizin oder bei der Lebensmittel – oder Genussmittelverarbeitung, müssen sie vom Verwender auf ihre diesbezügliche Eignung überprüft werden. Eine Haftung für diese Verwendung kann daher von uns nicht übernommen werden.

## **9. MÄNGELGEWÄHRLEISTUNG**

1. Die Gewährleistungsrechte unseres Kunden setzen voraus, daß dieser seinen nach §§ 377, 378 HGB geschuldeten Untersuchungs- und Rügeobliegenheiten ordnungsgemäß nachgekommen ist. Beanstandete Waren dürfen ohne unsere ausdrückliche Zustimmung nicht mehr verwendet werden.
2. Soweit ein von uns zu vertretender Mangel der Kaufsache vorliegt, ist der Besteller zunächst berechtigt nach seiner Wahl Mängelbeseitigung oder Nachlieferung zu verlangen. Im Falle der Mängelbeseitigung sind wir verpflichtet, alle zum Zweck der Mängelbeseitigung erforderlichen Aufwendungen, insbesondere Transport -, Wege - , Arbeits - und Materialkosten zu tragen, soweit sich diese nicht dadurch erhöhen, dass die Kaufsache an einen anderen Ort als dem Erfüllungsort verbracht wurde. § 439 III BGB bleibt unberührt.
3. Schlägt die Nacherfüllung fehl, so ist der Kunde nach seiner Wahl berechtigt, vom Vertrag zurückzutreten oder eine entsprechende Minderung des Kaufpreises zu verlangen.
4. Wir haften nach den gesetzlichen Bestimmungen, sofern der Besteller Schadenersatzansprüche geltend macht, die auf Vorsatz oder grober Fahrlässigkeit, einschließlich von Vorsatz oder grober Fahrlässigkeit unserer Vertreter oder Erfüllungsgehilfen beruht. Soweit uns keine vorsätzliche Vertragsverletzung angelastet wird, ist die Schadenersatzhaftung auf den typischerweise vorhersehbaren Schaden begrenzt.
5. Die Gewährleistungspflicht beträgt 12 Monate, gerechnet ab Ablieferung. Diese Frist ist eine Verjährungsfrist und gilt auch für Ansprüche auf Ersatz von Mangelfolgeschäden, soweit keine Ansprüche aus unerlaubter Handlung geltend gemacht werden. Eine Beweislastumkehr zu Lasten des Lieferanten findet nicht statt.
6. Die Verjährungsfrist im Falle des Lieferregresses nach §§ 478, 479 BGB bleibt unberührt; sie beträgt fünf Jahre, gerechnet ab Ablieferung der mangelhaften Sache.
7. Rückgriffsansprüche des Bestellers gegen den Lieferanten bestehen nur insoweit, als der Besteller mit seinem Abnehmer keine über die gesetzlichen Mängelansprüche hinausgehenden Vereinbarungen getroffen hat.

## **10. GESAMTHAFTUNG**

1. Eine weitergehende Haftung auf Schadensersatz als in vorstehender Ziff. 9 vorgesehen, ist – ohne Rücksicht auf die Rechtsnatur des geltend gemachten Anspruchs – ausgeschlossen. Dies gilt insbesondere für Schadensersatzansprüche aus Verschulden bei Vertragsschluss, wegen sonstiger Pflichtverletzungen oder wegen deliktischer Ansprüche auf Ersatz von Sachschäden gemäß § 823 BGB.
2. Soweit unsere Haftung ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung unserer Angestellten, Arbeitnehmer, Mitarbeiter, Vertreter und Erfüllungsgehilfen.

## **11. RÜCKTRITT DES BESTELLERS**

Das gesetzliche Rücktrittsrecht des Bestellers setzt bei Vorliegen eines Mangels der Kaufsache kein Verschulden des Lieferanten voraus. In allen anderen Fällen kann der Besteller nur bei Vorliegen einer vom Lieferanten zu vertretenden Pflichtverletzung zurücktreten.

## **12. EIGENTUMSVORBEHALT**

1. Wir behalten uns das Eigentum an der Kaufsache bis zum Eingang aller Zahlungen aus dem Liefervertrag vor. Bei vertragswidrigem Verhalten des Kunden, insbesondere bei Zahlungsverzug, sind wir berechtigt, die Kaufsache zurückzunehmen. In der Zurücknahme der Kaufsache durch uns liegt kein Rücktritt vom Vertrag, es sei denn, wir hätten dies ausdrücklich schriftlich erklärt. Wir sind nach Rücknahme der Kaufsache zu deren Verwertung befugt, der Verwertungserlös ist auf die Verbindlichkeiten des Kunden abzüglich angemessener Verwertungskosten anzurechnen.

2. Der Kunde ist verpflichtet, die Kaufsache pfleglich zu behandeln; insbesondere ist er verpflichtet, diese auf eigene Kosten gegen Feuer-, Wasser- und Diebstahlschäden ausreichend zum Neuwert zu versichern.
3. Bei Pfändungen oder sonstigen Eingriffen Dritter hat uns der Kunde unverzüglich schriftlich zu benachrichtigen, damit wir Klage gemäß § 771 ZPO erheben können. Soweit der Dritte nicht in der Lage ist, uns die gerichtlichen und außergerichtlichen Kosten einer Klage gemäß § 771 ZPO zu erstatten, haftet der Kunde für den uns entstandenen Ausfall.
4. Der Kunde ist berechtigt, die Kaufsache im ordentlichen Geschäftsgang weiterzuverkaufen; er tritt uns jedoch bereits jetzt alle Forderungen in Höhe des Rechnungsendbetrages (einschließlich Mehrwertsteuer) ab, die ihm aus der Weiterveräußerung gegen seine Abnehmer oder Dritte erwachsen. Zur Einziehung dieser Forderung bleibt der Kunde auch nach der Abtretung berechtigt. Unsere Befugnis, die Forderung selbst einzuziehen, bleibt hiervon unberührt. Wir verpflichten uns jedoch, die Forderung nicht einzuziehen, solange der Kunde seinen Zahlungsverpflichtungen aus den vereinnahmten Erlösen nachkommt, nicht in Zahlungsverzug ist und insbesondere kein Antrag auf Eröffnung eines Konkurs- oder Vergleichsverfahrens gestellt ist oder Zahlungseinstellung vorliegt. Ist aber dies der Fall, können wir verlangen, daß der Kunde uns die abgetretenen Forderungen und deren Schuldner bekanntgibt, alle zum Einzug erforderlichen Angaben macht, die dazu gehörigen Unterlagen aushändigt und dem Schuldner (Dritten) die Abtretung mitteilt.
5. Die Verarbeitung oder Umbildung der Kaufsache durch den Kunden wird stets für uns vorgenommen. Wird die Kaufsache mit anderen, uns nicht gehörenden Gegenständen verarbeitet, so erwerben wir das Miteigentum an der neuen Sache im Verhältnis des Wertes der Kaufsache zu den anderen verarbeiteten Gegenständen zur Zeit der Verarbeitung. Für die durch Verarbeitung entstehende Sache gilt im übrigen das gleiche wie für die unter Vorbehalt gelieferte Kaufsache.
6. Wird die Kaufsache mit anderen, uns nicht gehörenden Gegenständen untrennbar vermischt, so erwerben wir das Miteigentum an der neuen Sache im Verhältnis des Wertes der Kaufsache zu den anderen vermischten Gegenständen zum Zeitpunkt der Vermischung. Erfolgt die Vermischung in der Weise, daß die Sache des Kunden als Hauptsache anzusehen ist, so gilt als vereinbart, daß der Kunde uns anteilmäßig Miteigentum überträgt. Der Kunde verwahrt das so entstandene Alleineigentum oder Miteigentum für uns.
7. Wir verpflichten uns, die uns zustehenden Sicherheiten auf Verlangen des Kunden insoweit freizugeben, als der realisierbare Wert unserer Sicherheiten die zu sichernden Forderungen um mehr als 20 % übersteigt. Die Auswahl der freizugebenden Sicherheiten obliegt uns.

### **13. KUNDENSCHUTZ**

1. Kundenschutz kann nur ausnahmsweise für Einzelprodukte bei garantierten Abnahmemengen gewährt werden und bedarf einer ausdrücklichen schriftlichen Vereinbarung.

### **14. VERWENDUNG VON KUNDENDATEN**

1. Wir sind berechtigt, Kundendaten im Rahmen der gesetzlichen Bestimmungen, insbesondere des Bundesdatenschutzgesetzes, zu speichern und unternehmensintern zu verarbeiten.

### **15. ERFÜLLUNGORT, GERICHTSSTAND, RECHTSWAHL**

1. Erfüllungsort ist Ichenhausen, sofern sich aus der Auftragsbestätigung nichts anderes ergibt.
2. Gerichtsstand für alle sich aus dem Vertragsverhältnis ergebenden Streitigkeiten ist, wenn der Kunde Kaufmann, eine juristische Person des öffentlichen Rechts oder ein öffentlich-rechtliches Sondervermögen ist, das für unseren Geschäftssitz zuständige Gericht. Wir sind jedoch berechtigt, den Kunden auch an seinem Sitzgericht zu verklagen.
3. Es gilt deutsches Recht mit Ausnahme des UN-Kaufrechtes.